

SofTrack

Managed Assets: Auditing and Activity Platform
for Microsoft Windows



Administrator's Guide

INTEGRITY
Software

Copyrights

This manual contains proprietary information that is protected by copyright. The information in this manual is subject to change without notice. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose other than the licensee's personal use without prior written permission of Integrity Software, Inc. The software described in this manual is furnished under a license granted by Integrity Software to the licensee. This software may be used or copied only in accordance with the terms of the license agreement.

© 2024 Integrity Software. **All rights reserved.**

Trademarks

Microsoft®, Windows®, Windows NT®, Windows Server®, and MS-DOS® are registered trademarks of Microsoft Corporation in the United States and/or other countries. Novell® and NetWare® are registered trademarks and NLM™ is a trademark of Novell, Inc. Adobe®, Acrobat®, and PostScript® are registered trademarks of Adobe Systems Incorporated. WinZip® is a registered trademark of WinZip Computing Inc. Citrix®, Citrix MetaFrame®, and Citrix WinFrame® are registered trademarks of Citrix Systems, Inc. WordPerfect® is a registered trademark of Corel Corporation. AutoCAD® is a registered trademark of Autodesk, Inc. Revu® is a registered trademark of Bluebeam Software. Bentley® is a registered trademark of Bentley Systems Inc. Lexis/Nexis™ is a trademark of Reed Elsevier Inc. Other marks cited in this document are the property of their respective owners.

Documentation Conventions

Special information in this manual is presented using the following conventions:

- **Bold** text indicates commands, command-line options, and interface controls, such as the names of icons, menus, menu items, buttons, check boxes, and tabs.
- *Italic* text indicates variables that you must replace with a value. It also indicates emphasized terms and book titles.
- Monospace font indicates text that you enter, file names, and code examples.

NOTE: Provides information that emphasizes or supplements important points in the main text.

IMPORTANT: Provides information essential to the completion of a task. Do not disregard an important note.

TIP: Offers information that helps you apply techniques and procedures to meet your specific needs.

CAUTION: Advises that failure to take or avoid a specified action could result in loss of data.

WARNING: Advises that failure to take or avoid a specific action *will* result in loss of data.

Use Adobe Acrobat Reader 4.0 or higher for best viewing and print to a PostScript printer for best printing results. You can download the latest copy of Acrobat Reader at the following site:

<http://www.adobe.com/prodindex/acrobat/readstep.html>

Contact Us

Integrity Software is committed to the ongoing support of its products. For information and the latest downloads of the SofTrack product, see our website at <http://www.softwaremetering.com/support.htm>. For information, help, and to report problems associated with this product, or if you need features or functionality that are not currently offered by Integrity Software, contact our customer support team at support@softwaremetering.com. To purchase additional licenses, contact our sales team at sales@softwaremetering.com. SofTrack Telephone support staff is available 4:00 Central USA Time (GMT-6) to 18:00 Central USA Time (GMT-6). SofTrack Support is available by dialing (512) 372-8991 extension 2.

Integrity Software, Inc.
P.O. Box 163902
Austin, TX 78716
Pubrev 20241121



End User License Agreement

INTEGRITY SOFTWARE LICENSE AGREEMENT FOR SOFTRACK SOFTWARE

THIS SOFTWARE IS LICENSED, NOT SOLD, AND AVAILABLE FOR USE ONLY UNDER THE TERMS OF THIS LICENSE AGREEMENT. PLEASE READ THIS LEGAL AGREEMENT CAREFULLY. INTEGRITY SOFTWARE WILL ONLY LICENSE THE SOFTWARE PROVIDED WITH THIS AGREEMENT TO YOU IF YOU FIRST ACCEPT THE TERMS OF THIS AGREEMENT. REGARDLESS OF HOW YOU ACQUIRE THE SOFTWARE, USE OF THE SOFTWARE CONSTITUTES YOUR ACCEPTANCE OF THESE TERMS.

Integrity Software, Inc. (“Integrity”) grants you a nonexclusive, nontransferable license under the terms stated below to the Software in the country in which you acquire it.

- 1 License Grant.** This license agreement is your proof of license to use the Software and must be retained by you. Integrity Software, Inc. (“Integrity”) grants to you (either as an individual or entity) a personal, non-transferable, and non-exclusive object code only license to use the copy of the object code version of the Integrity software accompanying this license (the “Software”) by (i) installing the Software on one server, (ii) running the install program to create the number of remote user copies and associated user IDs for which you have a paid-up license, (iii) loading such remote user copies and user IDs on remote personal computers, and (iv) making backup or archival copies. You agree you will not copy the Software except as permitted under the terms of this license. You agree that you will not copy the written materials accompanying the Software. This agreement is effective for the duration of Integrity’s copyright in the Software unless earlier terminated by Integrity for breach of this license by you. You may not rent or lease the Software, but you may assign your rights under this agreement on a permanent basis to another person or entity who agrees in writing prior to the assignment to be bound by this agreement and to re-register the Software in their name and provided that you transfer all copies of the Software and related documentation to the other person or destroy any copies not transferred. Except as set forth above, you may not assign your rights under this agreement.
- 2 Copyright.** The Software is owned by Integrity and/or its suppliers and title remains in Integrity and/or its suppliers. You agree that any copies of the Software will contain the same proprietary notices which appear on and in the Software.
- 3 Reverse Engineering.** You agree that you will not attempt, and if you are a corporation, you will use your best efforts to prevent your employees and contractors from attempting, to reverse compile, modify, translate, or disassemble the Software in whole or in part.
- 4 Limited Warranty.** Integrity warrants that for a period of ninety (90) days from the date of purchase, the Software, when executing on compatible computers and

operating systems designated by Integrity, will perform substantially in accordance with the accompanying documentation (“Limited Warranty”). INTEGRITY AND ITS SUPPLIERS DO NOT WARRANT THAT THE SOFTWARE OR DOCUMENTATION WILL SATISFY YOUR REQUIREMENTS, THAT THE SOFTWARE AND DOCUMENTATION ARE WITHOUT DEFECT OR ERROR OR THAT THE OPERATION OF THE SOFTWARE WILL BE UNINTERRUPTED. BECAUSE IT IS IMPOSSIBLE FOR INTEGRITY TO KNOW THE PURPOSES FOR WHICH YOU ACQUIRED THIS SOFTWARE OR THE USES TO WHICH YOU WILL PUT THIS SOFTWARE, YOU ASSUME FULL RESPONSIBILITY FOR THE SELECTION OF THE SOFTWARE, AND FOR ITS INSTALLATION AND USE AND THE RESULTS OF THAT USE.

- 5 **Disclaimer of Warranties.** EXCEPT FOR THE LIMITED WARRANTY DESCRIBED IN PARAGRAPH 4 (“Limited Warranty”), INTEGRITY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES TO THE EXTENT PERMITTED BY LAW AND SPECIFICALLY DISCLAIMS THE WARRANTIES OF NON-INFRINGEMENT OF THIRD PARTY RIGHTS, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IF SUCH DISCLAIMER IS NOT PERMITTED BY LAW, THE DURATION OF ANY SUCH IMPLIED WARRANTIES IS LIMITED TO NINETY (90) DAYS FROM THE DATE OF DELIVERY. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY MAY LAST, OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO SUCH LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM JURISDICTION TO JURISDICTION.
- 6 **Customer Remedies.** Integrity’s entire liability and your sole and exclusive remedy for a breach of the Limited Warranty for the Software shall be, at Integrity’s sole discretion, for Integrity to (a) correct the error, (b) help you work around or avoid the error or (c) authorize a refund.
- 7 **Severability.** In the event of invalidity of any provision of this agreement, the parties agree that such invalidity shall not affect the validity of the remaining portions of this agreement.
- 8 **No Liability for Consequential Damages.** IN NO EVENT SHALL INTEGRITY BE LIABLE TO YOU FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL OR INDIRECT DAMAGES OF ANY KIND ARISING OUT OF THE USE OF THE INTEGRITY SOFTWARE, INCLUDING LOST PROFITS, LOSSES ASSOCIATED WITH BUSINESS INTERRUPTION, LOSS OF USE OF THE SOFTWARE, LOSS OF DATA OR COSTS OF RE-CREATING LOST DATA, EVEN IF INTEGRITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
- 9 **Limitation on Liability.** IN NO EVENT WILL INTEGRITY’S LIABILITY FOR ANY CLAIM, WHETHER IN CONTRACT, TORT OR ANY OTHER THEORY OF LIABILITY, EXCEED THE LICENSE FEE PAID BY YOU. THIS LIMITATION IS CUMULATIVE, WITH ALL PAYMENTS TO YOU FOR CLAIMS OR DAMAGES BEING AGGREGATED TO DETERMINE

SATISFACTION OF THE LIMIT. INTEGRITY'S PRICING REFLECTS THE ALLOCATION OF RISK AND LIMITATIONS ON LIABILITY CONTAINED IN THIS AGREEMENT.

- 10 Export.** You agree that you will not export or re-export the Software without the appropriate United States or foreign government licenses.
- 11 Governing Law.** The Software is protected by United States copyright laws and international treaty provisions. This agreement will be governed by the laws of the United States and the State of Texas as they are applied to agreements between Texas residents entered into and to be performed entirely within Texas. The United Nations Convention on Contracts for the International Sale of Goods is specifically disclaimed.
- 12 Tax Liability.** You are responsible for paying any sales or use tax imposed at any time whatsoever on this transaction.
- 13 Entire Agreement.** This is the entire agreement between you and Integrity which supersedes any prior agreement, whether written or oral, relating to the subject matter of this agreement and may be amended only by a writing signed by both parties. No vendor, reseller or other person is authorized to modify this agreement or to make any warranty, representation or promise that is different than, or in addition to, the warranties provided in this license agreement.


U.S. GOVERNMENT RESTRICTED RIGHTS

If this product is acquired under the terms of a: DoD contract: Use, duplication or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of 252.227-7013 and restrictions set forth in the accompanying end user agreement. Civilian agency contract: Use, reproduction or disclosure is subject to 52.227-19 and restrictions set forth in the accompanying end user agreement.

Unpublished: rights reserved under the copyright laws of the United States.

Integrity Software, Inc., P.O. Box 163902, Austin, Texas 78716-3902.

Should you have any questions concerning this agreement, or if you would like to contact Integrity for any reason, please write: Integrity Software, Inc., P.O. Box 163902, Austin, Texas 78716-3902.



Contents

Copyrights.....	ii
End User License Agreement.....	iii
INTEGRITY SOFTWARE LICENSE AGREEMENT FOR SOFTRACK SOFTWARE	iii
Chapter 1 Welcome to SofTrack.....	13
SofTrack Managed Assets Overview	13
Benefits	14
Licensing.....	14
System Requirements – Platforms Supported	15
SofTrack Server Agent Requirements	15
SofTrack Administrator System Requirements	15
SofTrack User System Requirements	15
SofTrack Configuration Components.....	16
Implementation Planning Considerations for SofTrack Managed Assets	16
Background.....	16
Implementation recommendations up to 500 workstations	18
Implementation recommendations up to 1000 workstations	18
Implementation recommendations up to 2000 workstations	19
Implementation recommendations up to 5000 workstations	19
Implementation recommendations for larger installations	19
Contacting Integrity Software, Inc.	20
Chapter 2 Installing the SofTrack Server Agent for Windows®.....	21
Overview.....	21
Installation Steps.....	21
Installing or Upgrading a Fully Licensed Version of SofTrack	21
Obtaining the Current Version of SofTrack	21
Determining Your Last Date of SofTrack Maintenance.....	22
Installation: SofTrack Server Agent (SSA)	22
Manually Updating the SofTrack Server Agent and Console	27
SofTrack’s Use of the Registry on a Windows Server	29
Installation: Backing up your SofTrack configuration and data.....	29
SofTrack and Window 64bit Firewall settings	30
WAN Accelerators.....	30
SofTrack Administrator (SOFTRACK_CONSOLE.EXE)	31
Server Host Recommendations.....	31
BIOS Settings	31
Hosting in a VMware environment	32
Hosting in a Hyper-V environment	33

SofTrack Server Agent connectivity troubleshooting	33
Reviewing SSA host network communication faults	33
Using Telnet to verify communication	35
VMware Solutions for Poor Network Performance	36
Upgrading Existing Installation of SofTrack Managed Assets	38
SLAM MSI Re-Installation and Error 1603 or Error 2753	40
Chapter 3 SQL Server® Configuration and Entity Planning	42
Overview	42
About Azure SQL	42
SQL Server Database Recovery Model Configuration	42
SQL Configuration	43
Creating the DEFAULT Entity	44
ST_SLAM TCP/IP Configuration	46
SQL Transfer	48
Entity Configuration	48
About DEFAULT Entity	48
Defining additional Entities	49
Adding an Entity	49
Considerations for planning Entity creation	50
Automatic SQL Maintenance	53
Automatically Maintaining SQL Server Express®	54
Optionally Purge Older Data of each SQL Server® Database	55
Viewing the SQL Server® transaction activity log	57
Viewing the SMADASH_RPT Error log	57
Chapter 4 Installing the Workstation Agent	58
Overview	58
Workstation Agent installation via MSI	58
Reconfiguring Server name or Entity name	61
Communication Methods	63
Manually Upload STSLAM Agent Activity to SofTrack Server Agent	64
Communication Failure	65
Startup and Activity Tracking	65
Removing a Workstation License	65
Changing Workstation Entity and changing Workstation License	66
Move Device	67
Terminal Server Installation	68
Agent Licensing Errors and Email Alerting	69
MSI Removal	71
Import Data from SofTrack LWA Control Data	74
Chapter 5 Administration Options	76
Starting SOFTRACK_CONSOLE.EXE	76
Registry Key Added at Server Host	76
Backing up SofTrack License Profile and Configuration Definitions and Activity Data	77
About and Visual Style	77
Alert Tiles	78
Pop-up SQL Errors	79
Administrative Options	80
Set Log Share Path	80

Set Log Share Path: Overview.....	80
Set Log Share Path: How.....	80
Token Maintenance	81
Token Maintenance: Overview.....	81
Token Maintenance: How.....	81
Email Alerts.....	82
Email Alerts: How	82
Email Alerts: SofTrack Server Agent.....	84
Email Alerts: Entity Agent Licensing Errors and Alerting	85
SofTrack Server Agent Version.....	87
SofTrack Server Agent Version: How.....	87
SofTrack Server Agent Version: Cannot connect?.....	88
Merging Entities	88
Deleting an Entity	89
Managing an Entity.....	90
Entity Email Configuration.....	91
Software Categories (Normalization).....	94
Adjust Application Name for Software Usage	97
View Workstations	100
Set Application Email Reminder	101
Hardware Categories	103
Set Device Email Reminder.....	105
Chapter 6 Dashboards.....	106
Overview: Dashboards.....	106
Dashboards	106
Creating a Dashboard	106
Viewing a Dashboard	112
Editing / Renaming a Dashboard.....	113
Exporting a Dashboard	114
Scheduling Dashboard Emails.....	116
Dashboard Samples and SQL Queries.....	118
Most used products By EXE Launches (not version specific)	119
Most used products By EXE Total Usage Time (not version specific).....	120
Most used products By EXE Total Active Time (not version specific)	121
Most used products By EXE Total Idle Time (not version specific).....	123
Most used products + version By EXE Launches	124
Most used products + version By EXE Total Usage Time.....	125
Most used products + version By EXE Total Active Time	126
Most used products + version By EXE Total Idle Time.....	128
Most installed products by workstation count (not version specific)	129
Most used products by workstation count (not version specific)	131
Most installed products + version by workstation count.....	133
Most used products + version by workstation count	135
Top Computer Manufacturers by workstation count.....	137
Top Computer Manufacturers + Model by workstation count	137
Top Windows OS Versions (base version) by workstation count.....	138
Top Windows 10 versions + release + build by workstation count.....	139
Free Space C: Drive by workstation count	140
RAM installed by workstation count.....	142

CPU types installed (make + model) by workstation count	143
User Logon Domains found.....	144
Top Users by Active Application Time (all applications).....	145
Top Users by Idle Application Time (all applications)	146
Top Browser Page Titles	147
Top Page Titles, non-browser applications	149
Top screen saver users	151
Active Users with least amount of logon time.....	151
Active Workstations with least amount of logon time (any user)	152
Daily Chart Software Category maximum concurrent usage	154
Daily Chart Software Category number of workstations where used	155
Autodesk® Named-User Summary Charts [Selected License].....	157
TCP/IP User After Hours Upload+Download Charts [Selected User].....	166
TCP/IP Top Users Upload Activity	171
TCP/IP Top Remote Port Upload Activity	173
TCP/IP Remote Port Upload+Download + Remote Hosts Charts [Selected Port]	174
Top Applications by cost based on number workstations where installed	178
Top Applications by cost based on number workstations where used	179
Daily Chart Specific EXE file(s) number of workstations where used	180
Chapter 7 Interactive Reporting.....	182
Reports Overview	182
Stand-alone Reporting Console	182
On-screen views.....	182
Home View	183
Agents View	183
Applications View	184
Devices View.....	185
Managed View.....	185
Dashboards View.....	185
Exporting On-screen views.....	185
On-Demand Reports	187
About interactive reports with more than 100,000 rows	192
General notes for reports	193
Application Report: Audit Position – Detail per Workstation.....	194
Application Report: Audit Position – Detail per Workstation - Customization.....	195
Application Report: Audit Position – Summary per Application.....	198
Application Report: Audit Position – Summary per Application - Customization	199
Application Report: Concurrent Usage	202
Application Report: Application Costs: Concurrent Usage (Summary+Costs)	205
Application Report: Application Costs: Concurrent Usage (Summary+Costs) - Customization.....	207
Application Report: Application Costs: Installed Costs per Computer Detail	210
Application Report: Application Costs: Installed Costs per Computer Detail - Customization	211
Application Report: No Usage.....	214
Application Report: No Usage - Customization.....	215
Application Report: Utilization Intelligence	218
Application Report: Utilization Intelligence – Adobe Creative Cloud example	220
Application Report: Application Security – Application Crashes (Werfault Activity).....	221
Application Report: Application Security - Application Crashes (Werfault Activity) - Customization.....	222
Application Report: Application Security – BSOD – Workstation Blue Screen Crashes.....	225

Application Report: Application Security - BSOD - Workstation Blue Screen Crashes - Customization	225
Application Report: Application Security – CRACKED Applications.....	228
Application Report: Application Security – CRACKED Applications - Customization	229
Application Report: Application Security – Applications used without digital signature	232
Application Report: Application Security – Applications used without digital signature - Customization.....	232
Application Report: Idle versus Active Summary.....	235
Application Report: Idle versus Active Summary - Customization	236
Application Report: Idle versus Active Details	240
Application Report: Idle versus Active Details - Customization	240
Application Report: Short Usages	243
Application Report: Short Usages - Customization.....	244
Application Report: Excessive Idle	247
Application Report: Excessive Idle - Customization.....	248
Application Report: Workstation Hourly Idle	251
Application Report: Workstation Hourly Idle - Customization	252
Application Report: Workstation Monthly Percent Active	255
Application Report: Workstation Monthly Percent Active - Customization.....	256
Application Report: Application Camping Review.....	259
Application Report: Application Camping Review - Customization	259
Application Report: User Day	262
Application Report: User Day + Page Titles	266
Application Report: User Daily Summary per Application	269
Application Report: User Daily Summary per Application - Customization.....	270
Application Report: Workstation Usage.....	273
Application Report: Page Titles (Detail)	274
Application Report: Page Titles (Detail) - Customization	274
Application Report: Page Titles (Summary)	278
Application Report: Page Titles (Summary) - Customization.....	278
Application Report: Page Titles (Summary) – Tracking Document Viewing+Editing Activity	282
Application Report: Autodesk® Named-User Combined User Usage Summary	283
Application Report: Autodesk® Named-User Combined User Usage Summary - Customization	283
Application Report: Autodesk® Named-User License Pool Utilization Summary	286
Application Report: Autodesk® Named-User License Pool Utilization Summary - Customization.....	287
Application Report: Autodesk® Named-User Activity Details	289
Application Report: Autodesk® Named-User Activity Details - Customization.....	290
Application Report: Autodesk® Utilization Intelligence	292
Application Report: Autodesk® Utilization Intelligence – User Counts per product (filtering example).....	293
Application Report: Autodesk® Utilization Intelligence - Customization	294
Application Report: Autodesk® Plugin Utilization.....	297
Application Report: Autodesk® Plugin Utilization - Customization.....	297
Application Report: TCP/IP Data Transfers Summary and Details	300
Application Report: Installation and Latest Usage Report	302
Application Report: Installation and Latest Usage Report - Customization	303
Application Report: Installation and Latest Usage Report – Customization Rules.....	305
Application Report: Specific EXE Usage.....	308
Application Report: Specific EXE Usage - Customization.....	309
Application Report: Versions Report	312
Application Report: Installation Keys	312
Application Report: All Application Usage + Set Category	313
Application Report: Vendors	314

Application Report: Summary+Detail Unique Users per SQL Instance	315
Application Report: Summary+Detail Unique Users per SQL Database.....	316
Application Report: Summary+Detail Unique Applications per SQL Database	317
Device Report: Workstation Status	318
Device Report: Workstation CPU	318
Device Report: Workstation Disk Space	319
Device Report: Workstation Operating Systems.....	319
Device Report: Workstation Windows Updates + Installation Status.....	319
Device Report: Workstation Microsoft Cloud Joined	319
Device Report: Workstation Microsoft Cloud Joined + User Details	320
Device Report: Setting PowerShell Execution Policy	322
Device Report: Installation of PowerShell Module: AzureAd	323
Device Report: Workstation Timezones.....	324
Device Report: User Logon Report Selector	324
Logon Report: Basic Details (of each logon period).....	326
Logon Report: Full Details (of each logon period)	327
Logon Report: Daily User Summary	329
Logon Report: Daily User Summary + Intraday	330
Logon Report: Weekly User Summary	332
Logon Report: Workstation Utilization	333
Logon Report: Workstation Overview Summary.....	335
Device Report: Summary+Detail Unique Users [LDAP Logon Names only].....	335
Device Report: Summary+Detail Unique Users [Domain Logon Names only]	336
Device Report: Summary+Detail Unique Users [All Logon types].....	337
Device Report: Summary+Detail Unique Users per Domain.....	338
Chapter 8 Managed Views.....	341
Managed Views: Overview	341
Managed Views	341
Edit/Delete Reminders.....	342
Managed View: Applications	343
Creating an Application Managed View	343
Editing an Application Managed View	346
Adding custom columns to an Application Managed View	349
Editing custom columns in an Application Managed View	351
Adding Data rows in an Application Managed View.....	352
Editing Data rows in an Application Managed View	354
Editing, Viewing and Extracting FileType Data rows in an Application Managed View	356
Setting an Email Reminder in an Application Managed View.....	358
Exporting values from an Application Managed View	360
Managed View: Devices.....	361
Creating a Device Managed View	361
Editing a Device Managed View	363
Adding custom columns to a Device Managed View	366
Re-Sync imported columns in a Device Managed View.....	369
Editing custom columns in a Device Managed View.....	370
Adding Data rows in a Device Managed View	371
Editing Data rows in a Device Managed View	373
Editing, Viewing and Extracting FileType Data rows in a Device Managed View	375
Setting an Email Reminder in a Device Managed View	377

Exporting values from a Device Managed View	379
Cloning Managed View Database + Tables	379
Deleting a Managed View	382
Chapter 9 SQL Tables	383
SQL Reference.....	383
Table: INVENTORY.....	383
Table: INVENTORY_RAM.....	385
Table: INVENTORY_CPU.....	386
Table: INVENTORY_VIDEO.....	386
Table: INVENTORY_MONITOR.....	387
Table: INVENTORY_VOLUME.....	387
Table: INVENTORY_HDD.....	388
Table: INVENTORY_NETWORK.....	389
Table: INVENTORY_PRINTER.....	389
Table: INVENTORY_MSKEYS.....	390
Table: INVENTORY_APP.....	390
Table: INVENTORY_APP_TAGS.....	391
Table: INVENTORY_WCU.....	392
Table: INVENTORY_CLOUD_JOIN.....	392
Table: ALL_SOFTWARE_USAGE.....	393
Table: ALL_PAGE_TITLE_ACTIVITY.....	394
Table: DIGITAL_CERTIFICATE_EXCEPTIONS.....	395
Table: WERFAULT_HISTORY.....	396
Table: BSOD_HISTORY.....	397
Table: SQL_SERVER_ACTIVITY.....	398
Table: ALL_LOGON_ACTIVITY.....	399
Table: ADESK_USAGE.....	401
Table: ADESK_PLUGINS.....	402
Table: TCPUDP_STATS.....	403
Table: SOFTRACK_DB_Dates.....	404
Stored Procedures	404
Glossary.....	405



Chapter 1 Welcome to SofTrack

Welcome to the most advanced enterprise software audit and reporting platform for Windows networks. With SofTrack Managed Assets you can audit and manage software usage on all your Windows desktops, thin clients (including Citrix desktops).

SofTrack employs two main components, the SofTrack Server Agent (SSA) and the SofTrack Workstation Software License and Assets Managed (STSLAM) Agent. Together, these agents give you a variety of insights of user behavior and software usage throughout your environment.

SofTrack Managed Assets Overview

SofTrack's Managed Assets (SMA) functionality provides an automated method to automatically record and report all application usage including connecting usage to Applications installed as well as Logon/Logoff activity and workstation hardware and software inventory. Additionally, SMA provides the ability to centrally store records for hardware and software.

Features include:

- Detection of Application Active vs Idle time
- Detection of Autodesk Named-User and Network License activity
- Monitoring of User TCP/IP upload/download activity
- Utilization Intelligence Summary including Suites activity
- Reporting of workstation lock/screen saver activity
- Tracking of every application a user engages
- Inventory of installed Applications
- Tagging of Applications by Software Category (customer definable)
- Inventory of workstation hardware
- Recording of Logon, Logoff, Lock and Unlock Activity by User
- Storing of all data in Microsoft's SQL Server®
- Categorization of data via separate SQL Databases by business unit or, for Managed Service Providers (MSP), by customer
- Ability to import existing SofTrack inventory and usage data into SQL
- Export Reports to Sortable HTML and CSV
- Workstation Agent provides full data gathering without network connectivity
- Records storage and ability to set Email Reminders for applications and devices (Contract Management)
- Customizable Dashboards charting activity and inventory data
- Scheduled Emails of customizable Dashboards, providing timely charts when needed

Benefits

SofTrack's Managed Assets provides assistance in assessing workstation inventory and software installations plus usage.

Solutions include:

- Always up-to-date workstation inventory
- Where is a specific application installed
- Which application vendors are found across all workstations
- Normalized application vendor details (Manufacturer, Application, Version, Release, Edition)
- Software Category tagging, define your own custom categories and easily assign to applications (self-determined Normalization of any application)
- Workstation asset details (Make, Model, Bios, Serial Number, MAC address, NICs installed, Recent user)
- Application installation details, date and method of installation, per workstation
- Usage summary per application, number times opened, active time, idle and total time
- Concurrent usage including timezone adjustment
- User Day reporting of each application started and length of usage per user per day per hour
- Maximum usage based on concurrent usage
- Idle usage versus active usage
- Identify how often Applications are used including recent user per workstation
- Reveal where Microsoft® installation keys are used, finding all workstations using same including Windows O/S and Office applications
- Discover unused installed applications per workstation
- Reporting User logon, logoff, lock and unlock activity
- Separately store data per business unit, or for MSP's, per customer; storage unit is entitled "entity" and when required, reports can be produced spanning multiple entities
- Directly import existing SofTrack usage data for inclusion in all reporting
- Centralized Records storage for all applications and devices

Licensing

SofTrack's Managed Assets operates independently of SofTrack's other abilities such as license control, software metering and file activity auditing. SofTrack's other abilities rely on the LWA (Local Workstation Agent) and Managed Assets relies on a separate agent, the STSLAM (SofTrack Software License and Asset Management) agent. These agents have been designed to independently operate and can be installed on the same workstation.

The STSLAM agent is licensed per workstation and per Windows® terminal server session. Its licensing is also independent of SofTrack's LWA (and Quick Inventory) licensing. However, there is one exception, if your SofTrack installation includes LWA and/or Quick Inventory licensing, Smart Inventory (via LWA) and Quick Inventory

records can be directly imported to SofTrack's Managed Assets SQL database for inclusion in the reporting provided by Managed Assets. *No separate Managed Assets license is required for importing of existing SofTrack records created by the LWA and Quick Inventory into SQL for reporting.*

The STSLAM agent functions at each user workstation/terminal server in the background and passively records inventory and application usage including tracking of application idle versus active time. This agent stores recorded activity in encrypted journal files that are transmitted via Named Pipes or via TCP/IP to the SofTrack Server Agent (SSA) using a customer-defined TCP/IP Port whenever the agent is able to connect. If the agent is unable to connect via Named Pipes, then TCP/IP will be attempted (requires DNS to resolve the server name provided to its IPv4 address). If unable to connect, the workstation's activity journal files will continue to be created and these files can be manually transferred at any time, for instance, via email to the SofTrack Administrator, and copied to the SSA's log file path for processing by the SSA into SQL.

Once STSLAM activity data is recorded to SQL it becomes immediately available for reporting.

System Requirements – Platforms Supported

SofTrack Server Agent Requirements

- The SofTrack Server Agent (SSA) for Windows can be installed on networks using the following server systems and will operate properly, regardless of the specific server's role. The SSA can be used on the following:
 - Clustered Windows Servers (any version 2008 and later)
 - Windows 2003 64bit
 - Windows 2008/2008R2 (32bit and 64bit)
 - Windows SBS (any version)
 - Windows 2012/2012R2
 - Windows 2016, 2019, 2022
 - Windows Workstation O/S including Win7, Win8, Win10, Win11 (only use Workstation O/S when licensed for 10 or fewer workstations)
 - Any virtualization on the above including Hyper-V and VMware
 - Microsoft's SQL Server (free Express edition or licensed edition) is required.
- **When SSA installed on a Windows Workstation O/S, we recommend a maximum of 10 workstations.**

SofTrack Administrator System Requirements

- Windows 7 or later
- Minimum of 64 MB of RAM

SofTrack User System Requirements

SofTrack Managed Assets workstation agent can be used on any of the following operating systems:

- Windows Terminal Servers (including Citrix®)

- Windows 7 (32bit and 64bit)
- Windows 8.x
- Windows 2016, 2019, 2022
- Windows 10, 11
- Any virtualization software, including Hyper-V, App-V and VMware

SofTrack Configuration Components

SofTrack Managed Assets configuration consists of two components:

- SofTrack Server Agent
- SofTrack Software License and Assets Managed (STSLAM) Agent.

The STSLAM Agent is installed at each workstation and terminal server. The STSLAM Agent is specifically designed to operate offline and upload data when connected. Collected data is encrypted and can alternatively be manually copied for processing for workstations that are infrequently or never connected to the SofTrack Server Agent.

Implementation Planning Considerations for SofTrack Managed Assets

SofTrack Managed Assets (SMA) has been designed for use on all 32bit and 64bit versions of Windows® workstations starting with Windows 7® including all subsequent versions (i.e. Windows 10 and Windows 11®). The SMA server host supports all 64-bit Windows Server® versions 2008 and later including the latest Windows Server® 2022. A centralized Microsoft® SQL Server is utilized for data storage, the minimum recommended version is 14.0.

There are no specific Windows® workstation configurations required.

The following is regarding recommended server configurations for supporting SMA in customer engagements of varying capacities.

Background

There are two planning considerations for SofTrack Managed Assets (SMA):

- Network and Server(s) configurations sufficient to support the number of actively connected workstations/terminal servers; Note: workstation agent does not require a real-time connection, activity journals can be manually moved without requiring connection
- SQL Server capacity to support the storage of the amount of data collected from the total number of workstations and its ability to process activity into SQL Tables.

SMA utilizes one or more SofTrack Server Agents (SSA) that process workstation activity data into a single SQL Server instance (see [Chapter 3](#)). The SMA workstation (STSLAM) Agent is installed via MSI at each required workstation/terminal server and is configured to

connect via TCP/IP (IPv4) to a fixed IPv4 address or via Named Pipes to a specific Windows® server. The STSLAM agent configuration at each workstation can be changed as required, full details in [Chapter 4](#).

The average workstation (or user session on a terminal server) will generate a total 1M-3M of activity data per day. When online with the SofTrack Server Agent, the STSLAM agent will attempt to transmit these activity journals every 15 minutes. During the user workday this would result in an average data transfer of 32KB-100KB once every 15 minutes.

When a STSLAM agent is offline/unable to upload it will continue to attempt until successful. Note: Connection from STSLAM to the SSA is not required; the STSLAM agent *can be always offline* and its activity journals manually moved to the SSA for reporting. The STSLAM activity data, contained in activity journals (files), can alternately be transferred to the SSA by a variety of methods for workstations that are offline from the SSA (reference [Chapter 4](#)).

Unless configured to use Named Pipes, the STSLAM agent will initially use TCP/IP Port 3884 when connecting to the SSA, the response from the SSA will indicate the [customer-defined TCP/IP Port](#) to use for uploading of gathered user activity. This requires that both Port 3884 upload/download traffic and the customer defined TCP/IP port traffic be allowed to pass through the network without firewall blocking or WAN Accelerator caching. When using Named Pipes, the STSLAM agent will use standard Windows SMB protocols to connect and transfer data.

All activity uploads by the STSLAM agent are “in the background” and the user experience is unaffected by data transfers including any inability to successfully complete transfers.

Implementation recommendations up to 500 workstations

The following are the recommended *minimum* characteristics for the SMA server host when hosting up to 500 STSLAM agents, if the server is hosting other distributed services, these recommendations are in addition to other requirements.

- Dedicated 1Gb Ethernet network adapter
- 12GB RAM for the SofTrack Server Agent (SSA)
- 16GB RAM for the Microsoft SQL Server® installation (if on same server, SQL Server may be hosted on another server as needed, there is no requirement to place it on the same host)
- 2GB disk space to store STSLAM activity journals prior to upload to SQL
- 25GB disk space for SQL Server (average space required per year of activity)
- Dedicated (2) CPU Cores (non-hyperthreaded) for SofTrack Server Agent
- May need additional CPU core(s) for SQL Server
- If using a virtual server, we recommend the ratio of virtualized CPU (vCPU) Cores to physical CPU (pCPU) Cores to not exceed 2:1

Implementation recommendations up to 1000 workstations

The following are the recommended *minimum* characteristics for the SMA server host when hosting up to 1000 STSLAM agents, if the server is hosting other distributed services, these recommendations are in addition to other requirements.

- Dedicated 1Gb Ethernet dual-port network adapter (load balancing)
- 16GB RAM for the SofTrack Server Agent
- 16GB RAM for the Microsoft SQL Server® installation (if on same server, SQL Server may be hosted on another server as needed, there is no requirement to place it on the same host)
- 5GB disk space to store STSLAM activity journals prior to upload to SQL
- 50GB disk space for SQL Server (average space required per year of activity)
- Dedicated (4) CPU Cores (non-hyperthreaded) for SofTrack Server Agent
- May need additional CPU core(s) for SQL Server
- If using a virtual server, we recommend the ratio of virtualized CPU (vCPU) Cores to physical CPU (pCPU) Cores to not exceed 2:1

Implementation recommendations up to 2000 workstations

The following are the recommended *minimum* characteristics for the SMA server host when hosting up to 2000 STSLAM agents, if the server is hosting other distributed services, these recommendations are in addition to other requirements.

- Dedicated 1Gb Ethernet quad-port network adapter (load balanced)
- 24GB RAM for the SofTrack Server Agent
- 24GB RAM for the Microsoft SQL Server® installation (if on same server, SQL Server may be hosted on another server as needed, there is no requirement to place it on the same host)
- 10GB disk space to store STSLAM activity journals prior to upload to SQL
- 100GB disk space for SQL Server (average space required per year of activity)
- Dedicated (4) CPU Cores (non-hyperthreaded) for SofTrack Server Agent
- May need additional CPU core(s) for SQL Server
- If using a virtual server, we recommend the ratio of virtualized CPU (vCPU) Cores to physical CPU (pCPU) Cores to not exceed 2:1

Implementation recommendations up to 5000 workstations

The following are the recommended *minimum* characteristics for the SMA server host when hosting up to 5000 STSLAM agents, if the server is hosting other distributed services, these recommendations are in addition to other requirements.

- Dedicated 10Gb Ethernet dual-port network adapter (load balanced) or single-port 25/50Gb Ethernet network adapter with a sufficiently capable network switch
- 64GB RAM for the SofTrack Server Agent
- 64GB RAM for the Microsoft SQL Server® installation (if on same server, SQL Server may be hosted on another server as needed, there is no requirement to place it on the same host)
- 40GB disk space to store STSLAM activity journals prior to upload to SQL
- 300GB disk space for SQL Server (average space required per year of activity)
- Dedicated (12) CPU Cores (non-hyperthreaded) for SofTrack Server Agent
- May need additional CPU core(s) for SQL Server
- If using a virtual server, we recommend the ratio of virtualized CPU (vCPU) Cores to physical CPU (pCPU) Cores to not exceed 2:1

Implementation recommendations for larger installations

For customer engagements exceeding 5000 workstations we recommend no more than 5000 STSLAM workstation agents per SofTrack Server Agent (SSA). Due to a centralized/single SQL Server design for activity data storage, multiple SSAs can be utilized to gather data from its assigned workstations and transmit to the centralized SQL Server Host. All SMA Reports will continue to be available as each refer to the single SQL Server host for its data source.

Contacting Integrity Software, Inc.

Help resources for SofTrack include:

- This manual
- E-mail: support@softwaremetering.com
- Telephone: (512) 372-8991, ext 2 (available Monday through Friday, between 4:00 a.m. and 6:00 p.m. U.S. Central Time (GMT-6))



Chapter 2 Installing the SofTrack Server Agent for Windows®

Overview

SofTrack's Server Agent (SSA) processes workstation activity as configured. Configuration is controlled via the `SOFTTRACK_CONSOLE.EXE` interface. The SSA must be installed on at least one server and can be installed on multiple hosts provided each has a license. SSAs share data because all data is permanently stored in a single, centralized Microsoft's SQL Server. Each SSA installed performs the following duties:

- Receives and routes all workstation agent data to SQL Server as directed¹
- Interacts with SofTrack STSLAM Agents
- Responds to Administrator and user inquiries
- Creates and emails [Dashboard reports](#) as scheduled

Installation Steps

The remainder of this chapter contains a step-by-step discussion of SofTrack's Server Agent installation, including:

- Installing or upgrading a fully licensed version of SofTrack
- SofTrack's use of the Registry

See [Chapter 4](#) for information about installing SofTrack's Workstation STSLAM Agent.

Installing or Upgrading a Fully Licensed Version of SofTrack

This section describes the procedure for installing a fully licensed version of SofTrack. The procedure is the same whether you are upgrading from a current, an earlier, or an expired version of SofTrack.

Obtaining the Current Version of SofTrack

The current version of SofTrack is always available from:

http://www.softwaremetering.com/outgoing/softrack_full.zip

This download and the TOKEN file(s) that you received upon purchase are all that is required for a fully licensed version of SofTrack. This download is internally date-stamped. This date stamp is checked by the TOKEN, which is described in the subsequent section.

NOTE: If your TOKEN's maintenance has expired, you will need to renew your maintenance (signified by receipt of a new TOKEN) before you can actively use

¹ The SSA does not need to be active to for the creation of reports from data it has been previously acquired.

SofTrack for any purpose other than reporting previously obtained data.

NOTE: If an Evaluation TOKEN has been initially used, it will become a “full version” simply by installing the purchase TOKEN(s), the actual SSA file components are identical.

Determining Your Last Date of SofTrack Maintenance

The TOKEN file contains several details regarding your purchase, including your Company Name, Contact Name, Phone Number, and the end of SofTrack maintenance date. The SofTrack product is internally date-stamped with a “Build Date”. For the SofTrack product to recognize the TOKEN, this “Build Date” must be before the end-of-maintenance date within the TOKEN. The end of SofTrack maintenance date is usually one year from date of purchase. To determine the “Build Date” of the SofTrack product, view the BUILD.DAT file included in the download. To determine the end-of-maintenance date within your TOKEN file, open the xxxxx.tkn file with any text viewer, such as NOTEPAD.EXE.

IMPORTANT: Unless you are using a SofTrack SUBSCRIPTION TOKEN, your right to use the SofTrack product never expires—only your right to receive and use the latest product maintenance and support. You can use the SofTrack product perpetually as long as the “Build Date” of your SofTrack product is before the end-of-maintenance date of your TOKEN. Remember, the end-of-maintenance date of the TOKEN only indicates which releases of SofTrack you are entitled to install and use.

NOTE: You *must* install the TOKEN on every server that hosts an SSA.

Installation: SofTrack Server Agent (SSA)

To install the SofTrack Server Agent on your Windows server, perform the following procedure:

- 1 From a remotely connected workstation or directly at the server, log in with permissions equal to that of the **Administrators Group**. For purposes of installing SofTrack, the account you use must have full access to the Registry of the server to which you install.
- 2 Open SOFTRACK_CONSOLE.EXE



- 3 Click the Install Server icon from on the Home tab:
- 4 On the resulting screen (Figure 2-1) Fill in the **Name of the Server for SofTrack Installation** and Name of Share fields; use the Path Assistance button to fill in both fields. This example uses **STLOG** as the share path. Note, the share path must already exist, if not, use Windows® Explorer to create a Share for the server hosted path to use. Click **Next**.




Figure 2-1

- 5 On the resulting screen (Figure 2-2) Use the **Locate Installation License** button to complete the **Filename of SOFTRACK License File to Install** field. Click **Next**




Figure 2-2

- 6 On the resulting screen (Figure 2-3) confirm the desired installation option. Click **Next**




Figure 2-3

7 On the resulting screen (Figure 2-4) verify installation details. Click **Install**





Figure 2-4

If this is the first time SofTrack has been installed, you will be presented with the following End User License Agreement:



Once accepted a progress window such as the one shown in Figure 2-5 will appear:




Figure 2-5

Note: The SofTrack Service files are copied to the **%SystemRoot%\System32\Drivers** directory and on 64bit systems the EXE and DLL files are copied to **%SystemRoot%\SysWow64** directory.

When ready, click the "Done" button.

If there were any issues shown, click the "Save Results" button to save the full results and send via email to support@softwaremetering.com

The installed server will now appear in the Home console window (Figure 2-6).






Figure 2-6

If you ever see the same tile in Green (image below) this indicates the named machine is the current machine and was automatically shown because there are no servers added to the console. The list of servers shown is local to your PC where the SofTrack Console is run.



To add a server to the Console, use the console ribbon button Add Server to Console:



Manually Updating the SofTrack Server Agent and Console

The SofTrack Console includes the ability to directly update the SofTrack Server Agent (SSA). When only using SofTrack Managed Assets the SSA can be updated anytime, all workstation agents reporting will automatically delay uploading their data until the SSA is again active. If also using SofTrack License Control, please refer to its update instructions as user activity will be interrupted.

- 1 Select the Home page and Server to update
- 2 Click “Update SofTrack Server Agent (SSA)” button as shown in Figure 2-7




Figure 2-7

- 3 On the resulting screen (Figure 2-8) select the desired option, click UPDATE.




Figure 2-8

- 4 A progress window will appear:

Step Count: Server	Action	Result
00001: MXL1281	Connecting to Service Control Manager	Obtaining in-use status...
00002: MXL1281	Connecting to Registry	...
00003: MXL1281	Opening Registry	connecting...
00004: MXL1281	Connecting to Service Control Manager	...
00005: MXL1281	Stopping SOFTRACK Server Agent	...
00006: MXL1281	processing...	SofTrackService Stopped
00007: MXL1281	Copying Agent Files	...
00008: MXL1281	processing...	SOFTRACK Server Agent files successfully copied
00009: MXL1281	Installing SOFTRACK Service	...
00010: MXL1281	processing...	SOFTRACK Service [kernel driver] already installed
00011: MXL1281	Token Installation	<no token specified>
00012: MXL1281	Starting SOFTRACK Server Agent	...
00013: MXL1281	processing...	SOFTRACK Service Started
00014: MXL1281	Installation Complete	<done>

- Optionally, once the update is complete you can click on the Start SSA button as shown in Figure 2-9:




Figure 2-9

SofTrack Server Agent installation is complete.

SofTrack's Use of the Registry on a Windows Server

This section describes how SofTrack uses the Registry on a Windows server.

When `SOFTRACK_CONSOLE.EXE` connects to a Windows server, it attempts to create the following Registry Key:

```
HKEY_LOCAL_MACHINE\Software\Integrity Software, Inc.
```

Within this Registry Key, a SofTrack key is created. Subordinate to the SofTrack key are several other keys and values.

Installation: Backing up your SofTrack configuration and data

To backup your SofTrack Configuration requires two steps:

1. Backup all files located in the STLOG or other Share you defined at the server hosting the SofTrack Server Agent as the **Log File Path (Share)** as shown on the Settings tab when you run the `SOFTRACK_CONSOLE` application.
2. Run REGEDIT at the server hosting the SofTrack Server Agent and export the following key:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Integrity Software, Inc.
```

Together, those two items will complete the backup of your SofTrack Server Agent configuration and data.

Separately, follow Microsoft's instructions to backup data stored in SQL Server®.

Please note that the SofTrack Server Agent has been permanently assigned TCP/IP port 3884 (a decimal number) by the Internet Assigned Numbers Authority, see this link:

<http://www.iana.org/assignments/port-numbers>

All workstation agent to SofTrack Server Agent TCP/IP communications initially occur on port 3884 and then continue on the port defined when configuring SofTrack Managed Assets, see [Chapter 3](#) for further details. Creation of “pass through” rules for all inbound/output traffic for this customer defined Port are also required.

SofTrack Administrator (SOFTRACK_CONSOLE.EXE)

- 1** Unzip the download (usually `softrack_full.zip`) with folders (directories) included. Extract to a new directory so none of the old files are included.
- 2** The SofTrack Administrator’s files are contained in the root of the folder (directory) you selected for unzipping.
- 3** You can copy these files any preferred location, however, the exact folder (directory) structure must be retained.

The file "softrack_console.exe" is the filename to open. It can be used on a workstation that whose user has an administrative logon to the server(s) hosting the SofTrack Server Agent. The `softrack_console.exe` can also be directly used on the server hosting the SofTrack Server Agent.

Server Host Recommendations

BIOS Settings

Set the computer’s BIOS to High Performance, with C-states disabled. However, note that this is system and BIOS dependent, and some systems will provide higher performance if the operating system controls power management. You can check and adjust your power management settings from Settings or by using the `powercfg` command.

For more information, see Powercfg Command-Line Options

<https://technet.microsoft.com/library/cc748940.aspx>

Otherwise, set the "Windows Power Plan" to Maximum or High-Performance. Note, see above, this will not work properly if the system BIOS has been set to disable operating system control of power management.

Many hardware systems use System Management Interrupts (SMI) for a variety of maintenance functions, including reporting of error correction code (ECC) memory errors, legacy USB compatibility, fan control, and BIOS controlled power management.

The SMI is the highest priority interrupt on the system and places the CPU in a management mode, which preempts all other activity while it runs an interrupt service routine, typically contained in BIOS.

Unfortunately, this can result in latency spikes of 100 microseconds or more.

To achieve the lowest latency, please request a BIOS version from your hardware provider that reduces SMIs to the lowest degree possible. These are frequently referred to as “low latency BIOS” or “SMI free BIOS.” In some cases, it is not possible for a hardware platform to eliminate SMI activity altogether because it is used to control essential functions (for example, cooling fans).

Note:

The operating system can exert no control over SMIs because the logical processor is running in a special maintenance mode, which prevents operating system intervention.

Hosting in a VMware environment

In addition to the recommendations found in above, if using the SSA on a VMware host, your configuration you may need to dedicate physical network adapter(s) to the SSA host to ensure it has the bandwidth it requires.

For configurations with more than 300 workstations being connected to the SSA and the SSA is hosted within a VMware configuration, we strongly recommend adhering to the recommendations in this document:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/techpaper/vmw-tuning-latency-sensitive-workloads-white-paper.pdf>

And on this following link:

<https://docs.microsoft.com/en-us/windows-server/networking/technologies/network-subsystem/net-sub-performance-tuning-nics>

Further improvements include:

- Utilizing Solid State Drives versus spindle disk drives. SSD drives provide significant performance benefits.
- Dedicating physical CPUs to the SSA host, or maintain a virtual CPU to physical CPU ratio of no more than 2:1 to ensure CPU availability for receiving and processing of network packets. Do not include hyperthreaded CPUs in the ratio as they are not equivalent to an entire CPU core. For instance, if your hardware includes 2 sockets (2 physical CPUs) with 12 cores each, that is a total of 24 CPUs. If you have enabled hyperthreading it will then appear to be 48 CPUs, for purposes of the 2:1 ratio only count actual CPU cores not those resulting from enabling hyperthreading.
- Ensure RAM allocated to the VMware guest VM hosting the SSA is not overcommitted by the VMware hypervisor (over sharing of RAM between active guest VMs).
- Ensure RAM within the VM is not overcommitted where “committed bytes” exceeds amount of physical RAM, you can verify this using Windows TaskManager, Performance Tab, Memory section.

Best Practices for Oversubscription of CPU, Memory and Storage in vSphere Virtual Environments:

[https://communities.vmware.com/servlet/JiveServlet/previewBody/21181-102-1-28328/vsphee-oversubscription-best-practices\[1\].pdf](https://communities.vmware.com/servlet/JiveServlet/previewBody/21181-102-1-28328/vsphee-oversubscription-best-practices[1].pdf)

Hosting in a Hyper-V environment

In addition to the recommendations found in above, if using the SSA on a Hyper-V host, your configuration may need to dedicate physical network adapter(s) to the SSA host to ensure it has the bandwidth it requires.

For configurations with more than 300 workstations being connected to the SSA and the SSA is hosted within a Hyper-V configuration, we strongly recommend adhering to the recommendations in this document:

Please review this link for minimizing potential problems:

<https://docs.microsoft.com/en-us/windows-server/administration/performance-tuning/role/hyper-v-server/detecting-virtualized-environment-bottlenecks>

This tutorial includes many valuable insights and recommendations:

Hyper V » Tutorials » 6 Hardware Tweaks that will Skyrocket your Hyper-V Performance
6 Hardware Tweaks that will Skyrocket your Hyper-V Performance
<https://www.altaro.com/hyper-v/hardware-tweaks-hyper-v-performance/>

SofTrack Server Agent connectivity troubleshooting

Reviewing SSA host network communication faults

The following is based on this link:

<https://docs.microsoft.com/en-us/windows-server/networking/technologies/network-subsystem/net-sub-performance-counters>

The following performance counters are relevant to potential network problems.

Network Interface(*), Network Adapter(*)

Packets Received Discarded

Packets Received Errors

Packets Outbound Discarded

Packets Outbound Errors

WFPv4, WFPv6

Packets Discarded/sec

UDpv4, UDpv6

Datagrams Received Errors

TCPv4, TCPv6

Connection Failures

Connections Reset

Network QoS Policy

Packets dropped

Packets dropped/sec

Per Processor Network Interface Card Activity

Low Resource Receive Indications/sec

Low Resource Received Packets/sec

Microsoft Winsock BSP

Dropped Datagrams

Dropped Datagrams/sec

Rejected Connections

Rejected Connections/sec

Receive Side Coalescing (RSC) performance

The following performance counters are relevant to RSC performance.

Network Adapter(*)

TCP Active RSC Connections

TCP RSC Average Packet Size

TCP RSC Coalesced Packets/sec

TCP RSC Exceptions/sec

<https://docs.microsoft.com/en-us/windows-server/networking/technologies/network-subsystem/net-sub-performance-top>

The above statistics can be viewed in Windows PERFMON but it can be cumbersome to configure. The following powershell script can assist in gathering these statistics:

<https://gallery.technet.microsoft.com/Get-Perfmon-Counter-c6ca9070>

Description:

The script located on the link above was initially created to analyse the Packets Received Discarded on multiple Exchange servers. This is due to experiencing multiple performance issues and one KPI of the underlying issue was the number of discarded packets.

The script will get a collection of NICs from the specified server, and then loop through them and remove the non-physical ones.

For example it will remove the Teredo, ISATAP or 6to4 interfaces. For the purposes of this script we are concerned with the physical ones, and that includes the "physical" NICs that are made visible in virtual guest Operating Systems.

NIC names are not hardcoded into the script else it would not be portable across physical server types and hypervisors.

Packets Received Discarded is the performance counter reported to Windows by the NIC which states how many packets were successfully received, i.e. not corrupt or failed checksum that were discarded before the NIC could push them up the stack. This has been documented as a known issue with certain hypervisors when the virtual NIC buffer is not set high enough or there are other issues on the hypervisor host such as a configuration or performance issue.

Script will report to the screen the number of discarded packets. This script includes output to CSV using standard methods. In the CSV file there will be one line per selected interface on each server queried. Thus if a server has two physical NICs then there will be two lines for that particular server. See note above stating that logical interfaces will be filtered out.

Using Telnet to verify communication

If TCP/IP ports are exhausted, the workstation agents will not be able to connect to the SSA. If you ever think this is occurring you can run the following command from a CMD.EXE window on the workstation:

```
telnet nnn.nnn.nnn.nnn 3884
```

replacing nnn.nnn.nnn.nnn with the TCP/IP address of your SSA server host.

If the message “Connection to host lost” appears that indicates the workstation was successfully able to open TCP/IP port 3884 at the SSA host. The “connection lost” appears because port 3884 at the SSA does not respond to telnet commands so the telnet client aborts.

If any other message appears, for instance:

```
Could not open connection to the host, on port 3884: Connect failed
```

then that workstation is unable to connect with the SSA via TCP/IP. Either the SSA is inactive, the server hosting the SSA is out of ports, Reverse IP Lookup is disabled or there is a firewall blocking port 3884.

If your workstation does not have telnet.exe available you can enable it by doing the following:


Open control panel.

Next go into Programs.

Then in programs and features there should be a part that says `turn windows features on or off`.

Click `turn windows features on or off` then on the list that appears simply check the box beside: **Telnet Client**.

Then click ok. A Please Wait message will appear while the Telnet Client is enabled.



Now TELNET.EXE will be available on the workstation.

VMware Solutions for Poor Network Performance

The following is an excerpt from this link:

https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.monitoring.doc_50%2FGUID-C4EA86FD-95CB-4DE7-A9E3-63F6BFC1A268.html

Network performance is dependent on application workload and network configuration. Dropped network packets indicate a bottleneck in the network. Slow network performance can be a sign of load-balancing problems.

Problem

Network problems can manifest in many ways:

- Packets are being dropped.
- Network latency is high
- Data receive rate is low.

Cause

Network problems can have several causes:

- Virtual machine network resource shares are too few.
- Network packet size is too large, which results in high network latency. Use the VMware AppSpeed performance monitoring application or a third-party application to check network latency.
- Network packet size is too small, which increases the demand for the CPU resources needed for processing each packet. Host CPU, or possibly virtual machine CPU, resources are not enough to handle the load.

Solution

- Determine whether packets are being dropped by using **esxtop** or the advanced performance charts to examine the **droppedTx** and **droppedRx** network counter values. Verify that VMware Tools is installed on each virtual machine.
- **Check the number of virtual machines assigned to each physical NIC**. If necessary, perform load balancing by moving virtual machines to different vSwitches or by **adding more NICs** to the host. You can also move virtual machines to another host or increase the host CPU or virtual machine CPU.
- If possible, use **vmxnet3** NIC drivers, which are available with VMware Tools. They are optimized for high performance.
- If virtual machines running on the same host communicate with each other, connect them to the same vSwitch to avoid the cost of transferring packets over the physical network.
- Assign each physical NIC to a port group and a vSwitch.
- Use separate physical NICs to handle the different traffic streams, such as network packets generated by virtual machines, iSCSI protocols, VMotion tasks.
- Ensure that the physical NIC capacity is large enough to handle the network traffic on that vSwitch. If the capacity is not enough, consider using a high-bandwidth physical NIC (10Gbps) or moving some virtual machines to a vSwitch with a lighter load or to a new vSwitch.
- If packets are being dropped at the vSwitch port, increase the virtual network driver ring buffers where applicable.
- Verify that the reported speed and duplex settings for the physical NIC match the hardware expectations and that the hardware is configured to run at its maximum capability. For example, verify that NICs with 1Gbps are not reset to 100Mbps because they are connected to an older switch.
- **Verify that all NICs are running in full duplex mode**. Hardware connectivity issues might result in a NIC resetting itself to a lower speed or half duplex mode.
- Use vNICs that are TSO-capable, and verify that TSO-Jumbo Frames are enabled where possible.
- **Ensure the Storage Device used by the SSA to store workstation activity log files and processing each into SQL Server is not introducing its own latency**

Poor network performance can also result from an overcommitted virtual host. For VMware, statistics provided by esxtop can provide insights.

Follow this link:

<https://www.yellow-bricks.com/esxtop/>

Search on these items:

%RDY

%MLMTD

%CSTP

Further here:

<https://communities.vmware.com/t5/Storage-Performance/Interpreting-esxtop-4-1-Statistics/tab/2786881>

That will allow you to review the history of that virtual machine hosting the SofTrack Server Agent.

We recommend a %RDY of no greater than 10 but there are other potential issues as found by searching on those other items noted above.

Note: Excessive %CSTP (Co-Stop) will directly relate to the slowness since the CPUs of the virtual machine were inactive for large amounts of time and incapable of processing network I/O traffic.

Upgrading Existing Installation of SofTrack Managed Assets

The following instructions are intended to assist in upgrading an existing installation of SofTrack Managed Assets. These instructions are not intended to be utilized during the original installation of SofTrack Managed Assets.

To upgrade an existing installation of SofTrack Managed Assets will require one or all of the following procedures. Proceed with upgrading in the order provided regardless of the actual components involved.

To begin, download the latest version of SofTrack. There is a button on the home page of the SofTrack Console or you can directly download from this link:


www.softwaremetering.com/outgoing/softrack_full.zip

Next, extract all items in the downloaded zip file, it is ok to overwrite an existing path where the SofTrack Console has been previously installed or you can extract to a new path.

Launch the console with the following command line (the command line is not case sensitive):


```
softrack_console /SQLupdate
```

Once open, click on the Managed section and the following or similar will be presented:



Ensure the Home section (at left side menu) is selected and then click the **Update all Entities** ribbon button (highlighted above).

The following will be presented:



Click **Yes** and a status window will appear that indicates all actions.

Note: NO DATA WILL BE DELETED

This update will ensure all existing SQL Databases are updated with the latest Tables definitions including new Tables, Stored Procedures and other. New Tables are not always part of an upgrade, but this step ensures your SQL Tables (for each SQL Database) are correctly formed.

The following is an example output of the SQL Database update process:

Step Count: Server	Action	Result
00275: VCSLOCALDC01\SQLEXP...	Stored Procedure Already Exists: ADESK_R30S	OK
00276: VCSLOCALDC01\SQLEXP...	Creating Table TCPUDP_STATS	...
00277: VCSLOCALDC01\SQLEXP...	Successfully Created Table TCPUDP_STATS	OK
00278: VCSLOCALDC01\SQLEXP...	Successfully Created Index T_UserName on Table TCPUDP_STATS	OK
00279: VCSLOCALDC01\SQLEXP...	Creating Stored Procedure TCPUDP_T30	...
00280: VCSLOCALDC01\SQLEXP...	Stored Procedure Already Exists: TCPUDP_T30	OK
00281: VCSLOCALDC01\SQLEXP...	Creating Stored Procedure TCPUDP_T33	...
00282: VCSLOCALDC01\SQLEXP...	Stored Procedure Already Exists: TCPUDP_T33	OK
00283: VCSLOCALDC01\SQLEXP...	Creating Table SOFTRACK_DB_Dates on SOFTRACK_ENTITY_TEST	...
00284: VCSLOCALDC01\SQLEXP...	Successfully Created Table SOFTRACK_DB_Dates on SOFTRACK_ENTITY_TEST	OK

Please use the **Save Results** button to export the results of the update. This button will present a prompt for a filename. Enter a filename, it will be saved as a CSV file with a .CSV extension.

The “Result” column (shown in the image above) can be clicked to sort, if all values are either “...” or “OK” then the update was 100% successful. If any other value appears, please send the results CSV file to support@softwaremetering.com for assistance.

The next step is to update the SofTrack Server Agent. [Click here to find the update instructions previously detailed in this chapter.](#)

The final step is to update the workstation agent. [Click here to find the update instructions for the SofTrack Managed Assets agent.](#) If, after following the instructions in the linked section, the workstation agent installation fails, **use the following command to install:**

In the examples below, replace the “stslam-install-ENTITYNAME.msi” with the actual filename of your installation MSI.

```
MSIEXEC /I stslam-install-ENTITYNAME.msi REINSTALLMODE=voums REINSTALL=ALL
```

or this command

```
MSIEXEC /faevmus stslam-install-ENTITYNAME.msi
```

SLAM MSI Re-Installation and Error 1603 or Error 2753

This section details how to successfully re-install your SofTrack Managed Assets installation on a workstation when the commands in the previous section fail due to error 1603 or 2753 (The File ‘stswrap.exe’ is not marked for installation.)

Causes:

When the SLAM MSI filename has changed, for example, if re-targeting a workstation to a use new Entity (and thus the MSI filename is different from the original time the MSI was installed) or if the MSI filename being used is different than what was originally used, specifically the MSI filename is for an IP address instead of the server name (or server name instead of an IP address), this will cause the MSI installation to fail with error **1603**.

Solution:

To re-install the MSI when error 1603 is occurring, please use the following command:

```
REG DELETE HKCR\Installer\Products\A6A8DB28BBEAE4E4D9AAEE3AF0F7ECB7
```

The command above will remove the SLAM MSI installation registry key that was based on the previous SLAM MSI filename.

After completing the above instruction, use only the following command to re-install:

```
MSIEXEC /I stslam-install-ENTITYNAME.msi
```

If, after using the REG DELETE command, you use one of the other re-installation command lines shown in the previous section, you will receive an error 2753. To resolve, use only the command:

```
MSIEXEC /I stslam-install-ENTITYNAME.msi
```

If you have any issues upgrading your SofTrack Managed Assets installation, please contact our support team at:

support@softwaremetering.com



Chapter 3 SQL Server® Configuration and Entity Planning

Overview

SofTrack Managed Assets utilizes Microsoft's SQL Server® or SQL Server Express® to store all activity data for reporting. The minimum recommended version of either SQL product is 14.0 (suitable for use on Windows® Server 2012 and all later versions of Windows® Server).

Use of SQL Server Express® restricts each database to a maximum size of 10GB. This size is equivalent to approximately 1 year of activity data from 200-250 workstations. Each workstation is expected to average 2MB-4MB of data per day, not including disk space required for SQL Server's Transaction Log maintained per database. Only those installations with 100 or fewer workstations should consider use of SQL Server Express®.

SofTrack Managed Assets (SMA) utilizes one or more SQL Databases (termed "Entities") to differentiate data collected as required. For example, each Entity separately stores data per business unit, geographic area, for MSP's, per customer; or any other requirement. SMA Reporting can be produced for any specific Entity or spanning multiple entities.

About Azure SQL

SofTrack has been designed to work with Microsoft's SQL Server®. SQL Server® can be installed on Azure Virtual Machines (VMs) on the Windows platform.

<https://learn.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/sql-server-on-azure-vm-iaas-what-is-overview?view=azuresql>

The design of Microsoft's Azure SQL® is sufficiently different from SQL Server® to make it incompatible with SofTrack.

<https://learn.microsoft.com/en-us/azure/azure-sql/azure-sql-iaas-vs-paas-what-is-overview?view=azuresql>

Only SQL Server® or SQL Server Express® can be used by SofTrack.

SQL Server Database Recovery Model Configuration

SofTrack's use of SQL Server only requires use of the Simple Recovery Model. Utilizing the Simple Recovery Model will reduce disk space requirements for SQL Server's Transaction Log.

The Recovery Model is configured per Database.

Review the following link for all Recovery Model Configurations including how to change the recovery model:

<https://learn.microsoft.com/en-us/sql/relational-databases/backup-restore/view-or-change-the-recovery-model-of-a-database-sql-server?view=sql-server-ver16>

If using the SQL Server Management Studio you can directly change the recover mode via the command

```
ALTER DATABASE SOFTRACK_ENTITY_DEFAULT SET RECOVERY SIMPLE;
```


This will need to be repeated for each SofTrack Entity Database.

SQL Configuration

SofTrack's Managed Assets requires two primary configurations. The first is defining the connection to the selected Microsoft® SQL Server. The second is the installation of the workstation agent (ST_SLAM Agent – detailed in [Chapter 4](#)).

SofTrack's Managed Assets utilizes Microsoft's SQL Server (free Express edition or licensed edition). It is presumed a Microsoft® SQL Server has been previously installed and accessible by both the SofTrack Server Agent host and any workstation using the SofTrack Console for managing or reporting of SofTrack Managed Assets.

To begin, open the SofTrack Console, select the Managed section and click the SQL Configuration ribbon button:



And the following window will appear:

SQL Transfer Configuration for server DC1

Master Configuration to be used by ALL SofTrack Entity Databases

Enter Name of SQL Server:

Example SQL Server Name: DC1\SQLEXPRESS

Please ensure that the selected 'SQL Server Network Connection' is configured for TCP/IP and, if needed, Named Pipes

Note: To perform the following functions your current logon credentials must have sufficient privileges on the selected SQL Server

Click here to connect to defined SQL Server and add current server object as 'sysadmin' role and create/update SofTrack Entity Default DB + Tables

Define TCP/IP Port for STSLAM Agent communications:

Port must be unused for any other software on your network
Suggested Port value: 50000 - 64000; maximum value = 64000
Selected Port must be allowed at all hardware and software Firewalls + pass-thru rules at each WAN Accelerator
Changing an existing Port to a new value while the SSA is currently active will be recognized after next SSA restart
If set to 0, agent communications via TCP/IP will not occur, however, communication via named pipes will remain available, otherwise all agent activity journal files can be manually copied from each workstation to STLOG\STSLAM folder



Save Settings

Cancel

Begin by entering the server name + SQL server instance name.

Next, click the button “Click here to connect to defined SQL Server...”, a progress window will be shown:

Creating the DEFAULT Entity



SofTrack DEFAULT Entity SQL Configuration for DC1

Step Count: Server	Action	Result
00021: DC1\SQLEXPRESS	Creating Table INVENTORY_MONITOR	...
00022: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_MONITOR	OK
00023: DC1\SQLEXPRESS	Creating Table INVENTORY_VOLUME	...
00024: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_VOLUME	OK
00025: DC1\SQLEXPRESS	Creating Table INVENTORY_HDD	...
00026: DC1\SQLEXPRESS	Table Already Exists: INVENTORY_HDD	OK
00027: DC1\SQLEXPRESS	Creating Table INVENTORY_NETWORK	...
00028: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_NETWORK	OK
00029: DC1\SQLEXPRESS	Creating Table INVENTORY_PRINTER	...
00030: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_PRINTER	OK

Save Results Done

SofTrack DEFAULT Entity SQL Configuration for DC1


Step Count: Server	Action	Result
00029: DC1\SQLEXPRESS	Creating Table INVENTORY_PRINTER	...
00030: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_PRINTER	OK
00031: DC1\SQLEXPRESS	Creating Table INVENTORY_MSKEYS	...
00032: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_MSKEYS	OK
00033: DC1\SQLEXPRESS	Creating Table INVENTORY_APP	...
00034: DC1\SQLEXPRESS	Successfully Created Table INVENTORY_APP	OK
00035: DC1\SQLEXPRESS	Creating Table ALL_SOFTWARE_USAGE	...
00036: DC1\SQLEXPRESS	Successfully Created Table ALL_SOFTWARE_USAGE	OK
00037: DC1\SQLEXPRESS	Creating Table SOFTRACK_DB_Dates on SOFTRACK_ENTITY_DEFAULT	...
00038: DC1\SQLEXPRESS	Successfully Created Table SOFTRACK_DB_Dates on SOFTRACK_ENTITY_DEFAULT	OK

Save Results Done

Definitions for each SQL Table are located in [Chapter 9](#).

ST_SLAM TCP/IP Configuration

If any errors occur, click the Save Results button and send via email to support@softwremetering.com - once successfully complete, click Done and then set the TCP/IP Port:




If the TCP/IP Port is not defined, the SofTrack Managed Assets Agents will be unable to connect via TCP/IP. However, if workstations are on the same local network as the SofTrack Server Agent Host, communication via Named Pipes will be attempted.

The Port value is customer-defined, select any Port not currently in-use at the SofTrack Server Agent host in the range 50000 through 64000. Ensure all inbound and outbound activity for the selected Port is allowed at all Firewalls (software and hardware). If using any network caching devices such as those provided by Riverbed®, ensure “pass-through” rules are defined for all inbound and outbound activity on the selected Port.

Except for the initial configuration, if the Port value is changed it will take effect the next time the SofTrack Server Agent (SSA) is started.

When the SSA starts and the Port (above) is defined, it will automatically add that Port value as an inbound firewall rule to allow its activity to be received by the SSA:



Important:

If the Port is changed, the firewall rule will not be automatically updated to indicate the new Port.

Ensure the server's Windows® firewall rules SOFTRACK64_SLAM_TCP and SOFTRACK64_SLAM_UDP are updated with the new Port value.

SQL Transfer

The SofTrack Server Agent automatically starts an application with the filename SQLSTSXF.EXE to process workstation activity files (*.STS) found in the STLOG\STSLAM path that has been licensed verified (becomes filename matching *.STSSQL). This process will insert activity data in the appropriate SofTrack Entity SQL Table(s) and upon successful completion remove the *.STSSQL file.

If any errors occur during processing, SQLSTSXF.EXE process will record each to a log file named `sqlstsf.log` and this log file will be found in the same path as the SofTrack Server Agent's files (typically C:\Windows\Syswow64\Drivers or C:\Windows\Syswow64).

Depending on the number of unprocessed *.STSSQL files, the SQLSTSXF.EXE process will create up to 249 threads to enable expedited processing of workstation activity into SQL Server. This can result in the SQLSTSXF.EXE process using close to 1GB of RAM, this is normal and expected.

Entity Configuration

About DEFAULT Entity

The SofTrack Managed Assets (SMA) SQL Configuration automatically creates the DEFAULT Entity in the initial configuration (shown 2 pages previous). The DEFAULT Entity (SQL Database with [multiple SQL Tables](#)) is ***always required*** as SofTrack depends on its existence for several items included location for SQL Server Stored Procedures (used for reporting) and various configuration definitions. Further, the DEFAULT Entity can also be used for storage of user activity.

SofTrack enables grouping of related workstations per "Entity", creating a separate SQL Database with multiple tables for each. Any number of Entities can be defined for any requirement by the customer. SofTrack defines the "DEFAULT" Entity that will be initially created and used by default. For many customers, this may be the only Entity used. For other customers, Entities could be created to separately track different organizational divisions, geographic locations, or any other requirement. For Managed Service Providers (MSP), Entities would typically represent separate end-customers. There is no limit on the number of Entities that can be created and used.

Within an Entity SQL database, the combination of workstation name + Machine GUID (provided by Windows®) is presumed to be unique. Each unique workstation will require a SofTrack Managed Assets license. SofTrack's Managed Asset licensing is independent of the number of Entities, only the number of unique workstations (using the STSLAM agent) are identified and tallied (across all Entities) towards the number of licenses required. If the STSLAM agent is installed on machine

using Windows® terminal server licensing, the number of RDS/CALs (Remote Desktop Services/Client Access Licenses) installed will be tallied and require an additional SofTrack Managed Assets terminal server session license. If a workstation is retired or otherwise no longer requires a license, its license [can be freed](#) for use by another workstation. Data from a workstation whose license has been freed (removed) will continue to be available for reporting, no data is deleted when a workstation license is freed.

As found in the SofTrack Console, Managed section, the **Home** view shows all SofTrack Entity SQL Databases and related statistics.

SofTrack SQL Entity Databases found

SofTrack Entity Databases	Date Created	Database Size	Transaction Log Size	Number of Computers
test	<all>	<all>	<all>	<all>
SOFTRACK_ENTITY_TEST	2022-06-05 21:54:09...	190.50 MB	92 MB	36
SOFTRACK_ENTITY_TEST03	2023-11-05 20:13:15...	16.25 MB	6 MB	36
SOFTRACK_ENTITY_TEST2	2023-10-11 16:48:58...	8.63 MB	< 1MB	36


Defining additional Entities

SofTrack’s Managed Assets (SMA) provides the ability to define separate databases as needed. Each database is termed an “Entity” and, as shown in the image above, always includes the prefix “SOFTRACK_ENTITY_” followed by the customer-defined Entity name. The customer-defined portion of the Entity name can be up to 32 characters in length.


For organizations with fewer than 2000 workstations a single Entity may be the correct choice, either DEFAULT Entity can be used or one or more new Entities created, for example, named for the company, department, location, function or any other differentiation.

Adding an Entity

To add a new Entity (therefore creating a new SQL Database + Tables), in the SofTrack Console, click on the Home section and click the Add Entity button:



The following prompt will appear:



As shown above, the name defined can be up to 32 characters. Letters A-Z, numbers 0-9 and symbols \$ # @ _ are allowed. If any spaces or other characters (such as a period or dash) are entered in the name to create, each will be automatically converted to an underscore before creating the Entity.

The name entered will automatically be pre-pended with the name 'SOFTRACK_ENTITY_'

All SofTrack SQL Databases start with the name

SOFTRACK_ENTITY_

If the name entered exactly matches an existing Entity, the Entity's SQL Tables, Indexes and Stored Procedures will be re-created (if any were missing). The Existing Table's data will be unchanged and no data lost.

A progress window will appear after clicking the button (shown in the image above):

Click here to create SofTrack Entity Database + Tables

Considerations for planning Entity creation

SofTrack Managed Assets (SMA) allows any number of Entities to be created. Additionally, Entities can be [merged](#) and [deleted](#). SMA workstation STSLAM agents are pre-configured to report to a specific Entity, this connects each workstation agent to a specific Entity. All data gathered for each STSLAM agent will be reported and stored in the pre-defined Entity's database. When required, data from one or more individual workstation's agent can be [selectively moved to a different Entity](#). Additional functionality is detailed in [Chapter 5](#).

The following is a simple example of an Entity Structure using 2 Entities:

Active

Retired

The **Active** Entity receives all gathered activity data from STSLAM agents. Later, as workstations are retired or removed (i.e. lost, stolen, destroyed, etc) the activity data for those workstations are [moved](#) to the **Retired** Entity. This can provide an easy method to constrain reporting without requiring any special reporting rules. Simply report from the **Active** Entity for current activity, and, when required, report past activity from the **Retired** Entity.

Another simple Entity example is one that a school system might use:

Staff

Students

Labs

The following is a more complex example of an Entity Structure using 5 Entities:

Accounting

Engineering

Management

Field

Retired

The business units Accounting, Engineering and Management Entities receive data gather from workstations used by persons in those specific areas of the organization. The Field Entity receives data from offline sources such as Laptops used on outside projects and are not regularly in the office.

The following is a more complicated example of an Entity Structure using business unit and region:

Main_Austin

Main_New_York

Main_Dubai

Main_London

Main_Singapore

Main_Australia

Main_Americas

Engineering_Austin

Engineering_Dubai

Accounting_New_York

Field_Dubai

Field_Singapore


Field_Canberra

The goals of segmenting Entities as shown above is two fold:

One result is it enables reporting to quickly and easily identify relevant organization divisions and associated usage.


The other, is for performance, each Entity above could utilize a separate SofTrack Server Agent (SSA) and therefore streamline data collection local to each separate office while requiring only a single connection (i.e the SSA) from each location to the centralized SQL Server host that stores all activity for all Entities. This can be particularly important for larger organizations with thousands of workstations. To be clear a single SSA can handle processing of an unlimited number of Entities, there is no requirement to have a separate SSA for each Entity.

Automatic SQL Maintenance




SofTrack’s Managed Assets (SMA) includes automatic SQL Maintenance features. These abilities provide data purging as indicated in this section of each SMA Entity Database.

To review the current SQL Server® details, from the SQL Maintenance ribbon button, select Configure SQL Server Database Maintenance:



The following will appear:



This window shows the version of SQL Server® in-use and if Express® edition detected. This window also provides options to automatically trim the SQL Databases for each selected Entity (this is described later in this Chapter).

Automatically Maintaining SQL Server Express®

SMA can use Microsoft’s SQL Server® or SQL Server Express®. An important limitation of the Express® edition is each SQL Database is allowed a maximum of 10GB of space and once reached no more data can be added.

When the Express® edition is in-use, to assist with maintaining the data collected by SMA, the SofTrack Server Agent (SSA) will automatically (no configuration required), each day at midnight, connect to SQL Server Express® and obtain the size of each SMA Entity Database and if any are found to be using more than 8GB of space, a process will be started by the SSA to remove the “oldest” 30 days of activity from the following tables:

```
ALL_SOFTWARE_USAGE
ALL_PAGE_TITLE_ACTIVITY
TCPUDP_STATS
ALL_LOGON_ACTIVITY
```

The other tables do not grow in response to time and are unlikely to be of a significant influence on the overall size of the SQL Database (per Entity database).

The date of the oldest activity is first detected via a SQL Query and then the 30-day period after that time is determined. This process is completely automatic.


When data is removed a log file named SQLSTSXF.TRIM will be created (and maintained) and

activity performed detailed within. This file is found in the path where the SSA is installed (typically c:\windows\syswow64 at the SSA host server).

Sample result:

```
[ver=2023.11.09]Event @ 11/5/2023 00:00:06 :TRIM SQL DATABASE; SOFTRACK_ENTITY_TEST03; Current Size: 8158 MB;
[ver=2023.11.09]Event @ 11/5/2023 00:00:16 :DELETE RECORDS WORKED; DELETE FROM [SOFTRACK_ENTITY_TEST03].[dbo].[ALL_SOFTWARE_USAGE]
WHERE ((EXEExitTime <= '2021-11-01 00:00'));;
[ver=2023.11.09]Event @ 11/5/2023 00:00:16 :DELETE RECORDS WORKED; DELETE FROM
[SOFTRACK_ENTITY_TEST03].[dbo].[ALL_PAGE_TITLE_ACTIVITY] WHERE ((PageViewStartTime <= '2021-11-01 00:00'));;
[ver=2023.11.09]Event @ 11/5/2023 00:00:16 :DELETE RECORDS WORKED; DELETE FROM [SOFTRACK_ENTITY_TEST03].[dbo].[TCPUDP_STATS] WHERE
((ConnectionStartTime <= '2021-11-01 00:00'));;
[ver=2023.11.09]Event @ 11/5/2023 00:00:16 :DELETE RECORDS WORKED; DELETE FROM [SOFTRACK_ENTITY_TEST03].[dbo].[ALL_LOGON_ACTIVITY]
WHERE ((RecordType=193) AND (LogoffTime <= '2021-11-01 00:00'));;
[ver=2023.11.09]Event @ 11/5/2023 00:00:16 :DELETE RECORDS WORKED; DELETE FROM [SOFTRACK_ENTITY_TEST03].[dbo].[ALL_LOGON_ACTIVITY]
WHERE ((RecordType=200) AND (UnlockTime <= '2021-11-01 00:00'));;
[ver=2023.11.09]Event @ 11/5/2023 00:00:19 :SHRINK DATABASE WORKED; DBCC SHRINKDATABASE (SOFTRACK_ENTITY_TEST03);
```

This file's contents can be viewed within the SofTrack Console:




Optionally Purge Older Data of each SQL Server® Database

SofTrack Managed Assets (SMA) can be optionally configured, per SofTrack Entity Database, to purge data with timestamps older than one of the following time periods:

- 18 month
- 24 month
- 30 month
- 36 month

To configure, from the SQL Maintenance ribbon button menu, select Configure SQL Server Database Maintenance.


The following window will appear:



Click the “Engage automatic purge activity data..” checkbox and then select the time period. The time period configured will only purge data from the following tables of each included SofTrack Entity Database that was collected prior to the indicated time period (using the current date performed to determine the purge date to use).

ALL_SOFTWARE_USAGE
 ALL_PAGE_TITLE_ACTIVITY
 TCPUDP_STATS
 ALL_LOGON_ACTIVITY


When configured, the purge process is automatically performed by the SofTrack Server Agent (SSA) at midnight on the first Sunday of each month. The details of the purge process is saved to the SQLSTSXF.TRIM file located in the SSA path at the host server. Typically this path is c:\windows\syswow64. Further, the contents of this file can be directly viewed via the View SQL Server Purge Activity Log menu item:



This option can be configured to exclude specific Entities from being automatically purged. Use the Add and Remove buttons to manage.


Viewing the SQL Server® transaction activity log

SofTrack Managed Assets (SMA) includes the ability to review any exceptions that have occurred during inserting of workstation agent data into SQL. This option may be requested by our support team to help review and correct issues preventing collected data from being inserted into SQL.



Viewing the SMADASH_RPT Error log

SofTrack Managed Assets (SMA) includes the ability to review any exceptions that have occurred during scheduled reports (SMADASH_RPT.LOG). This option may be requested by our support team to help review and correct issues preventing scheduled reports from successfully completing.



Chapter 4 Installing the Workstation Agent


Overview

User and workstation activity is gathered by the SofTrack Managed Assets (SMA) workstation STSLAM agent. Without further configuration, the STSLAM agent automatically gathers all data. The only configuration required is the name of the Entity to report to and the server to transmit gathered activity for inclusion into SQL Server. The STSLAM agent does not require connectivity to the SofTrack Server Agent (SSA). For those workstations operating offline, the STSLAM agent records all activity to journal files and those files can be manually copied to the SSA for reporting.

To begin the process of configuring the STSLAM agent installation MSI, open the SofTrack Console and select the Managed tab.


Workstation Agent installation via MSI

Open the Agents view within the Managed section of the SofTrack Console and select the desired Entity.




Click the *Create Agent MSI* button in the ribbon bar. It will respond with a two pop-up messages:

The path shown in the pop-up messages will be the same as where the SofTrack Console was opened.



and



The first MSI will default to using Named Pipes via the server name and if Named Pipes is not available it will then attempt communication via TCP/IP if the server's IPv4 address is resolvable via DNS. This MSI also includes the Entity name and will be used to configure the agent when installed.

The second MSI will default to using TCP/IP via the IPv4 address detected for the current SofTrack Server Agent host (198.206.217.44 based on the image above). If communications via TCP/IP are unsuccessful the agent will not attempt Named Pipe communications. This MSI also includes the Entity name and will be used to configure the agent when installed.

IMPORTANT:

Choose one MSI to install the STSLAM agent, the choice of communication style is the only difference between the 2 MSIs created by this process.


Anytime the STSLAM agent is unable to connect to the SofTrack Server Agent (SSA) it will continue to track activity to journal files located in the local ST_SLAM.ASL path as further discussed in this section. Once network connectivity again allows connection the SofTrack Server Agent, the collected activity journals will automatically be transmitted. **However, the STSLAM Agent can operate completely offline at all times and only its activity journals (rendered in files) need be moved to the SSA for inclusion in reporting.**

The Create Agent MSI function uses the `stslam-install.msi` file that was created during the extraction of the SofTrack files. **Never directly modify or use the `stslam-install.msi` file - this is the unconfigured msi file used as the basis to create MSIs for each Entity.**

The resulting files, in the example above '`stslam-install-DEFAULT.msi`' and '`stslam-install-DEFAULT-via-198-206-217-44.msi`' are ready for distribution to your workstations. This MSI can

be manually run and it can also be distributed via a GPO in Active Directory environments or other distribution tool.

When manually launched, the MSI will appear similar to the following:




After clicking the Install button, the installation will quickly complete.

However, the Installation process is not complete, it automatically starts a process named:

STSWRAP.EXE

And this process can take up to 2 minutes to complete.



Once its process exits, the agent is immediately started (i.e. STSWRAP.EXE process ends and the ST_SLAM.EXE process is started).

The agent installation (stswrap.exe) will result in the following files

ST_SLAM.EXE
TSLTSE64.EXE
SMA_32.DLL

SMA_64.DLL
SLAM_K64.SYS
INVENTORY.EXE (this file is shared with the SofTrack License Control workstation agent,
licensed separately)
SMAADESK.DLL (this file is used to track Autodesk® Plugin and Addin usage)
SMAA64c.EXE

Being created in the following path:

(64bit system)

C:\windows\syswow64\drivers

(32bit system)

C:\windows\system32\drivers

The file SLAM_K64.SYS is for 64-bit systems and is installed in the path

C:\windows\system32\drivers

Once started, the STSLAM agent will create a new folder, ST_SLAM.ASL in the path where it is installed. This folder will be used to stage encrypted journal files (*.STS) for delivery via TCP/IP or Named Pipes. These files can also be manually moved to the SofTrack Server Agent path:

STLOG\STSLAM

for processing.

Also, after the STSLAM agent is in-use, the file

inventory.isw

will be created, *do not move or remove this file* it is used internally by the STSLAM agent.

The agent installation process creates 2 Windows services, the “SofTrack Software License Asset Managed (STSLAM) Service” and, only on 64-bit systems, the “SLAM_K64” service. The SLAM_K64 service is not shown in the Windows® services control panel, it is only started and stopped by the “SofTrack Software License Asset Managed (STSLAM) Service”.

Reconfiguring Server name or Entity name

Important:

If you change the SERVERNAME or ENTITYNAME used by any workstation where the STSLAM Agent (MSI) has been installed you have two methods to make changes to either or both of these values:

Option #1:

Create a new MSI via the SofTrack Console and on the workstation, manually re-cache it with the following command:

```
MSIEXEC /fv install-stslam-ENTITYNAME.msi
```

This will force the new MSI to be used instead of the cached version of the previous version of the MSI used for installation. This command will ensure this newer MSI will be cached on the workstation where installed.

Next, to perform the re-installation enter the following command:

```
MSIEXEC /fa install-stslam-ENTITYNAME.msi
```

If either or both of the above fail to successfully complete, use the following command:

```
MSIEXEC /I stslam-install-ENTITYNAME.msi REINSTALLMODE=voums  
REINSTALL=ALL
```

The MSI process screen will complete/close, however, [the update process continues](#). Please wait until it completes before rebooting the workstation.

Option #2:

The server name and entity can be re-configured on a specific workstation without re-installing the MSI.

To change the server name, create a text file named:

```
server.st_slam
```

and make its only contents either the server name such as **FSI** or the server's IPv4 address such as **10.1.1.1**

To change the entity name, create a text file named:

```
entity.st_slam
```

and make its only contents the name of the entity such as **DEFAULT** or **IT_DEPARTMENT**.

After the file is created there are two possible paths to place the file:

(64bit system)

```
C:\windows\syswow64\drivers
```

(32bit system)

```
C:\windows\system32\drivers
```

-or-

```
C:\users\\Desktop
```

The STSLAM agent will check once per minute for these files and if found will read the file, store the new value(s) to the local workstation Windows® Registry and then delete the file

(server.st_slam or entity.st_slam).

Communication Methods

The first STSLAM Agent MSI (i.e. “stslam-install-EntityName.msi) is always configured using the Server Name. This server name is used by the STSLAM Agent to attempt communications to deliver the workstation’s activity journal (log files). The agent will initially attempt to communicate via Named Pipes. Named Pipes utilize normal Windows communications methods and do not require any changes to any firewalls. If Named Pipe communications are not available the agent will then attempt to look up, via DNS, the IPv4 address of the Server (by the server’s name). If successful in acquiring the IPv4 address the agent will attempt to communicate first via Port 3884 (SofTrack’s static port assigned by the IANA for worldwide use) to determine the [Managed Assets Port to be used](#). If no port is configured (i.e. Port value is 0) or if communications via Port 3884 are not successful the agent will be unable to deliver its journal files via the network.

The second STSLAM Agent MSI (i.e. “stslam-install-EntityName-via-198.206.217.44.MSI) is always configured to use the IPv4 address of the SofTrack Server Agent. The agent will attempt to communicate first via Port 3884 (SofTrack’s static port assigned by the IANA for worldwide use) to determine the Managed Assets Port to be used. If no port is configured (i.e. Port value is 0) or if communications via Port 3884 are not successful the agent will be unable to deliver its journal files via the network.

As shown in the previous section, the server name value can be configured to be a direct IPv4 address. **When the configuration is set to use a direct IPv4 address**, there will not be any attempt to transmit via Named Pipes, only TCP/IP will be attempted.

In the SofTrack Console, Managed tab, Agents view, open the Entity to review the last communication times and method used for each workstation agent. If the workstation agent is unable to communicate you will either not find a value for its Last Communication or that time will be in the past. If the agent is able to communicate via the network, transmission is performed once every 15 minutes, however, if no ready journals are present, the agent will not communicate, re-checking every 15 minutes.

Agents View for Entity(COLA)

Status	Disabled U...	Entity	Workstat...	M...	TSE CALs	Agent Version	Last IP Addr...	Last Communication	Last File Upload
ALLOWED		COLA	VCS1DC1	37...	0	7.01f	198.206.217....	Sep 21, 2020 at 1...	Sep 20, 2020 at 14

Separately, the “Last File Upload” column indicates the last time a workstation agent’s journal file(s) were directly copied to the STLOG\STSLAM folder.

Agents View for Entity(COLA)

Status	Disabl...	Entity	Workstation	Machine G...	TSE CALs	Agent Vers...	Last IP Ad...	Last Comm...	Last File U...
ALLOWED		COLA	DESKTOP-...	NO_MGUID	0	SI_IMP			Aug 11, 20...
ALLOWED		COLA	MXL1281	8eb76c2a-...	0	7.01a			Aug 25, 20...

In the view above “SI_IMP” value in the Agent Version column indicates that workstation was imported (this type of agent will not use a license). SI=Smart Inventory, IMP=Import. This type of import is detailed later in this chapter.

Manually Upload STSLAM Agent Activity to SofTrack Server Agent

For workstations where the STSLAM agent has no connectivity to the SofTrack Server Agent there is the option to copy/move its journal files for reporting. To manually copy the agent’s journal files, locate the following folder on the workstation:

(64bit system)

C:\windows\syswow64\drivers\ST_SLAM.ASL

(32bit system)

C:\windows\system32\drivers\ST_SLAM.ASL

This folder stores encrypted journal files (*.STS). These files can be manually moved to the SofTrack Server Agent path:

STLOG\STSLAM

The data within these files is encrypted and serialized for uniqueness. If these files are accidentally duplicated, there will be no duplication of data within the SQL Tables.


Communication Failure

If the STSLAM Agent is not connecting to the SofTrack Server Agent, at the affected workstation, enter the following command:

```
C:\windows\syswow64\drivers\ST_SLAM -verify
```

It will present a status window detailing the communication problem.

Example verify result:



The text values are copied to the paste buffer to assist in sending the output via email.

Startup and Activity Tracking

When a user first logs on to a workstation while the STSLAM agent is active it will immediately begin tracking the user's activity.


The STSLAM agent records all applications used, but only for applications that have a user interface. Other than selected activities such as TCP/IP upload and download activity and crashed applications, background activity of applications without a user interface is not recorded. Idle and Active time on the user desktop is tracked. And, the agent will retain tracking data in-between workstation reboots, thus if the workstation is suddenly turned off while the user was actively using applications, once rebooted, the agent will automatically record the correct exit time of each application based on the last minute of usage prior to the interruption (which could also be the result of a workstation crash instead of a power off event). Likewise, User "logoff" time will be indicated as the time of the abrupt workstation shutdown.

Removing a Workstation License

When a workstation is to be decommissioned, follow these procedures to ensure it no longer uses a

SofTrack Managed Assets workstation license:

To resolve, in the SofTrack Console, Managed tab, select the Agents view and then the select the Entity and locate the workstation and click the Disable Agents(s) button:




This will communicate to the SofTrack Server Agent that the workstation agent is no longer to use a license and that workstation will be blocked from transmitting/submitting any activity data for a period of 30 days. Any such newly received data will be deleted and not processed into SQL, thus ensure the workstation will no longer be transmitting data using the previous Entity name. After the 30-day period, the workstation's entry in the Agents Entity view will be automatically removed by the SofTrack Server Agent and that workstation will then be able to be again configured to use that specific Entity for its activity data collection.

If the workstation is to remain in-use, but no longer use the SofTrack workstation agent, use the [MSI removal procedure](#). Otherwise, if the workstation is being retired and will no longer be in-use, the MSI removal procedure is not required.

Changing Workstation Entity and changing Workstation License


If changing the ENTITYNAME the workstation, once its data (logged using new Entity Name) is communicated to the SofTrack Server Agent, that workstation will be using 2 licenses. To resolve, in the SofTrack Console, Managed tab, select the Agents view and then the select the PREVIOUS Entity and locate the workstation and click the Disable Agents(s) button:



This will communicate to the SofTrack Server Agent that the workstation agent is no longer to use a license and that workstation will be blocked from transmitting/submitted any activity data for a period of 30 days. Any such newly received data will be deleted and not processed into SQL, thus ensure the workstation will no longer be transmitting data using the previous Entity name. After the 30-day period, the workstation's entry in the Agents Entity view will be automatically removed by the SofTrack Server Agent and that workstation will then be able to be again configured to use that specific Entity for its activity data collection.

To complete the workstation's transition to the new Entity, in the Device Entity view, select the workstation and click the Move Device button:

Move Device



This will present a window of available Entities, select one and the selected workstation's SQL data will be moved to the selected Entity and upon successful data move of each SQL Table, its data in the original Entity SQL Table will be deleted.

A progress window will appear to detail each action:

Move Devices from SOFTRACK_ENTITY_COLA into SOFTRACK_ENTITY_TEST_SI (will move all data)

Step Count: Server	Action	Result
00001: DC1\SQLEXPRESS	Connecting to SQL Server	...
00002: DC1\SQLEXPRESS	Moving [ENG-715603G5CD] [NO_MGUID]	Processing...
00003: DC1\SQLEXPRESS	Successfully Moved Table INVENTORY	OK
00004: DC1\SQLEXPRESS	DELETE SOFTRACK_ENTITY_COLA.dbo.INVENTORY where (ComputerName='ENG-715603G5CD' AND MachineGUID='NO_MGUID');	COMPLETE
00005: DC1\SQLEXPRESS	Successfully Moved Table INVENTORY_RAM	OK
00006: DC1\SQLEXPRESS	DELETE SOFTRACK_ENTITY_COLA.dbo.INVENTORY_RAM where (ComputerName='ENG-715603G5CD' AND MachineGUID='NO_MGUID');	COMPLETE
00007: DC1\SQLEXPRESS	Successfully Moved Table INVENTORY_CPU	OK
00008: DC1\SQLEXPRESS	DELETE SOFTRACK_ENTITY_COLA.dbo.INVENTORY_CPU where (ComputerName='ENG-715603G5CD' AND MachineGUID='NO_MGUID');	COMPLETE
00009: DC1\SQLEXPRESS	Successfully Moved Table INVENTORY_VIDEO	OK
00010: DC1\SQLEXPRESS	DELETE SOFTRACK_ENTITY_COLA.dbo.INVENTORY_VIDEO where (ComputerName='ENG-715603G5CD' AND MachineGUID='NO_MGUID');	COMPLETE

Save Results Done

Terminal Server Installation

When the STSLAM Agent is installed on a Windows® server that includes terminal services (native, Citrix®, other method), the agent will automatically detect the number of terminal server licenses installed (Microsoft® licenses). Sufficient SofTrack Managed Asset session licenses must be installed to allow activity logged on the terminal server to be recorded to SQL.

To ensure your SofTrack installation has sufficient Managed Assets Session Licenses, the following is how the agent detects the number of session licenses (RDS/CAL) installed:

On the terminal server, start powershell (start / run / powershell)

paste the following text into the powershell prompt:

get-wmiobject Win32_TSLicenseKeyPack | out-file c:\valid_path\tsecals.txt

open the resulting tsecals.txt file with NOTEPAD

Find each line that includes "TotalLicenses", add each (if more than one) for all "KeyPackId=3" sections

<https://docs.microsoft.com/en-us/windows/win32/termserv/win32-tslicensekeypack>

The result is the total number of Microsoft® session RDS/CAL licenses installed.

Agent Licensing Errors and Email Alerting

Each Managed Assets Entity can be separately configured for email alerting.

The screenshot displays the SofTrack Console interface for a Managed Entity. The top navigation bar includes Home, Agents, Profiles, Settings, Reports, and Managed. The Managed tab is active, showing a toolbar with Refresh, Export Statistics, Configure Email, Add Email, and Remove Email. Below the toolbar, there are two checkboxes: "Exceed SofTrack License" and "New Workstation Agent".

The main content area is titled "Entity Alerting Options for Entity(TEST_ACME)". It contains a section for reference values with the following fields:

- Entity Description: [Text Input]
- Entity Company: [Text Input]
- Entity Contact: [Text Input]
- Entity Phone: [Text Input]
- Entity Email(s): [Text Input]

Below these fields are two checkboxes:

- Send email alerts to all defined in SOFTRACK_ENTITY_DEFAULT
- Use Email Configuration as defined in SOFTRACK_ENTITY_DEFAULT

At the bottom, there is a section titled "Email Addresses to send SofTrack ENTITY Alerts" with a text input field.

Each Entity can be configured with its own separate email configuration and list of destination emails. And, as shown, the alerts can be defaulted to the definition of the DEFAULT entity (SOFTRACK_ENTITY_DEFAULT).

The reference values will only be shown on the screen above, each is not currently used for any other purpose.

The checkboxes “Exceed SofTrack License” and “New Workstation Agent” are configurable. There are other alerts that are not configurable.

Non-configurable alerts that will always be sent to email addresses defined in the DEFAULT entity configuration:

STSLAM File Excessive Size

Reason: A file matching *.STS found in STLOG\STSLAM larger than 1.9MB

Bad filename will be included in the alert

Resolution: Contact support@softwaremetering.com

STSLAM File INVALID Size, auto-renamed to .badformat

Reason: A file with invalid data was found in STLOG\STSLAM

Bad filename will be included in the alert

Resolution: Contact support@softwaremetering.com

STSLAM Path Configuration Error

Reason: The SofTrack Server Agent is unable to create the STLOG\STSLAM path and all workstation agent activity will not be received or process.

Resolution: Manually create STSLAM folder in STLOG path.

STSLAM Disabled Workstation Alert

Reason: A workstation agent from a workstation that has been disabled is attempting to transfer activity data and will be rejected.

Resolution: Update the workstation agent for its new entity, or uninstall the workstation agent on the named workstation (name included in the alert).

Exceed SofTrack License will always be sent to both the email addresses defined for the affected Entity as well as any email addresses defined in the DEFAULT entity configuration:

No Licenses Alert

No Managed Assets licenses are installed (or any installed are expired) and all activity data from all agents is being blocked.

No TS Licenses Alert

Workstation agents using Session licenses are found and were previously licensed. This alert indicates no Managed Assets Session Licenses are currently installed, all have been removed or have expired.

LX1 – Activity data from a workstation agent installed on a non-Windows® terminal server machine was BLOCKED due to insufficient Managed Assets Workstation licenses installed.

LX3 – Activity data from a workstation agent installed on a Windows® terminal server was BLOCKED due to insufficient (or no) Managed Assets Session licenses installed.

LX4 – Count of number of unlicensed ST_SLAM (Managed Assets) journal files found
This error will occur once per day between midnight and 1am

This error indicates there are insufficient Managed Assets licenses and journal files are not being transferred to SQL.

LX5 – Count of number of unknown Entity ST_SLAM (Managed Assets) journal files found.
This error will occur once per day between midnight and 1am on any day there are files present in the STLOG\STSLAM\no-entity-db folder.

This error indicates journal files are present in the server's STLOG\STSLAM\no-entity-db path; the files found there have an Entity configured that has no matching Entity SQL Database (i.e the named database cannot be opened due to it not being present). The filename should indicate the Entity name that is missing. If an Entity Database is added after workstations began uploading their journals, these files must be manually moved to the STLOG\STSLAM folder and presuming sufficient licenses are installed, each will be

transferred to the appropriate SQL Database.

Files will be transferred to the STLOG\STSLAM\no-entity-db when the named entity (first part of the filename) is not present. This indicates the SofTrack SQL Transfer Agent (SQLSTSXF.EXE) was able to connect to the configured SQL Server but unable to open the named SOFTRACK ENTITY database. Reasons for this include the named database does not exist, is offline or SQL Server itself is in “maintenance mode” of some type that prevents the named SOFTRACK ENTITY database from being opened. Once the SQL Server and SOFTRACK ENTITY database(s) are back online, move (not copy, but move) the files from STLOG\STSLAM\no-entity-db to STLOG\STSLAM (i.e. up one level) and those files should be processed into SQL as expected.

LX6 – Count of number of *stsSQL ST_SLAM (Managed Assets) journal files found that have not yet been processed.

This error will occur once per day between midnight and 1am

This error indicates there is likely a problem inserting records into the selected SQL Server and journal files are not being transferred to SQL. This error only occurs when there is, on average, more than 100 pending *stsSQL journal files per licensed workstation (or, during an evaluation, more than 10,000 such files). The log file SQLSTSXF.LOG, found at the SofTrack Server Agent host path (typically c:\windows\syswow64\drivers), should be sent to support@softwaremetering.com for review and further assistance.

IMPORTANT:

Anytime a Managed Assets License Error occurs, the affected activity data will remain unprocessed in the STLOG\STSLAM folder. The data is not lost or removed and will be fully processed once the appropriate Managed Assets license is installed.

New Workstation Agent alerts include:



STSLAM New Agent identified



Alert will include name of Entity, workstation and machine GUID

MSI Removal

Administrator permissions are required when removing the STSLAM agent via the MSI’s Remove option. This requirement is intentional to prevent standard users from being able to remove the agent.

When the MSI is directly run the following order of screens will be presented:





The MSI will not remove the agent when directly run (the error shown above, or similar, will occur). The only method to remove the agent requires opening a CMD window "As Administrator" and directly using MSIEXEC.

The procedure is to click Windows Start, and run CMD.EXE “right click” and select “Run as administrator”. At the resulting command prompt, change directory to where the MSI file is located.

Next, enter the command (*replacing the msi filename shown with the actual filename*):


```
MSIEXEC /x stslam-install-EntityName.msi
```

This method will present a simple series of windows and once complete (may take up to 2 minutes to complete), the agent’s files, its service and any journal files in ST_SLAM.ASL path will be removed. The files SMA_32.DLL and SMA_64.DLL will remain until the next PC reboot, those files will then be removed at that time.


Import Data from SofTrack LWA Control Data

If your SofTrack installation includes software metering control (via the SofTrack Local Workstation Agent (LWA) of that separate product) and workstation audit activity, it is possible to import those existing records into any existing Managed Assets Entity. No Managed Assets license is required to perform this action or receive reports. Your existing SofTrack license that enabled the gathering of this data provides authorization for this ability.

To begin, click on the Home section and click the Import Data button:



A prompt will appear that presents a complete list of all workstations available for importing:



Select the desired workstations. To select all, click the top left box (next to the column title 'Workstation'). Once selected, click the Import button. The import will commence and the columns 'Import Status' and 'Number Records Imported' will populate as the import progresses. Once complete the Import Status will indicate it has completed. The import action occurs in parallel so all workstations are simultaneously processed.

The import function creates a series of *.STS files in the STLOG\STSLAM folder. Each file will automatically be processed by the SQLSTSXF.EXE processed into the appropriate Entity database.

If the Import is performed when the SofTrack Server Agent is not active, the data will be transferred into SQL the next time the SofTrack Server Agent is active.

The data can be imported more than once (will not be duplicated within the same Entity database) into different Entity databases as required.

Only activity related to installed applications as identified by SofTrack's Quick Inventory will be imported.

The data imported will appear in usage activity Reports, but will not include exit time, idle time or active time, only the start time will be shown. And, the Machine GUID value will be shown as NO_MGUID and on the Agents Entity section, the Agent version will be shown as SI_IMP (Smart Inventory Import). If the workstation also has the Managed Assets STSLAM Agent installed, the records will not be combined but you can use the column filter option available in most reports to assist in isolating a specific workstation by its name regardless of the Machine GUID value.

Chapter 5 Administration Options


Starting SOFTRACK_CONSOLE.EXE

The SOFTRACK_CONSOLE.EXE Administrator tool is the central tool to configure and report SofTrack usage. SOFTRACK_CONSOLE.EXE can be run from any Windows desktop that has access to the servers(s) to manage.


When starting SOFTRACK_CONSOLE.EXE, it will refer to the following local workstation's registry key:

HKEY_CURRENT_USER\Software\Integrity Software, Inc.

This key is created and maintained by SOFTRACK_CONSOLE.EXE. Within this key the value of the last tab you viewed is stored. Also stored are all servers you have configured with SOFTRACK_CONSOLE.EXE. Therefore, if you use SOFTRACK_CONSOLE.EXE on a different workstation you may not see the expected list of servers. You can easily add servers by clicking the following button on the Home page, Home section:



The following prompt will appear:



Registry Key Added at Server Host

When SOFTRACK_CONSOLE.EXE connects to a Windows server, it will automatically attempt to create a registry key. The key created will be

HKEY_LOCAL_MACHINE\Software\Integrity Software, Inc.

Several other keys will be created underneath this key. If the registry key already exists, it

will not be recreated or otherwise altered.

Backing up SofTrack License Profile and Configuration Definitions and Activity Data

To back up/archive SofTrack’s License Profile Definitions and other configuration details:

- 1 At the server host, open REGEDIT.EXE.
- 2 Open the registry key:

HKEY_LOCAL_MACHINE\Software\Integrity Software, Inc.


- 3 From the menu, select **File** and then **Export...**
- 4 Save to a file of your choice

To back up/archive SofTrack’s Metering Activity Data:


- Back up with WinZip or another archiving utility the contents, including all subdirectories, of the directory selected to be the METER.LOG path.

About and Visual Style

To view the version of the SOFTRACK_CONSOLE.EXE, click on the ? found at the upper right corner:




To adjust the Visual Style of the SOFTRACK_CONSOLE.EXE, click on the ^Style item at the upper right and a drop down menu will appear, select the visual look. The default style is “Office 2016 (colorful)”.



Alert Tiles

The SofTrack Console has several Alert Tiles that may appear in the Home section of the Home tab:





These Alert Tiles are clickable. Each will change the view to the appropriate section.




In addition to the Alert Tiles shown above, there is another that has a blue background that will remind you when your SofTrack License will expire within the next 30 days.

Pop-up SQL Errors

When starting the SofTrack Console, if any SQL Errors are detected in the [SQLSTSXF.LOG](#), (3) possible pop-up errors can occur, 4064, 229 and 207:





If the Console remains open for 6 hours, it will re-check and the error popups can re-occur. This is repeated every 6 hours as long as the Console remains continuously open.

Once the error situations are resolved, the error pop-ups can re-occur. To prevent further pop-ups error messages for resolved issues, delete the SQLSTSXF.LOG, [click here to review its location](#).

Administrative Options

The balance of this chapter will discuss the options required to configure the server host for use by SofTrack via the `SOFTTRACK_CONSOLE.EXE` application.

Set Log Share Path

Set Log Share Path: Overview


The `Log Share Path` file is the repository of SofTrack's activity data including temporary storage of workstation activity transmitted by the STSLAM agent at each workstation.

Do not specify a local path such as `C:\SOFTTRACK` for the `Log Share path`.

Set Log Share Path: How

Open `SOFTTRACK_CONSOLE.EXE` and select the desired server then click the "Settings" tab, select the *Settings Home* section and enter the desired path the `Log File Path (Share)` edit field or use the `Path Assistance` button to locate the desired share.

- There is no default path.
- Be sure the path includes the Public Share name and, if required, directory path within that Public Share.
- If the path is erased, no data will be recorded to SQL Server.
- Path selected must be located on the server hosting the SofTrack Server Agent



Token Maintenance


Token Maintenance: Overview

SofTrack’s usage rights are governed by the token you purchase. For SofTrack to recognize your token, you must install it on the server(s) it was purchased for, where the SofTrack Server Agent (SSA) is or will be in use. The SSA does not need to be active to install or remove the token(s). If you have previously installed an evaluation token, it will automatically be removed once it expires.

The SofTrack token only determines how the SSA performs. Maintenance of the SofTrack token does not affect or in any way modify the activity data SofTrack has recorded. Likewise, maintenance of the SofTrack token will not alter any other definitions you have established.

Token Maintenance: How

- 1 Open `SOFTRACK_CONSOLE.EXE`.
- 2 Select the desired server, click the “Settings” tab and select the *Settings Home* section.




The above figure indicates 2 tokens are currently installed. The installed tokens listed will be all the tokens that have been installed for the current server. Remember, the SofTrack Server Agent does not need to be active to perform token maintenance.

To install your token, click the **Add Token** button at top of the screen. A new window will appear to assist in locating your token file to install.

Typically, you would only remove a token if it is expired.

To verify that the SofTrack Server Agent recognizes the token(s) you have installed, watch for the token details on the selected server's tile on the main screen of `SOFTRACK_CONSOLE.EXE`.



NOTE: The token details are only present when the SSA is active.

Email Alerts


SofTrack includes the ability to send an Email for each alert activity. Beyond specifying the Email Server configuration, the following alerts require no specific configuration:

- SofTrack Server Agent starting
- SofTrack Server Agent stopping
- SofTrack Server Agent licensing violation (over deployed or not licensed)

Each Email Alert sent has a descriptive email subject and the email body includes relevant details including when the event occurred.

Email Alerts: How

The Email alerts option allows you to receive Alerts from the SofTrack Server Agent to email address(es) you specify.



To begin, click the **Settings** tab and select the *Email Alerting* section as shown above and then click the **Configuration** button. The following window will appear:

Address of SMTP Server (i.e. "mail.myserver.com")

Port to send to (typical ports include 25=unsecured, 465=SSL, 587=TLS)

Send As/Return Email Address (i.e. "jsmith@myserver.com")

Password for "Send As" account (if required by selected SMTP Server)

Email Subject is defined by the initiating action

Send To Recipients are determined by separate configuration


Message is defined by the initiating action

Buttons: Save, Cancel, Send Test Email


Each field shown above must be filled in. Once all fields are completed, click the **Send Test Email** button to verify your configuration. Click **Save** button when complete. The password value is encrypted before being saved.

Notice there is no “disable” option, if you ever need to stop sending email alerts there are two methods. The first is to erase the configuration and click **Save**. The second is to erase the list of email addresses (defined in next section). Once you click the **Save** button, the configuration is saved to the server hosting the SofTrack Server Agent.

When ready, enter an email address and click the **Add** button as shown below.



The following prompt will appear:



Enter an email address and click the **Add** button. Once complete, click the “x” at the upper right corner.

The email address will be added to the list. There is no limit on the number of email addresses you can enter. The email addresses added are immediately saved and the SofTrack Server Agent silently updated.

Email Alerts: SofTrack Server Agent

When Email Alerts are configured the SofTrack Server Agent will start a second STSRVC.EXE process. There will then either be (2) STSRVC.EXE processes or one STSRVC64.EXE and one STSRVC.EXE process. The second process (process name will always be STSRVC.EXE) will send the emails. Therefore, if you look in Task Manager at the server hosting the SofTrack Server Agent and see 2 processes, this is expected and normal. The file DSRRSMTP.DLL is used by STSRVC.EXE when ending emails.

Email Alerts: Entity Agent Licensing Errors and Alerting

Each Managed Assets Entity can be separate configured for email alerting.

Each Entity can be configured with its own separate email configuration and list of destination emails. And, as shown, the alerts can be defaulted to the definition of the DEFAULT entity (SOFTRACK_ENTITY_DEFAULT).

The reference values will only be shown on the screen above, each is not currently used for any other purpose.

The checkboxes “**Exceed SofTrack License**” and “**New Workstation Agent**” a configurable. There are other alerts that are not configurable.

Non-configurable alerts that will always be sent to email addresses defined in the DEFAULT entity configuration:

STSLAM File Excessive Size

Reason: A file matching *.STS found in STLOG\STSLAM larger than 1.9MB
Bad filename will be included in the alert
Resolution: Contact support@softwaremetering.com

STSLAM File INVALID Size, auto-renamed to .badformat

Reason: A file with invalid data was found in STLOG\STSLAM

Bad filename will be included in the alert

Resolution: Contact support@softwaremetering.com

STSLAM Path Configuration Error

Reason: The SofTrack Server Agent is unable to create the STLOG\STSLAM path and all workstation agent activity will not be received or process.

Resolution: Manually create STSLAM folder in STLOG path.

STSLAM Disabled Workstation Alert

Reason: A workstation agent from a workstation that has been disabled is attempting to transfer activity data and will be rejected.

Resolution: Update the workstation agent for its new entity, or uninstall the workstation agent on the named workstation (name included in the alert).

Exceed SofTrack License will always be sent to both the email addresses defined for the affected Entity as well as any email addresses defined in the DEFAULT entity configuration:

No Licenses Alert

No Managed Assets licenses are installed (or any installed are expired) and all activity data from all agents is being blocked.

No TS Licenses Alert

Workstation agents using Session licenses are found and were previously licensed. This alert indicates no Managed Assets Session Licenses are currently installed, all have been removed or have expired.

LX1 – Activity data from a workstation agent installed on a non-Windows® terminal server machine was BLOCKED due to insufficient Managed Assets Workstation licenses installed.

LX3 – Activity data from a workstation agent installed on a Windows® terminal server was BLOCKED due to insufficient (or no) Managed Assets Session licenses installed.

LX4 – Count of number of unlicensed ST_SLAM (Managed Assets) journal files found
This error will occur once per day between midnight and 1am

This error indicates there are insufficient Managed Assets licenses and journal files are not being transferred to SQL.

LX5 – Count of number of unknown Entity ST_SLAM (Managed Assets) journal files found.

This error will occur once per day between midnight and 1am.

This error indicates journal files are present in the server's STLOG\STSLAM\no-entity-db path; the files found there have an Entity configured that has no matching Entity SQL Database. The filename should indicate the Entity name that is missing. If an Entity Database is added, these files must be manually moved to the STLOG\STSLAM folder and presuming sufficient licenses are installed, each will

be transferred to the appropriate SQL Database.

LX6 – Count of number of *stsSQL ST_SLAM (Managed Assets) journal files found that have not yet been processed.

This error will occur once per day between midnight and 1am

This error indicates there is likely a problem inserting records into the selected SQL Server and journal files are not being transferred to SQL. This error only occurs when there is, on average, more than 100 pending *stsSQL journal files per licensed workstation (or, during an evaluation, more than 10,000 such files). The log file SQLSTSEX.LOG, found at the SofTrack Server Agent host path (typically c:\windows\syswow64\drivers) ,should be sent to support@softwaremetering.com for review and further assistance.

IMPORTANT:

Any time a Managed Assets License Error occurs, the affected activity data will remain unprocessed in the STLOG\STSLAM folder. The data is not lost or removed and will be fully processed once the appropriate Managed Assets license is installed.

New Workstation Agent alerts include:


STSLAM New Agent identified

Alert will include name of Entity, workstation and machine GUID

SofTrack Server Agent Version

SofTrack Server Agent Version: How

Open SOFTRACK_CONSOLE.EXE, there will be a tile for each server that has been added to the Console. The currently selected server will list its current agent details on its tile:



The **Started** value indicates when the Agent was loaded/started.

The **Version** values indicate the version of the agent's two main components.

The **License** values indicate the type and size of the license(s) installed and current usage. These license value(s) are for SofTrack's License Control and will be zero if only using SofTrack Managed Assets.

The **SLAM License** values indicate the type and size of the Managed Assets license(s) installed and current usage.

The last line indicates the **IPv4** address used by the SofTrack Server Agent at the indicated server and **Online** indicates if the server itself is reachable (or not). The **Online** designation does not indicate the SofTrack Server Agent is active, you must also see the **Started**, **Version** and **License** and/or **SLAM License** values.

SofTrack Server Agent Version: Cannot connect?

If you only see the **Online** value (in the above image) and **not** the **Started**, **Version** and **License** or **SLAM License** values, be sure that your workstation, server or any intermediate network switch or other does not have a firewall blocking ICMP Ping activity and that Reverse IP Lookup is not being actively blocked.


Merging Entities

When the need to combined Entities occurs, use the Merge Entity function. Both the source and destination Entities must already exist though there is no requirement for the destination Entity to have any data. If any duplicate records are present (existing in both Entities) the duplicates will not be merged as the value already exists.


The merge function does not delete any data in either Entity SQL Database.

It is presumed the source Entity is inactive, that is, activity is not being transferred from workstation activity gathered by the STSLAM agent because all workstation agents have either been removed or have had the Entity to report to modified to be another Entity. If this is not true, the Merge can be performed multiple times, duplicate records will never occur; only unique records will be inserted into the destination Entity SQL database.

To begin, select the Entity to be merged with another:



Next, click the Merge Entity button and the following prompt will appear:




Select the destination for the merge and then click OK. A progress window will appear detailing each merge action.

Deleting an Entity


Once a Managed Assets Entity has been fully decommissioned and its data merged into other Entity's SQL Database or is no longer relevant, the Delete Entity function will:

- Completely remove that Entity's SQL Database and all Tables;
- Disable all Agents associated with that Entity so each will no longer be using a SofTrack Managed Assets license
- Remove registry entries associated with that Entity (i.e. Email configuration, alert emails)


To begin, select the Entity to completely remove:




If you select the DEFAULT Entity, the delete function will be blocked:



Otherwise, the following confirmation prompt will be presented:



If confirmed, a second confirmation prompt will be presented:



If confirmed, the Entity's SQL Database and all Tables and data will be completely removed.

Managing an Entity

The SofTrack Console has two methods to manage a specific Entity. The first is found on the left side menu, select each and open revealing all known Entities. The following series of screenshots show those side menus, notice the buttons in the Ribbon bar, these are used to make changes to each Entity:

Home section:

Entity Email Configuration

Agents section:

Status	Disabled Until	Entity	Workstation	Machine GUID
<all>	<all>	<all>	<all>	<all>
▶ ALLOWED		DEFAULT	DC1	9a6cdf81-a95f...
ALLOWED		DEFAULT	MXL1281	8eb76c2a-da5...
BLOCKED		DEFAULT	MOXY64	23afd187-b37...

Applications section:

Server VCSLOCALDC01: Managed Applications Entity - SofTrack Console

Home Agents Profiles Settings Reports **Managed** Style ?

Refresh Export Statistics Assistance Software Categories Reports View Workstations Set Reminder Assistance

Managed Applications Installed per Workstation for Entity(COLA)

- Home
- Agents
- Applications
 - Entity(COLA)
 - Entity(DEFAULT)

Application Name	Version	Publisher	Software Categ...	Workstation Co...
<all>	<all>	<all>	<all>	<all>
Google Chrome	87.0.4280.88	Google LLC		1
Imaging Tools Support	10.1.14393.0	Microsoft		1

Devices section:

Server VCSLOCALDC01: Managed Devices Entity - SofTrack Console

Home Agents Profiles Settings Reports **Managed** Style ?

Refresh Export Statistics Assistance Hardware Categories Reports Move Device Set Reminder Assistance

Managed Devices for Entity(COLA)

- Home
- Agents
- Applications
- Devices
 - Entity(COLA)

Workstation	Machine GUID	Category	Last Reboot	Last I
<all>	<all>	<all>	<all>	
DESKTOP-EBQG6RR	95e63525-93d8-414f-...		2021-04-02 13:03:16	2021-

The second method to manage an Entity is found on the Home view, selecting an Entity and clicking the Manage Entity button:

Server DC1: Managed - SofTrack Console

Home Agents Profiles Settings Reports **Managed** Style ?

Refresh Export Statistics Assistance SQL Configuration Add Entity Import Data Merge Entity Delete Entity **Manage Entity** Reports (Apps) Reports (Devices)

Managed SofTrack Entity Databases


- Home
- Agents
- Applications


SofTrack Entity Databases	Number ...
<all>	<all>
SOFTRACK_ENTITY_COLA	2020-07-... 6.13 MB 4 ...


Manage/Edit Entity
Manage/Edit selected Entity


The following series of screenshots show what appears when directly managing an Entity:

ST Edit Managed Entity SOFTRACK_ENTITY_TEST_ACME

 Configuration

 Agents

 Applications

 Devices

Following values are for reference only:

Entity Description:

Entity Company:

Entity Contact:

Entity Phone:

Entity Email(s):

Send email alerts to all defined in SOFTRACK_ENTITY_DEFAULT


Use Email Configuration as defined in SOFTRACK_ENTITY_DEFAULT


Email Addresses to send SofTrack ENTITY Alerts	
	▲


Send email alert when SofTrack License Exceeded


Send email alert when New Workstation Agent detected for this Entity

ST Edit Managed Entity SOFTRACK_ENTITY_TEST_ACME

 Configuration


 Agents

 Applications


 Devices

▲	Status	Disabled ...	Entity	Workstation	Machine GUID	
<input type="checkbox"/>	<all>	<all>	<all>	<all>	<all>	<input type="button" value="Create MSI"/>
<input type="checkbox"/>	ALLOWED		DEFAULT	DC1	9a6cdf81-a950...	<input type="button" value="Disable Agent"/>
<input type="checkbox"/>	ALLOWED		DEFAULT	MXL1281	8eb76c2a-da5...	
<input type="checkbox"/>	BLOCKED		DEFAULT	MOXY64	23afd187-b373...	

Number agents found: 3



Note: the Number Applications found indicates the number of rows found, there can be duplicate applications if the same application is installed with multiple versions. To view the specific workstations for any selected applications, click the View Workstations button to receive a new report.



Software Categories (Normalization)

Found in the Applications section, the Software Category button enables defining of an unlimited number of categories and the ability to assign a category to any application. Each application can only belong to a single Software Category, the assignment can be changed as needed.

SofTrack’s Software Categories provides the ability to “normalize” software applications to the needs of your organization. Instead of presuming to normalize software applications based on a set of previously identified connections, SofTrack’s Software Category provides your organization the ability to associate applications together as needed. Several concurrent usage

and utilization reports are provided that utilize software categories enabling cohesive reporting of related applications as required.

By assigning Software Categories, each unassigned application can be quickly located. Once an application has been assigned to a Software Category all its usages including past and future usages will immediately be associated.


In addition to typical “normalizations” such as “Adobe Creative Suite”, specific assignments such as “Games”, “Unknown”, “Shareware”, “Remove” can be made as required.

The Software Category definitions are stored in the Windows® registry of the SofTrack Server Agent host. The categories are customizable by the customer. Each application assigned a software category has that relationship stored in a SQL Table unique to the SOFTRACK_ENTITY_DEFAULT SQL Database (INVENTORY_APP_TAGS).


Software Categories are designed to be used “in common” between all Entities. Therefore, software categories are common throughout all Entities and once established for a specific application, that application will be associated with that software category regardless of the Entity where found/used.

SofTrack provides a set of default categories, each can be removed or retained and new ones created. There is no limit on the number of Software Categories that can be created and used.

To start, click the Software Categories button, this button will only be enabled when one or more applications are selected in the list below (list of application is not shown in next image):



Select the Manage Software Categories link to view the available categories:



The Application Usage reports utilize Software Categories:


- [Concurrent Usage](#)
- [Dashboard Maximum Daily Concurrent Application Usage](#)
- [Dashboard Application Usage per Workstation](#)

Adjust Application Name for Software Usage


The Application Name shown in Software Usage reports is based upon the software inventory reporting. However, there are applications where the Application Name is blank, for example, Windows default tools such as CMD.EXE, NOTEPAD.EXE and others. And, sometimes the EXE filename detected during software usage is associated with multiple installed applications, for example, Acrobat.exe is part of several Adobe® applications.

The Application Name is used when defining Software Categories. To provide assistance in associating a specific EXE filename with an Application Name, please refer to the following:

Click on the Software Categories ribbon button:



The following window will appear:




In the image above, the “cmd.exe” is already defined, the first usage will have no entries, there are no default entries.

Notice, there are 2 buttons, *Apply now to existing records* and *Save and apply to all new records*, these buttons provide two separate, mutually exclusive functions.


The *Apply now to existing records* button will immediately change all records in the ALL_SOFTWARE_USAGE table for the current Managed Applications Entity, or, if viewing all Entities, then will be applied to all Entities.

When you click the *Apply now to existing records* button a confirming prompt will appear:




To continue, click Yes.

When complete, a result will appear:




If the current selection is for all Entities, instead the result will appear as a progress window:



The second button, *Save and apply to all new records*, does not change existing records in the ALL_SOFTWARE_USAGE table, instead, it saves the EXE filename and Application name and future records, as they are being imported to SQL, will have the Application name changed.


There is no limit on the number of EXE filenames that can have a new Application Name automatically set.

The EXE filename values are either for ALL ENTITIES including future ones that do not yet exist, or for a specific Entity. The current setting is shown in the Windows caption bar:



View Workstations

The Applications Entity view lists all applications found including a workstation count for each. To view the workstations, select any number of applications (including all) and click the View Workstations ribbon button:



Example report:

Selected Applications per Workstations on Entity TEST_ACME


Application	Version	Publisher	Serial Number	Softw:
<all>	<all>	<all>	<all>	
ETABS 17 64-bit	17.0.0	Computers and Structures, Inc.		
ETABS 2015 64-bit	15.2.0	Computers and Structures, Inc.		
ETABS 2016 64-bit	16.0.3	Computers and Structures, Inc.		
ETABS 2016 64-bit	16.2.1	Computers and Structures, Inc.		
ETABS 2016 64-bit	16.2.1	Computers and Structures, Inc.		
FileZilla Client 3.16.0	3.16.0	Tim Kosse		
FileZilla Client 3.25.1	3.25.1	Tim Kosse		
FileZilla Client 3.34.0	3.34.0	Tim Kosse		
FileZilla Client 3.35.2	3.35.2	Tim Kosse		

Number of Rows: 9

OK

Set Application Email Reminder

The Applications Entity includes the ability to select one or more (no limit) applications to configure an automatic email reminder. To create a Reminder, select any number of applications (including all) and click the Set Reminder ribbon button:



The following window will appear:

Set Application Reminder for Entity COLA

Reminder Name:

Reminder Description:

Number of Applications included: 3

Reminder Date: Apr/22/2021

Reminder Time: 12:00 AM

Reset Period (number of days between re-sending reminder)

Reset Iterations (number of reset periods, 0=send once)

Reminder EMAIL Subject:

Reminder EMAIL Text:

Include list of applications at end of email body text

Include list of applications as attachment

Send Email to those addresses defined for Entity

Reminder Additional Email Addresses to send to

Save

Cancel

Define the Reminder Name, this is free form text up to 120 characters. This name will be referred to within the SofTrack Console. The Reminder Name does not need to be unique, multiple Reminders can have the same Reminder Name, but it is recommended that each Reminder has a unique name.

Next, provide a description, free form text up to 120 characters. This will also only be referred to within the SofTrack Console.

The Number of Applications included indicates how many applications were included. The Applications included are not changeable; if you require a change, create a new Reminder.

Set the initial Reminder Date and Time. This is when the Reminder email will first be sent by the SofTrack Server Agent.

If you want the reminder to be re-sent at selected intervals, define the optional Reset Period and Reset Iterations. Use 0 for these values to send the Reminder once.

Next, define the EMAIL Subject, this is free form text up to 120 characters.

Then define the EMAIL body text, this is free form text up to 900 characters (not including the list of applications).

Then select how to present the list of included Applications, either as text (one line per included Application, Version, Publisher) directly in the email text, or, as a text file attachment.

If checked, the ‘Send Email to those address defined for Entity’ the list of email addresses configured (at the time the Reminder email is to be sent, not at the time the Reminder is created) for the Entity the Applications are from.

Additionally you can directly specify email address(es) to send the Reminder to (the text field is limited to 900 characters). Use a semi-column (“;”) to separate multiple email addresses.

Click Save to create the Reminder.

The Reminder is saved to the Windows® registry at the SofTrack Server Agent, it is not stored in SQL.


To later [edit/remove the Application Reminder](#), click on the Managed section.

Hardware Categories


Found in the Devices section, the Hardware Category button enables defining of any number of categories and the ability to assign a category to any device. The Hardware Category definitions are stored in the Windows® registry of the SofTrack Server Agent host. The categories are customizable by the customer. Each device assigned a hardware category has that relationship stored in SQL Table unique to the SOFTRACK_ENTITY_DEFAULT SQL Database (INVENTORY_DEV_TAGS).

SofTrack provides a set of default categories, each can be removed or retained and new ones created.

To start, click the Hardware Categories button:




Select the Manage Hardware Categories button to manage the available categories:



The values shown above are the default categories.

When the list of Hardware Categories is Saved, each Category is stored in the Windows® registry of the SofTrack Server Agent host.

To set the Hardware Category for specific devices(s), select the device(s) and then click the Hardware Categories button and select the Set Hardware Category menu and then click the desired category. Once the Hardware Category is selected, you can double click the Hardware Categories button to directly set the Hardware Category for all selected Devices.

**Note:**

If a Hardware Category is changed or removed (from the list of available categories), all devices previously identified will continue to show the now deleted (changed/removed) value. Those devices must have their Hardware Category re-established if the new value is to be realized (i.e. in Reports).

Set Device Email Reminder

The Devices Entity includes the ability to select one or more (no limit) applications to configure an automatic email reminder. To create a Reminder, select any number of devices (including all) and click the Set Reminder ribbon button.

Please refer to the previous section, [click here for further details](#) (creation of Device Reminders follows the same process as creating Application Reminders).


Chapter 6 Dashboards

Overview: Dashboards

Within the SofTrack Console is the ability to create Dashboards for viewing of customized charts, each with up to 4 graphs. Each Dashboard can be exported to HTML for easy sharing of vital reports. Additionally, automatic emails of each Dashboard can be individual configured to send Dashboard charts as requested via email at specific dates and times.


Dashboards

The Dashboards section provides the ability to create customized charts (up to 4 graphs per dashboard) of Application, Device and User data.



Creating a Dashboard

To create a new Dashboard, click the Dashboards section and click the Create Dashboard ribbon button. Note: this button will be disabled when no SQL Entities exist.



And the following will appear:

×

Create Dashboard

Dashboard Name:

Included Entities:

Entities included for this Dashboard	

Configure Dashboard 1:

NONE ▾

Chart Type:	Chart Palette:	Chart Range:	Chart Category:
Bar Chart ▾	Palette 1 ▾	Top 5 ▾	... ▾

Configure Dashboard 2:

NONE ▾

Chart Type:	Chart Palette:	Chart Range:	Chart Category:
Bar Chart ▾	Palette 1 ▾	Top 5 ▾	... ▾

Configure Dashboard 3:

NONE ▾

Chart Type:	Chart Palette:	Chart Range:	Chart Category:
Bar Chart ▾	Palette 1 ▾	Top 5 ▾	... ▾

Configure Dashboard 4:

NONE ▾

Chart Type:	Chart Palette:	Chart Range:	Chart Category:
Bar Chart ▾	Palette 1 ▾	Top 5 ▾	... ▾

Date Range Type:

Last NNN Days ▾

Last NNN Days:

(all dates) ▾


The Dashboard name is free form text up to 126 characters.

The Dashboard must include at least one Entity. The Entity or Entities included will be used as the data source for the Dashboard. Use the “Add” and “Remove” buttons to manage the list of Entities included in the Dashboard. The results from each SofTrack Entity are combined into a single result. The “source” SofTrack Entity is not included in the results detail. If results from a specific SofTrack Entity are required, only select a single SofTrack Entity.

The Dashboard can include up to 4 different charts.

The first is defined in the “Configure Dashboard 1:” section.

Click the dropdown list to show the available charts:




The selection “NONE” indicate no chart will be defined for the selected Dashboard configuration.

IMPORTANT NOTE:

The *Autodesk Named-User Summary Charts* and the *TCP/IP Remote Port Uploaded+Download + Remote Hosts Charts* both create 4 charts and these report selections are only available for the Dashboard 1 and when either are selected, the other Chart Positions (2,3,4) are all disabled.

The Dashboard Chart Type has 6 selections:


Chart Type:



***Note**, the *Daily Chart Software Category...* will always use Bar Chart regardless of selection


The Dashboard Palette has 4 selections.

Chart Palette:



The Chart Category *is only available* for the reports with the name starting the *Daily Chart Software Category...*


Configure Dashboard 1:




To select the Chart Category, click the “...” as shown above the arrow in the image. Once clicked a window will be opened showing all available Software Categories, select one and it will be automatically indicated in the Chart Category field. Please note, the Chart Category field is read-only and its selection can only be made via this method.

The following show the color range for each:


Palette 1:




Palette 2:



Palette 3:




Palette 4:



The Chart Range option identifies the number of items to chart for the selected graph. The options are Top 5, Top 10 and Top 15:


Chart Range:



Up to 4 Charts/Graphs can be configured per Dashboard.

***Note**, the *Daily Chart Software Category...* provides values per-day, the Chart Range value is not used for those Charts.

Most of the Charts rely on a date range for report creation. For those reports that use a date range, there are 5 date range configurations:




The Last Month, Year-To-Date and Last 12 Months options use the stated date ranges.

The Last NNN Days requires filling in the Last NNN Days prompt:

Last NNN Days:


If no value is provided or is zero, the default of 30 days is used. The maximum Days value is 9999.

The Fixed Range option enables the date selector:




When created, the Dashboard definition is stored in a SQL Table named DASHBOARDS contained within the SOFTRACK_ENTITY_DEFAULT database.

Once created, the Dashboard will be added to the Dashboards left side selections and in the grid listing all created Dashboards in the main Dashboards view:




Viewing a Dashboard

To view the Dashboard, click on its left side selection:



The entire screen appears as follows:




The Dashboard chart/graph will automatically re-size to fill the available space. The images above were the result of reducing the size to better fit in this document.

The Dashboard is built “on demand”, when a Dashboard is selected from the left side menu and it has not yet been built since the last time the SofTrack Console was opened, it will be built. Building of the Dashboard is performed by querying the appropriate SQL Table(s).

To refresh the Dashboard, click the Refresh button at the top left.

Editing / Renaming a Dashboard

To edit the current Dashboard being viewed, select the Edit Dashboard button. When editing a Dashboard currently being viewed a new option appears providing the ability to save the edited Dashboard as a new Dashboard. This allows you to easily copy an existing Dashboard into a new Dashboard:



If the Update button is selected, the existing Dashboard is updated including renaming the Dashboard if its name is modified.


Once Updated or Save New is clicked the Dashboard is refreshed (rebuilt).

Note: If a scheduled email has previously been configured for the Dashboard that is being renamed, each scheduled email will be automatically updated to the new name.

Exporting a Dashboard


Dashboards can be exported to HTML. The exported Dashboard has all images encoded into a single HTML file. The exported HTML file can easily be shared.

When viewing a Dashboard, click the Export Statistics button:




The Export button is generic as it refers to “Sortable HTML”, but the export will only consist of a Title, date export and the images.

When clicked, the default filename shown is based on the name of the current Dashboard, and, if any graphs/charts within include a date range, the first charge graph/chart’s date range will be included. Please note, when multiple (up to 4) graphs/charts are included, it is possible each will have its own date range. For purposes of creating the default filename for export, only the first date range will be used:




Once the filename is determined, click “Save”. After saving the HTML file, it will automatically be opened in the default Browser application and shown:



Scheduling Dashboard Emails

Dashboards can be scheduled for automatic creation and emailing. When scheduled, the Dashboard's configuration is utilized and a new query for current values is performed to create the emailed results.

To begin, when viewing the list of Dashboards or a specific Dashboard, click the Email Dashboard button:



And the following window will appear:

Edit Dashboard Email for Sample Dashboard 7 Day (count PC) ✕

Automatic Dashboard Email Definition Name: ↑ Save

Cancel

Description:

Dashboard included: Sample Dashboard 7 Day (count PC)

Send Date: Jan /15/2023 ↑

Send Time: 12:00 PM

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (If blank, no email will be sent)

EMAIL Text:

Embed Dashboard Chart(s) within email body text

Attach Dashboard Chart(s) to email

Entity Email Configuration to use for sending emails: SOFTRACK_ENTITY_TEST

Send Email to those addresses defined for selected Entity

Additional Email Addresses to send to

Options to keep copy of report: Do not save a copy of the report

The green arrows show the name of the Dashboard being scheduled. The Dashboard name is used to retrieve the configuration when the scheduled email is being created. If the Dashboard is renamed, all existing scheduled email activities will be updated with the new name.

Each scheduled email includes one Dashboard. All charts configured (up to 4) for the selected Dashboard will be emailed.

There is no limit on the number of scheduled emails that can be created for a specific Dashboard.

If a scheduled email for a Dashboard is desired for each Monday at 7am, on the Send Date, select the next Monday and then in the Reset Period select 7 (number of days between reports being emailed) and set the Reset Iterations to 999 (7 days repeated 999 times is over 19 years of reports).


The scheduled email reset period and reset iterations can be modified after creation of the scheduled email.

There are 2 exclusive options, Embed or Attach Dashboard Charts. Both deliver the same Charts. The embed option embeds the images inside the email using an HTML document. The attach option attaches each Chart to the text-based email. The attach option provides easier access to each image if further processing will occur once the email is received.

Next, select the Entity to use for the email configuration to be used. The selected Entity can be any Entity, it does not need to be part of the actual report.


When including the list of Additional Email Addresses, separate each email address with a semicolon.

The final option allows the ability to save a copy of the report to the STLOG\SMA_SavedReports folder. The actual files saved are the image files.




The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.

Once the scheduled email configuration is saved, it will appear in the Managed section under the Reminders (ALL) item:



Managed



Use this section to edit or remove the scheduled Dashboard email configurations.

The scheduled Dashboard emails are prepared and directly sent by the SofTrack Server Agent.

Dashboard Samples and SQL Queries

This section shows a sample of each Dashboard and provides the SQL Query used to create. The SQL Queries are “per SofTrack Entity” configured. When multiple SofTrack Entities are included the Dashboard creation includes combining the results for each Entity to produce a single result. The “source” SofTrack Entity is not included in the Dashboard results.

If any legend item name exceeds 64 characters, only the first 64 characters are shown in the charts created.

For each Dashboard with EXE in the title, the following executable files are excluded from reporting:

Exact matches:

```
searchUI.exe
systray.exe
setup.exe
rundll32.exe
explorer.exe
csrss.exe
AcWebBrowser.exe
```

Partial matches:

```
ExperienceHost.exe
FrameHost.exe
```

There are other exclusions for selected Dashboards, each will be detailed in its section.

Most used products | By EXE Launches (not version specific)

This Dashboard searches by selected Date Range.

The SQL Query is based on the following:


```
SELECT COUNT (EXEName) AS numberFound, EXEName
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (ActiveSeconds > 5) AND (DATE_RANGE)
GROUP BY EXEName ORDER BY numberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

ActiveSeconds exceeding “5 seconds” is used to ensure only applications that were engaged are included in the results.


Sample results:

Most used products | By EXE Launches (not version specific)
Date range: 2021-02-01 00:00 until 2021-05-18 23:59




SofTrack Managed Assets Administrator Guide

Most used products | By EXE Launches (not version specific)
Date range: 2021-02-01 00:00 until 2021-05-18 23:59



Most used products | By EXE Launches (not version specific)
Date range: 2021-02-01 00:00 until 2021-05-18 23:59



Most used products | By EXE Total Usage Time (not version specific)


This Dashboard searches by selected Date Range. Total Usage Time includes all active + all idle time.

The SQL Query is based on the following:

```
SELECT EXEName,COUNT(*) AS mycount, SUM(CAST(TotalSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE) GROUP BY EXEName ORDER BY mySUM DESC;
```


The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Most used products | By EXE Total Active Time (not version specific)

This Dashboard searches by selected Date Range. Active Time indicates the application was in-use and was currently focused on the desktop.


The SQL Query is based on the following:

```
SELECT EXName,COUNT(*) AS mycount, SUM(CAST(ActiveSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE)
GROUP BY EXName ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the


date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Most used products | By EXE Total Active Time (not version specific)

Date range: 2021-01-01 00:00 until 2021-05-18 23:59



Most used products | By EXE Total Idle Time (not version specific)

This Dashboard searches by selected Date Range. Idle time indicates the application was an active process but was not the currently focused application on the desktop.


The SQL Query is based on the following:

```
SELECT EXEName,COUNT(*) AS mycount, SUM(CAST(IdleSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE)
GROUP BY EXEName ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the

date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Most used products + version | By EXE Launches

This Dashboard searches by selected Date Range.

The SQL Query is based on the following:


```
SELECT COUNT (EXEVersion) AS numberFound,
EXEAppName,EXEDescription,EXEVersion,EXENAME
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (ActiveSeconds > 5) AND (DATE_RANGE) GROUP BY EXEAppName,
EXEDescription, EXEVersion, EXENAME ORDER BY numberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

ActiveSeconds exceeding “5 seconds” is used to ensure only applications that were engaged are included in the results.

Sample results:

Most used products + version | By EXE Launches
 Date range: 2021-01-04 00:00 until 2021-01-08 23:59



The Legend details each product + version:



Some applications such as vpnui.exe (part of Cisco AnyConnect) do not include details as they are not provided by the application.

Most used products + version | By EXE Total Usage Time


This Dashboard searches by selected Date Range. Total Usage Time includes all active + all idle time.

The SQL Query is based on the following:

```
SELECT EXEVersion,COUNT(*) AS mycount,EXENAME,EXEAppName,EXEDescription,
SUM(CAST(TotalSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE)
GROUP BY EXENAME,EXEAppName,EXEDescription,EXEVersion ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Most used products + version | By EXE Total Active Time


This Dashboard searches by selected Date Range. Total Active Time indicates the application was in-use and was the currently focused application on the user desktop.

The SQL Query is based on the following:

```
SELECT EXEVersion,COUNT(*) AS mycount,EXENAME,EXEAppName,EXEDescription,
SUM(CAST(ActiveSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE)
GROUP BY EXENAME,EXEAppName,EXEDescription,EXEVersion ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



The Legend details each product + version:

- Microsoft Office 365 Business - en-us | 16.0.12527.21416
- Microsoft 365 Apps for business - en-us | 16.0.13426.20404
- Autodesk AutoCAD Civil 3D 2018 - English | 12.0.842.0
- Webex Teams | 3.0.16285.0
- Autodesk AutoCAD 2017 - English | 21.0.52.0
- Bluebeam Revu eXtreme x64 20 | 20.0.15
- Google Chrome | 87.0.4280.141
- Webex | 40.12.0.17322
- Microsoft Edge | 87.0.664.66
- Bluebeam Revu Standard x64 20 | 20.0.15
- Microsoft 365 Apps for business - en-us | 16.0.13530.20264
- Adobe Acrobat Reader DC | 20.013.20074
- Adobe Acrobat Reader DC | 19.012.20036
- Webex Teams | 3.0.16605.0
- Webex Teams | 40.10.1.16961

Most used products + version | By EXE Total Idle Time


This Dashboard searches by selected Date Range. Idle time indicates the application was an active process but was not the currently focused application on the desktop.

The SQL Query is based on the following:

```
SELECT EXEVersion,COUNT(*) AS mycount,EXEName,EXEAppName,EXEDescription,
SUM(CAST(IdleSeconds AS BIGINT)) AS mySUM
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE) GROUP BY EXEName,EXEAppName,EXEDescription,EXEVersion
ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



The Legend indicates each application included in the chart:

Microsoft 365 Apps for business - en-us 16.0.13426.20404
Microsoft Office 365 Business - en-us 16.0.12527.21416
Webex Teams 3.0.16285.0
Google Chrome 87.0.4280.141
Abacus Billing Popup 4.5.1.0
Autodesk Desktop App 8.0.0.46
Autodesk AutoCAD Civil 3D 2018 - English 12.0.842.0
Webex Teams 3.0.16605.0
Adobe InDesign 2019 14.0.3
Adobe Acrobat Reader DC 20.013.20074
Bluebeam Revu Standard x64 20 20.0.15
Microsoft Edge 87.0.664.66
Webex 40.12.0.17322
Abacus Billing Popup 4.6.1.0
Bluebeam Revu eXtreme x64 20 20.0.15

Most installed products by workstation count (not version specific)

This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (ApplicationName) AS numberFound, ApplicationName
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[INVENTORY_APP]
WHERE (DATALENGTH(Publisher) > 2)
GROUP BY ApplicationName ORDER BY numberFound DESC;
```

This report automatically excludes application names:

Exact matches:


WIC
DXM_RUNTIME
MobileOptionPack
SchedulingAgent
DirectDrawEx
MPlayer2

Partial matches:


redistributable
Click-to-Run
Localization
ClientAgent
runtime
microsoft visual basic
softrack local
softrack-slam

Sample results:

Most installed products by workstation count (not version specific)
All current inventory records, no date range used



Most installed products by workstation count (not version specific)
All current inventory records, no date range used



In the example above “Airtame” and “Airtame 3.5.1” are both shown. This report is “versionless”. However, in this specific case, the “Airtame” application name includes its version. Most products separately store the version from the application name. Therefore it is possible for those products that include the version in the application name to show multiple times in the results.

Most used products by workstation count (not version specific)

This Dashboard searches by selected Date Range. Idle time indicates the application was an active process but was not the currently focused application on the desktop.

The SQL Query is based on the following:

```
SELECT COUNT(*) as NumberFound, EXEDescription FROM (SELECT DISTINCT
EXEDescription, ComputerName
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (ActiveSeconds > 5) AND DATE_RANGE)a
GROUP BY EXEDescription ORDER BY NumberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

This report automatically excludes the following application names:

Exact matches:

Windows Explorer	LenovoVantageUWP
Settings	Print Dialog
Task Manager	Layout
ptUpdate	SSMS
ClickOnce	AecCB
Windows Command Processor	Update Client
Pick an app	PointFileConverter
Windows® installer	Search application
Pick an application	

Partial matches:


Windows Shell	Popup.Application
Experience Host	PluginHost
Application Frame	Rundll32
Frame Host	File Picker
COM Surrogate	UI Host
Chromium host	security update
host executable	Preview Handler
Background Task	Surrogate Host
Task Host	MusNotifyIcon

BrowserSubprocess
 SmartAudio
 Java(TM) Platform
 Setup/Uninstall
 Credential Manager
 This utility controls


Node.js:
 Redistributable
 LGHUB
 Download Manager
 LFPDriverUI

Sample results:

Most used products by workstation count (not version specific)
 Date range: 2021-01-04 00:00 until 2021-01-08 23:59



Most used products by workstation count (not version specific)
 Date range: 2021-01-04 00:00 until 2021-01-08 23:59



Most installed products + version by workstation count

This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (ApplicationName) AS numberFound, ApplicationName, Version, Publisher
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[INVENTORY_APP]
WHERE (DATALENGTH(Publisher) > 2)
GROUP BY ApplicationName, Version, Publisher ORDER BY numberFound DESC;
```

This report automatically excludes application names:


Exact matches:

- WIC
- DXM_RUNTIME
- MobileOptionPack
- SchedulingAgent
- DirectDrawEx
- MPlayer2

Partial matches:

- | | |
|-----------------|------------------------|
| redistributable | runtime |
| Click-to-Run | microsoft visual basic |
| Localization | softrack local |
| ClientAgent | softrack-slam |


Sample results:



below is the legend of the above bar chart:

- Core (1.1.227) (Webroot)
- Webroot DNS Protection Agent (2.2.0.136) (Webroot, Inc.)
- ScreenConnect Client (454f59757582a5b0) (21.3.2093.7688) (Screen
- Webroot SecureAnywhere (9.24.49) (Webroot)
- Airtame (3.5.1) (Airtame)
- Airtame 3.5.1 (3.5.1) (Airtame)
- Cisco AnyConnect Secure Mobility Client (4.7.00136) (Cisco Syst
- Cisco Webex Productivity Tools (41.1.0.8) (Cisco Webex LLC)
- Autodesk DWG TrueView 2020 - English (23.1.48.0) (Autodesk)
- Cisco AnyConnect Diagnostics and Reporting Tool (4.7.00136) (Cis
- Autodesk Desktop App (8.0.0.46) (Autodesk)
- FARO LS 1.1.600.6 (64bit) (6.0.6.5) (FARO Scanner Production)
- Microsoft SQL Server Compact 4.0 SP1 x64 ENU (4.0.8876.1) (Micro
- PDF Report Writer (novaPDF 6.4 printer) (no version) (Softland)
- Autodesk AutoCAD Civil 3D 2018 - English (12.0.842.0) (Autodesk)

Most installed products + version by workstation count
All current inventory records, no date range used



Note: Airtame is shown twice due to how it is internally configured.

Most used products + version by workstation count

This Dashboard searches by selected Date Range. Idle time indicates the application was an active process but was not the currently focused application on the desktop.

The SQL Query is based on the following:

```
SELECT COUNT(*) as NumberFound, EXEDescription, EXEVersion
FROM (SELECT DISTINCT EXEDescription, ComputerName, EXEVersion
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (ActiveSeconds > 5) AND DATE_RANGE)a
GROUP BY EXEDescription, EXEVersion ORDER BY NumberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

This report automatically excludes the following application names:

Exact matches:

Windows Explorer	LenovoVantageUWP
Settings	Print Dialog
Task Manager	Layout
ptUpdate	SSMS
ClickOnce	AecCB
Windows Command Processor	Update Client
Pick an app	PointFileConverter
Windows® installer	Search application
Pick an application	


Partial matches:

Windows Shell	security update
Experience Host	Preview Handler
Application Frame	Surrogate Host
Frame Host	MusNotifyIcon
COM Surrogate	BrowserSubprocess
Chromium host	SmartAudio
host executable	Java(TM) Platform
Background Task	Setup/Uninstall
Task Host	Credential Manager
Popup.Application	This utility controls
PluginHost	Node.js:
Rundll32	Redistributable
File Picker	LGHUB
UI Host	Download Manager


LFPDriverUI

Sample results:

Most used products + version by workstation count
Date range: 2021-01-04 00:00 until 2021-01-08 23:59



Most used products + version by workstation count
Date range: 2021-01-04 00:00 until 2021-01-08 23:59




Top Computer Manufacturers by workstation count

This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (Make) AS numberFound, Make
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[INVENTORY]
GROUP BY Make ORDER BY numberFound DESC;
```

Sample result:



Top Computer Manufacturers + Model by workstation count


This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (Make) AS numberFound, Make, Model
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[INVENTORY]
GROUP BY Make, Model ORDER BY numberFound DESC;
```

Sample result:

Top Computer Manufacturers + Model by workstation count
All current inventory records, no date range used



Top Windows OS Versions (base version) by workstation count


This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (WindowsType) AS numberFound, WindowsType
FROM [SOFTRACK_ENTITY_NAME].[dbo].[INVENTORY]
GROUP BY WindowsType ORDER BY numberFound DESC;
```

Sample result:

Top Windows OS Versions (base version) by workstation count
All current inventory records, no date range used



The above result shows a single base version of Windows® is in-use. The chart is set to the top 5 results, however, only a single result occurred – the vacant slots each show 0.

Top Windows 10 versions + release + build by workstation count


This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (WindowsType) AS numberFound, WindowsType, WindowsRelease, WindowsBuild
FROM [SOFTRACK_ENTITY_NAME].[dbo].[INVENTORY]
WHERE WindowsType LIKE '%Windows%10%'
GROUP BY WindowsType, WindowsRelease, WindowsBuild ORDER BY numberFound DESC;
```

Sample result:

Top Windows 10 versions + release + build by workstation count
All current inventory records, no date range used



- Windows x64 10 Enterprise, Release 2009 (19042.804)
- Windows x64 10 Enterprise, Release 2004 (19041.804)
- Windows x64 10 Enterprise, Release 1909 (18363.1379)
- Windows x64 10 Enterprise, Release 1909 (18363.1198)
- Windows x64 10 Enterprise, Release 1909 (18363.1316)
- Windows x64 10 Enterprise, Release 1909 (18363.1016)
- Windows x64 10 Enterprise, Release 1909 (18363.1256)
- Windows x64 10 Enterprise, Release 1909 (18363.720)
- Windows x64 10 Enterprise, Release 2004 (19041.572)
- Windows x64 10 Enterprise, Release 2004 (19041.685)
- Windows x64 10 Enterprise, Release 2004 (19041.746)
- Windows x64 10 Enterprise, Release 2009 (19042.746)
- Windows x64 10 Enterprise, Release 2004 (19041.867)
-
-

The above result includes 13 total results, 2 empty slots.

Free Space C: Drive by workstation count

This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:


```
SELECT COUNT (TotalFreeCdrive) AS numberFound, TotalFreeCdrive
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[INVENTORY]
GROUP BY TotalFreeCdrive ORDER BY numberFound DESC;
```

This Dashboard has 6 possible categories:
< 1 GB (less than 1GB free space)

- < 10 GB
- < 25 GB
- < 50 GB
- < 100 GB
- > 100 GB (more than 100GB free space)

Note: Not all possible categories may occur. Each category will only appear if there is at least one workstation that fits its criteria.

Sample result:



The above is the legend of the chart shown above.

RAM installed by workstation count

This Dashboard searches all inventory records and does not use the Date Range.

The SQL Query is based on the following:

```
SELECT COUNT (PhysicalRAM) AS numberFound, PhysicalRAM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[INVENTORY]
GROUP BY PhysicalRAM ORDER BY numberFound DESC;
```


This Dashboard has 11 possible categories:


- < 4 GB
- 4 GB
- 8 GB
- 16 GB
- 20 GB
- 24 GB
- 28 GB
- 32 GB
- 36 GB
- 40 GB
- >40 GB

Note: Not all possible categories may occur. Each category will only appear if there is at least one workstation that fits its criteria.

Further, if any workstation’s RAM is not evenly divisible by 4 (for instance, 7GB) it is rounded up.

Sample result:





The above is the legend of the chart shown above.

CPU types installed (make + model) by workstation count

This Dashboard searches all inventory records and does not use the Date Range.


The SQL Query is based on the following:

```
SELECT COUNT (CPUType) AS numberFound, CPUType, CPUSpeed
FROM [SOFTRACK_ENTITY_NAME].[dbo].[INVENTORY_CPU]
WHERE (CPUNumber=0) GROUP BY CPUType, CPUSpeed
ORDER BY numberFound DESC;
```

The query includes the condition “CPUNumber=0” because every CPU has at least one “core”

The results include a definition of the CPU as provided by the CPU Vendor and its speed rating, but not the “common name” of the CPU as that can vary, even for the same definition the actual CPU speed rating and common product name can be different. Therefore, only the vendor definition is provided.

Sample result:



Intel64 Family 6 Model 142 Stepping 12 (2000 MHz)
Intel64 Family 6 Model 142 Stepping 12 (2310 MHz)
Intel64 Family 6 Model 158 Stepping 10 (2600 MHz)
Intel64 Family 6 Model 142 Stepping 12 (2120 MHz)
Intel64 Family 6 Model 142 Stepping 9 (2720 MHz)
Intel64 Family 6 Model 94 Stepping 3 (2810 MHz)
Intel64 Family 6 Model 79 Stepping 1 (2200 MHz)
Intel64 Family 6 Model 142 Stepping 11 (1800 MHz)
Intel64 Family 6 Model 158 Stepping 10 (2720 MHz)
Intel64 Family 6 Model 142 Stepping 10 (2000 MHz)
Intel64 Family 6 Model 142 Stepping 10 (1800 MHz)
Intel64 Family 6 Model 63 Stepping 2 (3100 MHz)
Intel64 Family 6 Model 158 Stepping 10 (3200 MHz)
Intel64 Family 6 Model 85 Stepping 4 (3600 MHz)
Intel64 Family 6 Model 94 Stepping 3 (3700 MHz)

Above is the legend of the image above.

User Logon Domains found

This Dashboard searches all logon records and does not use the Date Range.


The SQL Query is based on the following:

```
SELECT COUNT (PrimaryUserWindows) AS numberFound, PrimaryUserWindows
FROM [SOFTRACK_ENTITY_NAME].[dbo].[INVENTORY]
GROUP BY PrimaryUserWindows ORDER BY numberFound DESC;
```

The query results include the domain\user name. The chart results include only the Domain name.

Sample result:

User Logon Domains found
All current inventory records, no date range used



Above is the legend of the image above.

Top Users by Active Application Time (all applications)

This Dashboard searches by selected Date Range. Total Active Time includes only the time the application was the current focus on the user desktop.



The SQL Query is based on the following:

```
SELECT Username, COUNT(*) AS mycount, SUM(CAST(ActiveSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE) GROUP BY Username ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started

prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Above is the legend for image above.

Top Users by Idle Application Time (all applications)

This Dashboard searches by selected Date Range. Total Idle Time includes only the time the application was active and not the current focus on the user desktop.


Because a user can have multiple applications simultaneously in-use and only one can be Active at a time, it is possible for a specific user to have more accumulated idle time than there are days in the reporting period. This is due to each idle application simultaneously accumulating idle time. For instance, if the user has 4 applications in-use and one is active for a period of 1 hour, the other 3 applications accumulate 3 hours (1 hour * 3 idle applications) of idle time. The more applications a user has open and idle the more idle time that will accumulate.

The SQL Query is based on the following:

```
SELECT Username,COUNT(*) AS mycount, SUM(CAST(IdleSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_SOFTWARE_USAGE]
WHERE (DATE_RANGE) GROUP BY Username ORDER BY mySUM DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Top Browser Page Titles

This Dashboard searches by selected Date Range. For this report, the browser page titles are limited to the first 64 characters. The SQL Query indicates the browser EXE names included in the report.


The SQL Query is based on the following:

```
SELECT COUNT (PageTitle) AS numberFound, PageTitle, EXENAME
```

```
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_PAGE_TITLE_ACTIVITY]
WHERE (DATE_RANGE) AND ((EXENAME LIKE 'chrome.exe') OR (EXENAME LIKE 'MSEDGE.EXE') OR
(EXENAME LIKE 'MicrosoftEdge.exe') OR (EXENAME LIKE 'FIREFOX.EXE') OR (EXENAME LIKE
'MOZILLA.EXE')) GROUP BY PageTitle, EXENAME ORDER BY numberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:





Above is the legend of the image above.

Top Page Titles, non-browser applications

This Dashboard searches by selected Date Range. For this report, the non-browser page titles are limited to the first 64 characters.

The SQL Query is based on the following:

```
SELECT COUNT (PageTitle) AS numberFound, PageTitle, EXENAME
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_PAGE_TITLE_ACTIVITY]
WHERE (DATE_RANGE) AND ((EXENAME NOT LIKE 'explorer.exe') OR (EXENAME NOT LIKE
'chrome.exe') OR (EXENAME NOT LIKE 'MSEDGE.EXE') OR (EXENAME NOT LIKE 'MicrosoftEdge.exe') OR
(EXENAME NOT LIKE 'FIREFOX.EXE') OR (EXENAME NOT LIKE 'MOZILLA.EXE')) GROUP BY PageTitle,
EXENAME ORDER BY numberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

This report specifically excludes the following executables:



Exact match:

```
AcWebBrowser.exe
systray.exe
csrss.exe
SearchUI.exe
```

Partial match:
 ExperienceHost.exe
 FrameHost.exe

Sample results:

Top Page Titles, non-browser applications
 Date range: 2021-02-08 00:00 until 2021-02-12 23:59



Above is the Legend of the image above.

Top screen saver users


This Dashboard searches by selected Date Range. For this report, screen saver usage is specific as shown in the SQL Query:

The SQL Query is based on the following:

```
SELECT COUNT (PageTitle) AS numberFound, Username, PageTitle, EXENAME, SUM(CAST(ActiveSeconds AS BIGINT)) AS mySUM
FROM [SOFTTRACK_ENTITY_NAME].[dbo].[ALL_PAGE_TITLE_ACTIVITY]
WHERE (DATE_RANGE) AND (PageTitle LIKE '(screen saver)') GROUP BY Username, PageTitle, EXENAME ORDER BY numberFound DESC;
```

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Active Users with least amount of logon time

This Dashboard searches by selected Date Range. For this report, the report is from least to greatest in the Top 5, Top 10 or Top 15 ranges. The report only includes those users that had at least one logon session in the selected date range. Users with no logon sessions are not included.


The SQL Query is based on the following:

```
SELECT COUNT (Username) AS numberFound, Username, SUM(CAST(TotalLoginSeconds AS BIGINT)) AS mySUM
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_LOGON_ACTIVITY]
WHERE (RecordType=193) AND (DATE_RANGE) GROUP BY Username ORDER BY mySUM ASC;
```

[RecordType 193 is a logoff record](#), this indicates the record includes both logon and logoff time.

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:



Active Workstations with least amount of logon time (any user)

This Dashboard searches by selected Date Range. For this report, the report is from least to greatest in the Top 5, Top 10 or Top 15 ranges. The report only includes those workstations that had at least one logon session in the selected date range. Workstations with no logon sessions are not included.

Note: If a workstation has a single user, this report will likely be identical to the previous report showing Users with least amount of logon time. This report is most useful when workstations are shared between multiple users to assist in determining workstation utilization.


The SQL Query is based on the following:



```
SELECT COUNT (ComputerName) AS numberFound, ComputerName, SUM(CAST(TotalLoginSeconds AS BIGINT)) AS mySUM
FROM [SOFTRACK_ENTITY_NAME].[dbo].[ALL_LOGON_ACTIVITY] WHERE (RecordType=193) AND
(DATE_RANGE) GROUP BY ComputerName ORDER BY mySUM ASC;
```

[RecordType 193 is a logoff record](#), this indicates the record includes both logon and logoff time.

The DATE_RANGE is not shown in this example; the placeholder (DATE_RANGE) is shown where it will be included in the query. The date range specifically includes all uses where the usage was occurring during any part of the date range. For instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 8 – February 15; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range of March 1 – March 31 it will include that usage that started February 1 and ended March 1.

Sample results:





Above is the Legend of the image above.

Daily Chart Software Category maximum concurrent usage

This Dashboard searches by selected Date Range. For this report, it will **only use** the Bar Chart format regardless of selection.


The SQL Query is constructed by first obtaining each application in the selected Software Category and using each to build the query value. In this sample, highlighted in blue, the Software Category is for the Bluebeam Revu application.

```
SELECT * from [SOFTRACK_ENTITY_TEST].[dbo].[ALL_SOFTWARE_USAGE] WHERE
RecordType=48 AND (EXEAppName LIKE '%Bluebeam Revu CAD x64 20%' OR EXEAppName LIKE
'%Bluebeam Revu CAD x64 2018.6%' OR EXEAppName LIKE '%Bluebeam Revu CAD x64 2019%' OR
EXEAppName LIKE '%Bluebeam Revu eXtreme x64 20%' OR EXEAppName LIKE '%Bluebeam Revu
eXtreme x64 20.1%' OR EXEAppName LIKE '%Bluebeam Revu eXtreme x64 2019.1%' OR
EXEAppName LIKE '%Bluebeam Revu Standard x64 20%' OR EXEAppName LIKE '%Bluebeam Revu
Standard x64 20.1%' OR EXEAppName LIKE '%Bluebeam Revu x64 20%' OR EXEAppName LIKE
'%Bluebeam Revu x64 2017.0.40%' OR EXEAppName LIKE '%Bluebeam Revu x64 2019.1%') AND
((EXEStartTimeUTC >= '2021-02-15 00:00' AND EXEStartTimeUTC <= '2021-02-21 23:59') OR
(EXEExitTimeUTC >= '2021-02-15 00:00' AND EXEExitTimeUTC <= '2021-02-21 23:59') OR
(EXEStartTimeUTC < '2021-02-15 00:00' AND EXEExitTimeUTC > '2021-02-15 00:00' ))
```

The Date Range is shown in the yellow highlighted section of the above example. The date range specifically includes all uses where the usage was occurring during any part of the date range. For this instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 15 – February 21; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range

The query results are then processed to determine the maximum concurrent usage per day.

Sample result:



Daily Chart Software Category number of workstations where used

This Dashboard searches by selected Date Range. For this report, it will **only use** the Bar Chart format regardless of selection.

The SQL Query is constructed by first obtaining each application in the selected Software Category and using each to build the query value. In this sample, highlighted in blue, the Software Category is for the Bluebeam Revu application.


```
SELECT * from [SOFTTRACK_ENTITY_TEST].[dbo].[ALL_SOFTWARE_USAGE] WHERE
RecordType=48 AND (EXEAppName LIKE '%Bluebeam Revu CAD x64 20%' OR EXEAppName LIKE
'%Bluebeam Revu CAD x64 2018.6%' OR EXEAppName LIKE '%Bluebeam Revu CAD x64 2019%' OR
EXEAppName LIKE '%Bluebeam Revu eXtreme x64 20%' OR EXEAppName LIKE '%Bluebeam Revu
eXtreme x64 20.1%' OR EXEAppName LIKE '%Bluebeam Revu eXtreme x64 2019.1%' OR
EXEAppName LIKE '%Bluebeam Revu Standard x64 20%' OR EXEAppName LIKE '%Bluebeam Revu
Standard x64 20.1%' OR EXEAppName LIKE '%Bluebeam Revu x64 20%' OR EXEAppName LIKE
'%Bluebeam Revu x64 2017.0.40%' OR EXEAppName LIKE '%Bluebeam Revu x64 2019.1%') AND
((EXEStartTimeUTC >= '2021-02-15 00:00' AND EXEStartTimeUTC <= '2021-02-21 23:59') OR
```

(EXEExitTimeUTC >= '2021-02-15 00:00' AND EXEExitTimeUTC <= '2021-02-21 23:59') OR (EXEStartTimeUTC < '2021-02-15 00:00' AND EXEExitTimeUTC > '2021-02-15 00:00'))

The Date Range is shown in the yellow highlighted section of the above example. The date range specifically includes all uses where the usage was occurring during any part of the date range. For this instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 15 – February 21; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range

The query results are then processed to determine the actual number of workstations where any application defined by the Software Category was used at any time for each day graphed. This is not a concurrent usage, this is an anytime usage to help determine the number of workstations where there is usage.

Sample result:



Autodesk® Named-User Summary Charts [Selected License]

This Dashboard creates 4 charts. This Dashboard searches by selected Date Range. For this report, the Chart Type and Chart Range fields are disabled. Click on the Chart Category to select the Autodesk® license to chart:

Configure Dashboard 1:

Autodesk Named-User Summary Charts [Selected License]

Chart Type: Bar Chart Chart Palette: Palette 1 Chart Range: Top 5 Chart Category: ...

Configure Dashboard 2:

NONE

Chart Type: Chart Palette: Chart Range: Ch

Select Software Category
Click this button to select Software Category

After clicking the Chart Category a new window will appear:

Select an Autodesk License Category for Dashboard Report

Autodesk License	Comment
<all>	<all>
__Combine all Autodesk Licenses	This selection will produce a summary report for all Autodesk licenses
AutoCAD	
Civil 3D	
Revit LT	

OK
Cancel

The first selection “__Combine all Autodesk Licenses” will build report Charts based on usage of all Autodesk® applications and will build the following charts:

- Number of Unique Users (per day, week, month)
- Days of Usage per License Pool Expiration Date
- Count of Unique Users per Entity
- Application Versions (i.e. Revit 2020, Revit 2022, etc.) and number of usages that exceed 5 minutes in total time opened (this is to correlate with how Autodesk® charges for Named-User usage)


The remaining selections are for specific Autodesk® applications. When a specific Autodesk® application is charged, the following charts are built:

- Number of Unique Users (per day, week, month)
- Days of Usage
- Count of Unique Users per Entity
- License Model Usage with number of usages that exceed 5 minutes in total time opened (this is to correlate with how Autodesk® charges for Named-User usage)

This Chart is built using a “SQL Stored Procedure” named ADESK_R30 (or ADESK_R30S for when a specific Autodesk® application is selected rather than *Combine All*). This stored procedure is created by the SofTrack Console when creating or updating the SOFTRACK_ENTITY Database.

The Charts will automatically be created “per day” if the number of days charted is less than 32, will use “per week” if the number of days is less than 90 and otherwise, will chart activity “per month”.

Sample result for combined usage of all Autodesk® applications:




About Autodesk® Cloud Licenses


In the above image, the “License Pool” chart at top right includes captions that are dates, 2022-06-07, 2022-11-28, etc. These “License Pool” names are directly provided by Autodesk® and indicate the expiration date of the selected “License Pool”. Upon expiration, any unconsumed licenses will no longer be available for use. Please contact Autodesk® for details regarding the number of unconsumed licenses.

In the above image, the “License Model” chart at bottom right includes captions such as “FLEX#2”, “456-9900214”, “EDU#2”, “TRL#2”. These indicated the specific license type utilized. There is another value not shown, it has a prefix “RTL”. “FLEX” indicates Flex licenses (licenses that are typically pre-purchased and consumed per-day at a rate based upon the exact Autodesk® product utilized. “456-9900214” indicates an Autodesk® Network (Multi-User) License. The actual value will indicate the Autodesk® serial number utilized. “EDU” indicates an educational license. “TRL” indicates an Autodesk® Free Trial license. “RTL” indicates an Autodesk® Single-User Subscription license.


The following shows each individual chart:




Days of Autodesk usage per License Pool Expiration
Jun 1, 2022 through Jul 10, 2022



Count of Unique Autodesk Users by Entity
Jun 1, 2022 through Jul 10, 2022




Autodesk License Model (Number of Usages > 5 minutes)
Jun 1, 2022 through Jul 10, 2022




If the above chart includes Network licenses, the serial number will be shown as the License Model.


Sample result for selected Autodesk® application (Revit LT):




The following shows each individual chart:




Days of Autodesk usage per License Pool Expiration for Revit LT
May 10, 2022 through Jun 30, 2022



Count of Unique Users by Entity for Revit LT
May 10, 2022 through Jun 30, 2022



Versions + (Number of Usages > 5 minutes) for Revit LT
 May 10, 2022 through Jun 30, 2022



TCP/IP User After Hours Upload+Download Charts [Selected User]

This Dashboard creates 4 charts. This Dashboard searches by selected Date Range for all activity occurring between 6pm and 6am each day within the date range. For this report, the Chart Type and Chart Range fields are disabled. The Chart Range of “Top 15” is always used.

Click on the Chart Category to select the User to chart:

Configure Dashboard 1:

TCP/IP User After Hours Upload+Download Charts [Selected User]

Chart Type: Bar Chart | Chart Palette: Palette 1 | Chart Range: Top 5 | Chart Category: [...]

Configure Dashboard 2:

NONE

Chart Type: | Chart Palette: | Chart Range: | **Select Software Category**
 Click this button to select Software Category

After clicking the Chart Category a new window will appear:

Select a User for for Dashboard Report ✕

User	From Entity
<all>	<all>
DTMLLUAdminUser	COLA
NTCasey	COLA

Select a user to chart.


This Chart is built using a "SQL Stored Procedure" named TCPUDP_T30. This stored procedure is created by the SofTrack Console when creating or updating the SOFTRACK_ENTITY Database. The "After Hours" indication denotes activity occurring between 6pm and 6am on any day.

Additionally this report does not include non-routable TCP/IP address ranges, thus this report only reflects upload and download activity to addresses outside your private network. The specific TCP/IP address ranges excluded are:

10.n.n.n
 192.168.n
 172.16.n.n


The Charts will automatically be created "per day" if the number of days charted is less than 32, will use "per week" if the number of days is less than 90 and otherwise, will chart activity "per month".

Sample Charts:




The following shows each individual chart:


Daily % of 30.0 MB (after-hour uploads) User=[DTMLLUAdminUser]
Jun 27, 2022 through Jul 20, 2022




Daily % of 180.4 MB (after-hour downloads) User=[DTMLLUAdminUser]
Jun 27, 2022 through Jul 20, 2022



Top 15 Remote Hosts % of 22.5 MB (after-hour uploads)
for User=[DTMLLUAdminUser] - Jun 27, 2022 through Jul 21, 2022



Top 15 Remote Hosts % of 150.8 MB (after-hour downloads)
for User=[DTMLLUAdminUser] - Jun 27, 2022 through Jul 21, 2022



Notice that each chart references a percentage (%) of a total value. The chart bars graphed each represent a percent of the total amount. Due to the possibility of a wide range of values (from zero to trillions), a conventional bar chart of absolute values is not possible.

TCP/IP Top Users Upload Activity

This Dashboard searches by selected Date Range for all activity occurring at any time during the selected date range.

The SQL Query is based on the following:

```
SELECT DISTINCT TOP 15 Username, SUM(CAST(UploadedSizeBytes AS bigint)) As TotalUploadedBytes FROM [SOFTRACK_ENTITY_NAME].[dbo].[TCPUDP_STATS] WHERE ((ConnectionStartTime >= 'START_DATE') AND (ConnectionStartTime <= 'END_DATE')) GROUP BY Username ORDER BY TotalUploadedBytes DESC;
```


The START_DATE and END_DATE are not shown in this example; the placeholder values are shown where each will be included in the query. The date range specifically includes all usages that started or were occurring during the date range.

Sample Chart:

Top 5 Users by % of 916.6 MB (total uploads)

Top User: 916.3 MB

Jun 25, 2022 through Jul 20, 2022



Notice that the chart references a percentage (%) of a total value. The chart bars graphed each represent a percent of the total amount with the Top User's value indicated in the chart title. Due to the possibility of a wide range of values (from zero to trillions), a conventional bar chart of absolute values is not possible.

TCP/IP Top Remote Port Upload Activity


This Dashboard searches by selected Date Range for all activity occurring at any time during the selected date range.

The SQL Query is based on the following:

```
SELECT TOP 15 RemotePort, Count(*) As NumberOfTimesPortUsed, SUM(CAST(DownloadedSizeBytes AS bigint)) As TotalDownloadBytes, SUM(CAST(UploadedSizeBytes AS bigint)) As TotalUploadBytes
FROM [%s].[dbo].[TCPUDP_STATS] as TX WHERE ((TX.ConnectionStartTime >= 'START_DATE') AND (TX.ConnectionStartTime <= 'END_DATE')) GROUP BY RemotePort ORDER BY totalUploadBytes DESC;
```

The START_DATE and END_DATE are not shown in this example; the placeholder values are shown where each will be included in the query. The date range specifically includes all usages that started or were occurring during the date range.

Sample Chart:



Notice that the chart references a percentage (%) of a total value. The chart bars graphed each represent a percent of the total amount with the Top User’s value indicated in the chart title. Due to

the possibility of a wide range of values (from zero to trillions), a conventional bar chart of absolute values is not possible.

TCP/IP Remote Port Upload+Download + Remote Hosts Charts [Selected Port]

This Dashboard creates 4 charts. This Dashboard searches by selected Date Range for all activity occurring at any time during the selected date range. For this report, the Chart Type and Chart Range fields are disabled. The Chart Range of "Top 15" is always used.

Click on the Chart Category to select the Remote Port to chart:

Configure Dashboard 1:

TCP/IP Remote Port Upload+Download + Remote Hosts Charts [Selected Port]

Chart Type: Bar Chart Chart Palette: Palette 1 Chart Range: Top 5 Chart Category: ...

Configure Dashboard 2:

NONE

Chart Type: Chart Palette: Chart Range:

Select Software Category

Click this button to select Software Category

After clicking the Chart Category a new window will appear:

Select a Remote TCP/IP Port for for Dashboard Report


Remote Port	From Entity
<all>	<all>
1900	COLA
38	COLA
443	COLA
53	COLA
5353	COLA
5355	COLA
80	COLA

Select a Remote Port to chart.

This Chart is built using a "SQL Stored Procedure" named TCPUDP_T33. This stored procedure is created by the SofTrack Console when creating or updating the SOFTRACK_ENTITY Database. The "After Hours" indication denotes activity occurring between 6pm and 6am on any day.


The Charts will automatically be created "per day" if the number of days charted is less than 32, will use "per week" if the number of days is less than 90 and otherwise, will chart activity "per month".

Sample Charts:



The following shows each individual chart:

Daily % of 917.5 MB (total uploads) Port=[443]
Jun 24, 2022 through Jul 23, 2022




Daily % of 21.9 GB (total downloads) Port=[443]
Jun 24, 2022 through Jul 23, 2022



Top 15 Remote Hosts % of 363.1 MB (total uploads)
for Port=[443] - Jun 24, 2022 through Jul 24, 2022



Top 15 Remote Hosts % of 21.0 GB (total downloads)
for Port=[443] - Jun 24, 2022 through Jul 24, 2022



Notice that each chart references a percentage (%) of a total value. The chart bars graphed each represent a percent of the total amount. Due to the possibility of a wide range of values (from zero to trillions), a conventional bar chart of absolute values is not possible.

Top Applications by cost based on number workstations where installed


This Dashboard requires application cost values to be entered via the ["Concurrent Usage \(Summary+Costs\)"](#) report. If no application cost values exist, the report will not provide a result.

For application's with a cost value entered, this report will scan for each workstation, in each included Entity, that has any such application installed. This report does not include usage, only if installed.

The result will show the top 5, 10 or 15 applications by total cost as determined by the number of workstations where installed multiplied by the application cost.

A sample result:

Top Applications by cost based on number workstations where installed
All Workstations



The value shown at the top of each bar is the total application cost. The chart above is for the top 15, but there are only 13 applications found with a cost *and* installed on one or more workstations. Any applications with a cost that are not installed on any workstation will be excluded from this report.

When defining this report, a date range is required, but it is not used. Thus, any date range can be supplied for this report and it will not impact the results.

Top Applications by cost based on number workstations where used


This Dashboard requires application cost values to be entered via the ["Concurrent Usage \(Summary+Costs\)"](#) report. If no application cost values exist, the report will not provide a result.

For application's with a cost value entered, this report will scan for each workstation, in each included Entity, that has any such application installed and has been used during the reporting period.

The result will show the top 5, 10 or 15 applications by total cost as determined by the number of workstations where installed multiplied by the application cost.

A sample result:

Top Applications by cost based on number workstations where used
Date range: 2023-01-29 00:00 until 2023-03-01 23:59



The value shown at the top of each bar is the total application cost. The chart above is for the top 15, but there are only 12 applications found with a cost *and* installed+usage on one or more workstations. Any applications with a cost that are not installed or used on any workstation will be excluded from this report.

When defining this report, a date range is required. The date range supplied will be used to determine if usage occurred. Only those workstations with usage during the selected date range will be included.

Daily Chart Specific EXE file(s) number of workstations where used

This Dashboard searches for usage of specific EXE file(s) within a selected Date Range. For this report, it will *only use* the Bar Chart format regardless of selection.

The SQL Query is constructed as shown in the following.

In this sample, highlighted in blue, there are (5) EXE files being simultaneously graphed:


```
SELECT * from [SOFTTRACK_ENTITY_TEST].[dbo].[ALL_SOFTWARE_USAGE] WHERE
RecordType=48 AND ((EXENAME='acad.exe') OR (EXENAME='acadlt.exe') OR
(EXENAME='Acrobat.exe') OR (EXENAME='AcroPlot.exe') OR (EXENAME='AcroPlotMatrix.exe'))
AND ((EXEStartTimeUTC >= '2021-02-01 00:00' AND EXEStartTimeUTC <= '2021-02-28 23:59') OR
```

(EXEExitTimeUTC >= '2021-02-01 00:00' AND EXEExitTimeUTC <= '2021-02-28 23:59') OR (EXEStartTimeUTC < '2021-02-01 00:00' AND EXEExitTimeUTC > '2021-02-01 00:00')

The Date Range is shown in the yellow highlighted section of the above example. The date range specifically includes all uses where the usage was occurring during any part of the date range. For this instance, if an application was opened on February 1 and closed on March 1 then any date range that includes those dates will include that usage. That includes a date range such as February 15 – February 21; this date range will include application usage that started prior and exited after the date range. Likewise, if a report includes the date range

The query results are then processed to determine the maximum usage per day for the combination of selected EXE files. This report can be for a single EXE file or multiple.

Sample result:



Chapter 7 Interactive Reporting

Reports Overview


SofTrack's Managed Assets interactive reporting provides several on-demand reports. Each report can be directly saved as html format (i.e. web page) and/or exported to CSV format.

Stand-alone Reporting Console

The stand-alone Managed Assets reporting console is provided by this file:

`SofTrack_MAREporter.exe`

When opened it presents only Managed Assets reporting options:




The Manage Entity ribbon button provides the user ability to configure email reporting.

The remainder of this Chapter describes the SofTrack Managed Assets Administrator Console and provides the same reporting functions as the stand-alone reporting console.

On-screen views

The Managed Assets section is located within the Managed tab of the SofTrack Console:



Most of the built-in views provide reports (contained within a ‘gridview’) and each can be exported.

There are 6 main categories, Home, Agents, Applications, Devices, Managed and Dashboards. The following provides an overview of each section.

Home View

The **Home** view shows all SofTrack Entity SQL Databases and related statistics.

SofTrack SQL Entity Databases found

SofTrack Entity Databases	Date Created	Database Size	Transaction Log Size	Number of Computers
test	<all>	<all>	<all>	<all>
SOFTRACK_ENTITY_TEST	2022-06-05 21:54:09...	190.50 MB	92 MB	36
SOFTRACK_ENTITY_TEST03	2023-11-05 20:13:15...	16.25 MB	6 MB	36
SOFTRACK_ENTITY_TEST2	2023-10-11 16:48:58...	8.63 MB	< 1MB	36

The Home section can be opened to reveal each separate Entity and its configuration.

Agents View

The **Agents** view shows all workstations for all Entities using the STSLAM agent and related statistics.

Agents for all Entities (Managed)

Status	Disabled ...	Entity	Workstati...	Machine ...	TSE CALs	Agent Ver...	Last IP A...	Last Com...	Last File ...
<all>	<all>	a	<all>	<all>	<all>	<all>	<all>	<all>	<all>
ALLOWED		DEFAULT	DC1	9a6cdf81...	0	7.01a			Jul 13, 20...
BLOCKED		DEFAULT	MOXY64	23afd187...	0				Aug 30, 2...
ALLOWED		DEFAULT	MXL1281	8eb76c2a...	0	7.01a			Jul 13, 20...
ALLOWED		COLA	DESKTO...	NO_MGUID	0	SI_IMP			Aug 11, 2...
ALLOWED		COLA	MXL1281	8eb76c2a...	0	7.01a			Aug 25, 2...

The Agents section can be opened to reveal each separate Entity and its specific list of workstations using the STSLAM agent. This sub-view includes the ability to create a custom STSLAM [MSI](#) specific to that Entity that can then be distributed to each workstation for installation/upgrade.

In the columns, the last two columns are Last Communication and Last File Upload. The Last

Communication indicates the most recent time a successful communication occurred using TCP/IP (to be successful the workstation must have an 'ALLOWED' license as shown in the first column). The Last File Upload column indicates either the last time a workstation journal file was manually copied to the STLOG\STSLAM folder for processing, or, when a workstation that was previously "BLOCKED" (as shown in the first column) has been successfully re-processed due to a license having become available and assigned to that workstation. The re-processing is possible because a BLOCKED workstation's activity journals are stored in the STLOG\STSLAM folder and are re-processed when a license becomes available.

Agents View for Entity(COLA)

Status	Disabl...	Entity	Workstation	Machine G...	TSE CALs	Agent Vers...	Last IP Ad...	Last Comm...	Last File U...
ALLOWED		COLA	DESKTOP-...	NO_MGUID	0	SI_IMP			Aug 11, 20...
ALLOWED		COLA	MXL1281	8eb76c2a-...	0	7.01a			Aug 25, 20...

Applications View

The **Applications** view shows a summary of all Applications installed plus workstation count for each. The Software Category column is customer-defined. *Please note, this list is not auto-populated, click the Refresh button at the upper left to build this list.*

Applications Installed; Applications Used for all Entities

Application Name	Version	Publisher	Software Category	Workstation Count
Bentley V8i (SELECTseries 3) - Autode...	8.11.9.303	Bentley Systems, Inc...		1
BIM Vision version 2.18.2.0	2.18.2.0	Datacomp Sp. z o.o.		1
BlackBerry Desktop Software 6.1	6.1.0.35	Research In Motion L...		1
Bluebeam Revu eXtreme x64 2018.1	18.1.0	Bluebeam, Inc.		8
Bluebeam Revu x64 2015.6	15.6.0	Bluebeam Software, I...		1
Bomgar Jump Client 16.2.1 [bomgar.br...	16.2.1	Bomgar		1
Bomgar Jump Client 16.2.2 [bomgar.br...	16.2.2	Bomgar		1

The Applications section can be opened to reveal each separate Entity and its specific list of applications. There is an additional button to view each workstation for selected applications. Email Reminders can be configured for a specific application or any number of selected applications.

Applications Installed per Workstation for Entity(COLA)

Application Name	Version	Publisher	Software Category	Workstation Count
7-Zip 9.20 (x64 edition)	9.20.00.0	Igor Pavlov	Licensed	44
A360 Desktop	6.0.3.1100	Autodesk		5
A360 Desktop	7.2.3.1800	Autodesk		2
A360 Desktop	8.2.3.1800	Autodesk		2

Devices View

The **Devices** view shows a summary of the number of workstations and sessions found and the top 5 versions of Windows® operating system installed.

Device Summary for all Entities

Entity	Workst...	Termin...	Top Windows Version.1	T...	Top Windows Versi...	T	T	T	T	T	T	T
<all>	<all>	<all>	<all>		<all>							
SOFTRACK_ENTITY_D...	1	0	Windows x64 Server 2012 St...	1								
SOFTRACK_ENTITY_N...	2	0	Windows x64 7 Professional	1	Windows x64 Serve...	1						
SOFTRACK_ENTITY_T...	5	0	Windows x64 7 Professional	3	Windows x64 10 Pro	2						
SOFTRACK_ENTITY_T...	5	0	Windows x64 7 Professional	3	Windows x64 10 Pro	2						
SOFTRACK_ENTITY_C...	4	0	Windows x64 7 Professional	4								

The Devices section can be opened to reveal each separate Entity and its specific list of workstations with details including recent user, and base machine configuration. Email Reminders can be configured for a specific device or any number of selected devices.

Devices for Entity(DEFAULT)

Workstation	Machine GUID	Recent User	Description	TSE CALs	Serial Number	Make	Model	RAM
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	
DC1	9a6cdf81-a950...	TESTDOMAIN\Admi...	<not set>	0	332VVV1	Dell Inc.	Inspiron 6...	8103

Managed View

The **Managed view** provides ability to view and edit all Email Reminders. More importantly the Managed view provides the ability to create customized views of Applications and Devices including the ability to manually add Applications and Devices. Additionally, any detail (such as who installed, when will retire, etc.) and any and all records can be centrally stored for any Application and Device.

Dashboards View

The **Dashboards** view provides ability create an unlimited number of customized charts, each with up to 4 graphs. Each dashboard can be exported to HTML for easy sharing of vital reports.

Exporting On-screen views

Each view has an Export button at the upper left that offers two reporting styles:



Sample of Sortable Html:

Application	Version	Publisher	Serial Number	Software Category	Workstation	Machine GUID	Install Date	Install Method	Est. Size
7-Zip 9.20 (x64 edition)	9.20.00.0	Igor Pavlov		Licensed	CAD-YT4H21PP50	NO_MGUID	20151008	MSI	4 MB
7-Zip 9.20 (x64 edition)	9.20.00.0	Igor Pavlov		Licensed	CAD-YT4H21P783	NO_MGUID	20151202	MSI	4 MB
7-Zip 9.20 (x64 edition)	9.20.00.0	Igor Pavlov		Licensed	CAD-YT4H21P77V	NO_MGUID	20151202	MSI	4 MB
ACA & MEP 2016 Object Enabler	7.8.41.0	Autodesk		Licensed	CAD-YT4H21PP50	NO_MGUID	20161215	EXE	50 MB
ACAD Private	20.1.49.0	Autodesk		Licensed	CAD-YT4H21PP50	NO_MGUID	20161215	EXE	78 MB
AccXES	14.1.1.2	Xerox Corporation	ff8440ab-1ec1-11b2-b1eb-963d61cfd4d0	Licensed	CAD-YT4H21PP50	NO_MGUID	Fri Oct 09 10:52:01	EXE	0 KB
AccXES	14.1.1.2	Xerox Corporation	ff8440ab-1ec1-11b2-	Licensed	CAD-YT4H21P77V	NO_MGUID	Wed Dec 02	EXE	0 KB


Sample of CSV:

```
Application,Version,Publisher,Serial Number,Software Category,Workstation,Machine GUID,Install Date,Install Method,Estimated Size
7-Zip 9.20 (x64 edition),9.20.00.0,Igor Pavlov,,Licensed,CAD-YT4H21PP50,NO_MGUID,20151008,MSI,4 MB
7-Zip 9.20 (x64 edition),9.20.00.0,Igor Pavlov,,Licensed,CAD-YT4H21P783,NO_MGUID,20151202,MSI,4 MB
7-Zip 9.20 (x64 edition),9.20.00.0,Igor Pavlov,,Licensed,CAD-YT4H21P77V,NO_MGUID,20151202,MSI,4 MB
ACA & MEP 2016 Object Enabler,7.8.41.0,Autodesk,,Licensed,CAD-YT4H21PP50,NO_MGUID,20161215,EXE,50 MB
ACAD Private,20.1.49.0,Autodesk,,Licensed,CAD-YT4H21PP50,NO_MGUID,20161215,EXE,78 MB
AccXES,14.1.1.2,Xerox Corporation,ff8440ab-1ec1-11b2-b1eb-963d61cfd4d0,Licensed,CAD-YT4H21PP50,NO_MGUID,Fri Oct 09 10:52:01,EXE,0 KB
AccXES,14.1.1.2,Xerox Corporation,ff8440ab-1ec1-11b2-b1eb-963d61cfd4d0,Licensed,CAD-YT4H21P77V,NO_MGUID,Wed Dec 02,EXE,0 KB
```

Important:

The Export to CSV style will only include selected rows. If no rows are selected the report will be

empty. To select all rows, click the area at the top left of the grid:



On-Demand Reports

SofTrack provides the following built-in on-demand Managed Assets reports:

Application based reports:

- Audit Position - Detail per Workstation
- Audit Position - Summary per Application
- Concurrent Usage
- Application Costs
 - Concurrent Usage (Summary+Costs)
 - Installed Costs per Computer Detail
- No Usage
- Utilization Intelligence
- Application Security
 - Application Crashes (Werfault activity)
 - BSOD – Workstation Blue Screen Crashes
 - CRACKED Applications used with failed digital signature
 - Applications used without digital signature
- Idle versus Active Summary
- Idle versus Active Summary
- Short Usages
- Excessive Idle
- Workstation Idle
 - Workstation Hourly Idle
 - Workstation Monthly Percent Active
- Application Camping Review
- User Day
 - User Day
 - User Daily Summary Active Usage per Application
- Workstation Usage
- Page Titles
 - Page Titles (Detail)
 - Page Titles (Summary)
- Autodesk® Named-User Reports
 - Combined User Usage Summary
 - License Pool Utilization Summary
 - User Activity Details


- Autodesk Utilization Intelligence
- Autodesk Plugin Utilization
- TCP/IP Data Transfers Summary and Details
- Installation and Latest Usage Report
- Specific EXE Usage
- Versions Report
- Installation Keys
- All Application Usage + Set Category
- Vendors
- SQL Server Reports
 - Summary+Detail Unique Users per SQL Instance
 - Summary+Detail Unique Users per SQL Database
 - Summary+Detail Unique Applications per SQL Database

Workstation based reports:

- Workstation Status
- Workstation CPU
- Workstation Disk Space
- Workstation Operating Systems
- Workstation Windows Updates + Installation Status
- Workstation Microsoft Cloud Joined
- Workstation Microsoft Cloud Joined + User Details
- Workstation Timezones
- User Logon Activity Reports
 - Basic Details (of each logon period)
 - Full Details (of each logon period)
 - Daily User Summary
 - Daily User Summary + Intraday
 - Weekly User Summary
 - Workstation Utilization
- SPLA User Logon Reports
 - Summary+Detail Unique Users [LDAP Logon Names only]
 - Summary+Detail Unique Users [Domain Logon Names only]
 - Summary+Detail Unique Users [All Logon types]
 - Summary+Detail Unique Users per Domain

Each of the above reports can be run for a single Managed Assets Entity or a combination of Entities. The ability to combine Entities for reporting enables a variety of reporting possibilities.

Each report is independent of the SofTrack Console. This enables multiple reports to be simultaneously opened:



Notice the top left of each report window has two icons:

Audit Position: Workstation Application Usage Detail Report (2020-08-20 until 2020-09-19)



The first exports to an Html format (most are sortable) and the second exports to CSV format (for on-demand reports, all values are exported, no requirement to first select rows to be exported).

In the ribbon bar of the Home view there are two report buttons that provide the ability to combine data from multiple Entities into a single report:


The screenshot shows the SofTrack Console interface for 'Server VCSLOCALDC01: Managed - SofTrack Console'. The 'Managed' tab is active, and the 'Reports (Apps)' dropdown menu is open, with two orange arrows pointing to the 'Reports (Apps)' and 'Reports (Devices)' buttons. Below the navigation bar, there are icons for Refresh, Export Statistics, SQL Configuration, Add Entity, Import Data, Merge Entity, Delete Entity, and Manage Entity. The main content area displays a table titled 'SofTrack SQL Entity Databases found' with the following data:

SofTrack Entity Databases	Date Cre...	Database Size	Number ...
<all>	<all>	<all>	<all>
SOFTRACK_ENTITY_COLA	2021-02-...	5.25 MB	2
SOFTRACK_ENTITY_DEFA...	2021-02-...	4.00 MB	0
SOFTRACK_ENTITY_LOCA...	2021-02-...	4.25 MB	0
SOFTRACK_ENTITY_TEST	2021-02-...	80.25 MB	36

To begin, select the desired Entities to include. Next, select the Reports button and a drop down list of available reports will be presented:


The screenshot shows the 'Reports (Apps)' dropdown menu with the following reports listed:

- Audit Position - Detail per Workstation
- Audit Position - Summary per Application
- Concurrent Usage
- Application Costs
 - Concurrent Usage (Summary+Costs)
 - Installed Costs per Computer Detail
- No Usage
- Utilization Intelligence
- Application Security
 - Application Crashes (Werfault activity)
 - BSOD - Workstation Blue Screen Crashes
 - CRACKED Applications used with failed digital signature
 - Applications used without digital signature
- Idle versus Active Summary
- Idle versus Active Details
- Short Usages
- Excessive Idle
- Workstation Idle
 - Workstation Hourly Idle
 - Workstation Monthly Percent Active
- Application Camping Review
- User Day
 - User Day
 - User Daily Summary Active Usage per Application
- Workstation Usage
- Page Titles
 - Page Titles (Detail)
 - Page Titles (Summary)
- Autodesk Named-User Reports
 - Combined User Usage Summary
 - License Pool Utilization Summary
 - User Activity Details
 - Utilization Intelligence
 - Plugin Utilization Details
- TCP/IP Data Transfers Summary and Details
- Installation and Latest Usage
- Specific EXE Usage
- Versions
- Installation Keys
- All Application Usage + Set Category
- Vendors
- SQL Server Reports
 - Summary+Detail Unique Users per SQL Instance
 - Summary+Detail Unique Users per SQL Database
 - Summary+Detail Unique Applications per SQL Database




Each specific on-demand report is detailed in the next section.

As an alternative, when directly viewing a specific Entity a Reports button is also available:




About interactive reports with more than 100,000 rows


When interactive reports are run the result will contain rows of data. By default, when the number of rows exceeds 100,000 the report will be sent to a CSV file that includes a header row and when the report is complete the user will receive a pop-up similar to the following:




To change the default action, click on the ribbon button:



and the following will appear:



When the default is changed, it will affect all users running reports based on the current server.



The image above shows the default being changed to 8000 rows and offers several output possibilities. The *Prompt User* option will prompt the user for the output type to use when the number of rows defined (in this example, 8000) is reached during report generation. If the user clicks “cancel” on that prompt, the report will be aborted and currently gathered 8000 rows will be shown on the screen.

Once a report is completed there will be a popup message indicating the path where the output file is located, and, that filename will be copied to the clipboard (paste buffer) and can be used to open the file or its path.

General notes for reports

If the Application Name column value has a “pipe” symbol (|) such as “App | 7.3.3.1” this indicates the Application was detected as being installed on that workstation and the value shows the Application Name and its version that was installed. If present, the column ‘EXE Version’ is more specific as to the version that was being used.

When shown, the ‘Idle Time’ value is collected by the ST_SLAM agent and represents the amount of time the application was in-use but not the focus of the user’s desktop.


Several reports include these columns:

*Active Time (seconds), Idle Time (seconds), Total Time (seconds),
Active Time, Idle Time, Total Time*

These columns seem redundant, however, the first set show raw numbers with no formatting which can be useful as an export value. The second set of columns are the same values shown with formatting. For example:

Example showing Active, Idle, Total columns with formatting:

Idle versus Active Application Summary Usage Report for COLA (2020-08-21 until 2020-09-19)



	Active Time (Seconds)	Idle Time (Seconds)	Total Time (Seconds)	Active Time	Idle Time	Total Time
<all>	<all>	<all>	<all>	<all>	<all>	<all>
2	1	3	2 seconds	1 second	3 seconds	
19	7	26	19 seconds	7 seconds	26 seconds	
1	12	13	1 second	12 seconds	13 seconds	
1	65	66	1 second	1 minute, 5 seconds	1 minute, 6 seconds	


In reports that indicate the ‘Entity’ column is only included when reporting from multiple Entities in the same report.

Each Report can be cancelled/aborted while the being built by clicking a button provided on the window or by clicking the [x] button in the top right corner of the report window.

The following provides details of each on-demand report.

Application Report: Audit Position – Detail per Workstation

This report will begin by presenting a date range selector:



Select Date Range for Application Audit Position Report

Date range:

Report for Previous Month (Dec 2022)
 Report for past days
 Report for date range:

The maximum report period is 5000 days.

Columns included:

Entity, Workstation, Machine GUID, Recent User, Vendor, Application, Version, Installation Date, Inventory Scan Discovery, Active Usage Discovery, Software Category, Usage Count, Most Recent Usage

The Entity column is only included when reporting from multiple Entities in the same report.


The column “Inventory Scan Discovery” indicates the application was located via the workstation application inventory provided by the [INVENTORY_APP Table](#).

The column “Active Usage Discovery” indicates the application was located via the ST_SLAM agent activity tracking provided by the [ALL SOFTWARE USAGE Table](#). If [Imported](#), Smart

Inventory records are not included in “Active Usage Discovery” indication as each are initially found via Inventory Scan.

Application Report: Audit Position – Detail per Workstation - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Create Customized Report Profile ×

Customized Report Name: Save

Included Entities (requires one or more Entities): Cancel

Entities included for this Custom Report	

Add
Remove

Included Users (if none included, will default to all):

Users included for this Custom Report	

Add
Remove

Included Workstations (if none included, will default to all):

Workstations included for this Custom Report	

Add
Remove

Included Applications (if none included, will default to all):

Applications included for this Custom Report	

Add
Remove

Date Range Type:
 ▼

Last NNN Days: ▼

Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include

matching on both the Application Name and EXE Description. The resulting report may include a ‘blank’ value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name:

Description:

Custom Report included: VISIO

Send Date:

Send Time:

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (If blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header

Report format: CSV (no header)

Report format: Sortable HTML

Compress CSV/HTML report file before sending via email (.ZIP)

Entity Email Configuration to use for sending emails:


Send Email to those addresses defined for selected Entity

Options to keep copy of report:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the


STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Audit Position – Summary per Application

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.

Columns included:

Vendor, Application, Version, Inventory Scan Discovery, Active Usage Discover, Software Category, Workstation Count, Workstation Count Where Used


The column “Inventory Scan Discovery” indicates the application was located via the workstation application inventory provided by the [INVENTORY_APP Table](#).

The column “Active Usage Discovery” indicates the application was located via the ST_SLAM agent activity tracking provided by the [ALL_SOFTWARE_USAGE Table](#). If [Imported](#), Smart Inventory records are not included in “Active Usage Discovery” indication as each are initially found via Inventory Scan.

The “Vendor” column can be blank as some inventoried applications do not include Vendor/Publisher data.

Application Report: Audit Position – Summary per Application - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name: Save Cancel

Description:

Custom Report included: VISIO

Send Date:

Send Time:

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (if blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header

Report format: CSV (no header)

Report format: Sortable HTML

Compress CSV/HTML report file before sending via email (.ZIP)

Entity Email Configuration to use for sending emails:

Send Email to those addresses defined for selected Entity

Options to keep copy of report:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

Options to keep copy of report:

Options to keep copy of report:


- Do not save a copy of the report
- Do not save a copy of the report
- Save only latest version of report to Folder SMA_SavedReports
- Save each version of report to Folder SMA_SavedReports

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.

You can create multiple schedules with different selections including different email addresses and output types.


Once a Schedule is created, it can be viewed and edited in the Managed section within the

Reminders(ALL) selection:



Application Report: Concurrent Usage

This report will begin by presenting a date range selector:



The maximum report period is 400 days.

Once selected another prompt is presented to select up to 10 Applications to graph:

Select Applications for Concurrent Usage Graph Report

Report Date Range: 2020-08-20 until 2020-09-19

Vendor	Application	Version
<all>	<all>	<all>
Autodesk, Inc.	Autodesk Revit 2015 15.0.207.0	20140606_1530(x64)
CADzation LLC	AcroPlot 19.07.23.0000	19.06.0008
Integrity Software, Inc.	SofTrack Console	9.11.23
Microsoft Corporation	Paint	6.1.7600.16385 (win7_rtm.0...
Microsoft Corporation	Registry Editor	6.1.7600.16385 (win7_rtm.0...
Microsoft Corporation	Windows Explorer	6.1.7600.16385 (win7_rtm.0...
Microsoft Corporation	Windows Problem Reporting	6.1.7600.16385 (win7_rtm.0...
Microsoft Corporation	Windows Task Manager	6.1.7600.16385 (win7_rtm.0...
Microsoft Corporation	Microsoft Sync Center	6.1.7601.17514 (win7sp1_rt...
Microsoft Corporation	Windows Command Processor	6.1.7601.17514 (win7sp1_rt...

Select up to 10 Applications for comparison concurrent usage graph.

Separately Graph each selection
 Separately List each usage
 Combine all selections into single graph
 Summary of each usage per workstation

OK
Cancel

The Applications listed are all the DISTINCT applications found in the ALL_SOFTWARE_USAGE Table(s). Additionally, any defined Software Categories will also appear in the list for selection. Each Software Category, if selected, will combine usage of all included Applications into a single chart item.

Columns include:

Entity, Vendor, Application, Version, Workstation, User, Start Time, Exit Time, Active Time (seconds), Idle Time (seconds), Total Time (seconds), Active Time, Idle Time, Total Time

The Entity column is only included when reporting from multiple Entities in the same report.


If the “Summary of each usage per workstation” is selected, the columns

Start Time, Exit Time

Are replaced with a singled column

Total Usages

Once selected, the report is created, sample result:



And, when exported to Html:




Application Report: Application Costs: Concurrent Usage (Summary+Costs)

This report will begin by presenting a date range selector:

The maximum report period is 400 days.

Once selected another prompt is presented to select any number of applications, Autodesk Plugins

and Software Categories:



The Autodesk Plugins(and Addins) listed are all the DISTINCT instances found in the ADESK_PLUGIN Table(s). The Applications listed are all the DISTINCT applications found in the ALL_SOFTWARE_USAGE Table(s) – important – notice for each application listed there is no "pipe" symbol (|), that is intentional to allow make a single selection that will include all sub-versions of the selected Application. Additionally, any defined Software Categories will also appear in the list for selection. Each Software Category, if selected, will combine usage of all included Applications into a single line item.

Columns include:

Entity, Application, Maximum Concurrent Workstation Usage (value represents the maximum concurrent usage that occurred during the selected reporting period), Unique Workstations Count (number of workstations that had usage during the selected reporting period), Cost per Workstation (customer entered whole-number value directly into report, values are remembered in registry of SofTrack Server Agent), Total Cost for Unique Workstations (number of unique workstations * cost per workstation).

When entering or revising the Cost per Workstation, click the Save and Recalculate button to update the values shown.

Concurrent Usage Summary+Costs Report (2021-02-01 until 2021-02-28)

Ent...	Application	Maximum Concurrent Workstation Usage	Unique Workstations	Cost per Workstation (Manual Entry)	Total Cost for Unique Workstations
<all>	<all>	<all>	<all>	<all>	<all>
TEST	BROWSERS-CHROME	0	0	0	\$0
TEST	PAINT	0	0	0	\$0
TEST	Adobe Acrobat Reader DC	15	25	55	\$1,375
TEST	Adobe InDesign 2019	1	1	32	\$32
TEST	Autodesk AutoCAD 2016 - English	1	1	0	\$0
TEST	Autodesk AutoCAD Civil 3D 2018 - English	15	18	88	\$1,584
TEST	Autodesk InfraWorks	1	1	88	\$88
TEST	Autodesk Revit 2018	1	1	0	\$0
TEST	Google Chrome	5	5	0	\$0
TEST	Microsoft 365 Apps for business - en-us	30	34	6755	\$229,670

Number of rows: 10

Save and Recalculate Done

Application Report: Application Costs: Concurrent Usage (Summary+Costs) - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:

Customize Concurrent Usage Summary+Costs

Customize Managed Assets Report

Create Edit Remove Run Schedule Now

Report Customization Assistance

Custom Profile Name	Entities Included	Filters Included	Date Range
<all>	<all>	<all>	<all>

Continue by clicking the Create ribbon button and the following appears:

Create Customized Report Profile

Customized Report Name: Save

Included Entities (requires one or more Entities): Cancel

Entities included for this Custom Report

Add Remove

Included Applications (if none included, will default to all):

Applications included for this Custom Report

Add Remove

Date Range Type: Last NNN Days

Last NNN Days: (all dates)

Customizations (pre-filtering) include:

- Entities
- Applications (Autodesk Plugins, Applications, Software Categories)
- Date Range

One or more Entities must be selected, and one or more Applications must be selected. The list of available Applications will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.

You can create multiple schedules with different selections including different email addresses and output types.


Once a Schedule is created, it can be viewed and edited in the Managed section within the

Reminders(ALL) selection:



Application Report: Application Costs: Installed Costs per Computer Detail


This report will begin by presenting a date range selector:




The maximum report period is 5000 days.

Once selected another prompt is presented to select any number of applications that have been previously defined with a cost including Software Categories. Use the ["Concurrent Usage \(Summary+Costs\)"](#) report to define application costs.

If no applications (or Software Categories) have had a cost associated, the following will appear:



If applications with a cost are found, the following will appear showing only the list of applications with a cost defined:



For the resulting report, columns include:

Entity, Workstation, Primary User, Application, Usage Occurred?, Cost

And then a separate summary row for each workstation totaling value for all applications installed.

And then a separate summary row for all workstations per application.

All selected applications are included, if no workstations are found where installed, each will appear on the #ALL COMPUTERS, #ALL USERS row with a Cost value of \$ 0.


Sample report:

Installed Costs per Computer Detail Report (2023-04-30 until 2023-05-30)


Entity	Workstation	Primary User	Application	Usage occurred?	Cost
<all>	<all>	<all>	<all>	<all>	<all>
COLA	#ALL COMPUTERS	#ALL USERS	Autodesk Revit 2023	FALSE	\$ 1,833
COLA	#ALL COMPUTERS	#ALL USERS	Autodesk REVIT	TRUE	\$ 900
COLA	#ALL COMPUTERS	#ALL USERS	Autodesk AutoCAD Civil 3D 2018 - English	FALSE	\$ 0
COLA	#ALL COMPUTERS	#ALL USERS	abacus	FALSE	\$ 0
COLA	DESKTOP-EBQG6RR	.\DTMLLUAdminUser	Autodesk Revit 2023	FALSE	\$ 1,833
COLA	DESKTOP-EBQG6RR	#ALL USERS	#ALL APPLICATIONS	TRUE	\$ 2,733
COLA	DESKTOP-EBQG6RR	.\DTMLLUAdminUser	Autodesk REVIT	TRUE	\$ 900

Application Report: Application Costs: Installed Costs per Computer Detail - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Workstations
- Applications (only those with a cost assigned)
- Date Range

One or more Entities must be selected, and one or more Applications must be selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been

launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an ‘EXE Description’ value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a ‘blank’ value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name: Save Cancel

Description:

Custom Report included: VISIO

Send Date: May/25/2024

Send Time: 12:00 AM

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (if blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header
 Report format: CSV (no header)
 Report format: Sortable HTML
 Compress CSV/HTML report file before sending via email (.ZIP)


Entity Email Configuration to use for sending emails: SOFTRACK_ENTITY_DEFAULT

Send Email to those addresses defined for selected Entity

Options to keep copy of report: Do not save a copy of the report

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: No Usage

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.

Columns include:

Entity, Workstation, Machine GUID, Recent User, Vendor, Application (per Inventory Scan), Version

The Entity column is only included when reporting from multiple Entities in the same report.

This report only refers to applications that have been installed per the records found in the INVENTORY_APP Table(s). Because this report is attempting to show installed applications with no usage, only applications known to have been installed are included.

Example:

Workstati...	Machine GUID	Vendor	Application (per Inventory Scan)	Version
<all>	<all>	<all>	<all>	<all>
MXL1281	8eb76c2a-da...	uvnc bvba	UltraVnc	1.2.1.2
MXL1281	8eb76c2a-da...	Oracle	Java 7 Update 51 (64-bit)	7.0.510
MXL1281	8eb76c2a-da...	Bentley Systems,...	ProjectWise Integration Module for Autodesk Rev...	08.11.11789
MXL1281	8eb76c2a-da...	Microsoft Corpor...	X64 Debuggers And Tools	10.1.14393.33

Notice in the example above, the “Java 7 Update 51” Application. It is likely this application has NO USER INTERFACE and as such, its usage will not be detected by the ST_SLAM agent. Usage may be detected if Smart Inventory records are [Imported](#). Smart Inventory records can include usage of applications that do not have a user interface, however, not all applications are tracked, especially those related to system services or other system level activity.

The NO USAGE report is intended to show “regular user applications” without any known usage during the reporting period.

Application Report: No Usage - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:

Custom Profile Name	Entities Included	Filters Included	Date Range
<all>	<all>	<all>	<all>

Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to

automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity

can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:




Application Report: Utilization Intelligence

This report will begin by presenting a date range selector:



The maximum report period is 400 days.

After selecting the Date Range, the application or Software Category to report is chosen:



Notice, the Vendor column (in the above image) will indicate **:SOFTWARE CATEGORY** for a pre-defined software category. Otherwise, the Vendor column will indicate the actual application vendor.

Columns include:

Entity, Workstation, User, selected Application, Number of Usages, Number of Components Used, Average Number of Unique Page Titles per usage, Average Active time per usage, Average Idle time per usage.

The Entity column is only included when reporting from multiple Entities in the same report.


Utilization Intelligence Report (2021-02-11 until 2021-08-10)

Entity	Workstation	User	Application	#Usages	#Components Used	#Unique Page Titles per Usage (Average)	Active Time per Usage (Average)	Idle Time per Usage (Average)
TEST	CADLT2019	KP	ADOBE CREATIVE SUITE	675	6	12	37 seconds	12 hours, 54 minutes, 55 seconds
TEST	CADLT003	JAMESRL	ADOBE CREATIVE SUITE	455	7	4	30 minutes, 57 seconds	2 minutes, 48 seconds
TEST	TGP801_MP	ERNESTF	ADOBE CREATIVE SUITE	323	3	16	45 minutes, 50 seconds	1 minute, 12 seconds
TEST	STSR7001	CHASSIET	ADOBE CREATIVE SUITE	311	3	18	10 minutes, 5 seconds	5 minutes, 9 seconds
TEST	CADLT008	MGRUZMAN	ADOBE CREATIVE SUITE	235	3	22	9 minutes, 13 seconds	6 minutes, 33 seconds
TEST	XJ45	VOLTORF	ADOBE CREATIVE SUITE	125	2	21	9 minutes, 30 seconds	1 minute, 39 seconds
TEST	INTRWM_05	CSEESMAN	ADOBE CREATIVE SUITE	128	2	2	17 minutes, 32 seconds	4 minutes, 17 seconds
TEST	KTLT_CAD99	GEORGIAM	ADOBE CREATIVE SUITE	175	1	59	28 minutes, 52 seconds	9 minutes, 41 seconds
TEST	WDT005	MGREEN	ADOBE CREATIVE SUITE	178	1	15	21 minutes, 7 seconds	5 minutes, 58 seconds
TEST	TGA120	DGOLFE	ADOBE CREATIVE SUITE	155	7	26	1 hour, 53 minutes, 30 seconds	7 minutes, 3 seconds

View Components Accessed Done

The Components Used column will be 1 when an individual application is selected for reporting. When a SOFTWARE CATEGORY is selected, the Component Count will indicate the number of application components used. For example, Adobe Creative Suite is composed of 10 or more individual applications. The components can also represent different versions of the same application. The Component Count will indicate how many suite components (and different versions) were used. Further, there is a button on the report to view each component used:

Utilization Intelligence Report for TEST (2021-02-11 until 2021-08-10) (Component Application List for selected Users)



Workstation	User	Application	Component
<all>	<all>	<all>	<all>
CADLT2019	KP	ADOBE CREATIVE SUITE	Adobe InDesign 2019 14.0.3
CADLT2019	KP	ADOBE CREATIVE SUITE	Adobe InDesign 2020 15.1.3
CADLT2019	KP	ADOBE CREATIVE SUITE	Adobe InDesign 2021 16.0.1
CADLT2019	KP	ADOBE CREATIVE SUITE	Adobe Lightroom Classic 10.1
CADLT2019	KP	ADOBE CREATIVE SUITE	Adobe Photoshop CC 2019 20.0.9
CADLT2019	KP	ADOBE CREATIVE SUITE	Adobe Bridge 2020 10.1.1

Application Report: Utilization Intelligence – Adobe Creative Cloud example

The following images show the HTML output of a Utilization Intelligence report for Software Category ADOBE CREATIVE CLOUD (customer created software tag/software category that includes selected Adobe products). Notice the Application Column, it reveals the Software Category name and is followed by each specific (individual) Adobe® suite component used during the reporting period plus the version of that component, followed by a count of the number times that component was opened:

Utilization Intelligence Report (2022-08-01 until 2022-08-31)

Entity	Workstation	User	Application	#Usages	#Components Used	#Unique Page Titles per Usage (Average)	Active Time per Usage (Average)	Idle Time per Usage (Average)	Active Time per Usage (Average) (seconds)	Idle Time per Usage (Average)(seconds)
BUSINESS UNIT A	TL33-2019	alex.r	ADOBE CREATIVE CLOUD: Adobe Acrobat DC (Full + Reader) 20.013.20074 (244) Adobe Dreamweaver 21.2.5401 (12) Adobe After Effects 22.1.3 (41)	297	1	14	3 minutes, 32 seconds	33 minutes, 45 seconds	212	2025
BUSINESS UNIT A	LL48-2021	nancy.g	ADOBE CREATIVE CLOUD: Adobe Acrobat Reader DC 20.013.20074 (62) Adobe Acrobat Reader DC 21.001.20135 (70) Adobe Acrobat Reader DC 21.001.20138 (51) Adobe Acrobat Reader DC 21.001.20140 (48) Adobe Acrobat Reader DC 21.001.20142 (6)	237	5	11	2 minutes, 7 seconds	35 minutes, 31 seconds	127	2131
BUSINESS UNIT B	ML17-2020	perry.k	ADOBE CREATIVE CLOUD: Adobe Bridge 10.012.20041 (63) Adobe XD 44.0.12 (44)	107	2	1	1 minute, 58 seconds	3 hours, 12 minutes, 57 seconds	118	11577
EUROPEAN CENTER	HL14-2019	ralph.g	ADOBE CREATIVE CLOUD: Adobe Premiere Pro 14.013.20074 (41) Adobe Premiere Pro 15.001.20135 (9) Adobe Premiere Pro 15.002.20438 (33) Adobe Premiere Pro 22.001.20540 (10)	93	4	6	3 minutes, 50 seconds	1 hour, 27 minutes, 23 seconds	230	5243
INTERN	LT35-2021	kelly.z	ADOBE CREATIVE CLOUD: Adobe Acrobat DC (Full + Reader) 20.013.20074 (1) Adobe InDesign 2019 14.0.3 (76) Adobe InDesign 2020 15.1.3 (1) Adobe Photoshop CC 2019 20.0.9 (3)	81	4	7	4 minutes, 58 seconds	3 hours, 56 minutes, 41 seconds	298	14201

First Prev Showing 1 - 5 / 5 filtered records | 5 records total Next Last // Page: 1

25 rows

The following image includes annotations of what is being shown, including using the filter bar to only show when any product including the name **acrobat** was utilized.

Utilization Intelligence Report (2022-08-01 until 2022-08-31)

Entity	Workstation	User	Application	#Usages	#Components Used	#Unique Page Titles per Usage (Average)	Active Time per Usage (Average)	Idle Time per Usage (Average)	Active Time per Usage (Average) (seconds)	Idle Time per Usage (Average)(seconds)
BUSINESS UNIT A	TL33-2019	alex.r	ADOBE CREATIVE CLOUD: Adobe Acrobat DC (Full + Reader) 20.013.20074 (244)	297	1	14	3 minutes, 32 seconds	33 minutes, 45 seconds	212	2025
BUSINESS UNIT A	LL48-2021	nancy.g	ADOBE CREATIVE CLOUD: Adobe Acrobat Reader DC 20.013.20074 (62)	237	5	11	2 minutes, 7 seconds	35 minutes, 31 seconds	127	2131
INTERN	LT35-2021	kelly.z	ADOBE CREATIVE CLOUD: Adobe Acrobat DC (Full + Reader) 20.013.20074 (1)	81	4	7	4 minutes, 58 seconds	3 hours, 56 minutes, 41 seconds	298	14201

First Prev: Showing 1 - 3 / 3 filtered records | 5 records total Next Last // Page: 1

25 rows

Reset All Filters

You may use the following operators to filter results:

- != not equal
- !-= not equal value or not equal type
- > greater than
- < less than
- >= greater than or equal to
- <= less than or equal to
- and and
- to range

Application Report: Application Security – Application Crashes (Werfault Activity)

This report will begin by presenting a date range selector:

Select Date Range for Application Crash (WERFAULT) Report

Date range: _____

Report for Previous Month (Apr 2023)
 Report for past days
 Report for date range:

The maximum report period is 5000 days.


Columns include:

Entity, Workstation, User, Werfault Launch Path, EXE that crashed, EXE start time, EXE crash

time, EXE Fullpath, EXE Company, EXE Version, EXE Description, EXE Product Name, EXE Application

Application Report: Application Security - Application Crashes (Werfault Activity) - Customization

This report includes the ability to be customized (pre-filtering). You may want to schedule a daily report using a date range of the past day to always be aware of new application crashes occurring at your user workstations. When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to

automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email.

To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Application Security – BSOD – Workstation Blue Screen Crashes

This report will begin by presenting a date range selector:




The maximum report period is 5000 days.

Columns include:


Entity, Workstation, Date of BSOD/Crash, Bugcheck Code, Size of MEMORY.DMP, Param1, Param2, Param3, Param4

Application Report: Application Security - BSOD - Workstation Blue Screen Crashes - Customization

This report includes the ability to be customized (pre-filtering). You may want to schedule a daily report using a date range of the past day to always be aware of new workstation crashes occurring at your user workstations. When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Workstations
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Workstations) will be determined by the Entities selected.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will

appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

Options to keep copy of report:

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Application Security – CRACKED Applications

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.

A cracked application is one that has been digitally signed but the hash sequence fails, indicating the executable file has been modified subsequent to when it was digitally signed. A cracked application may contain unpredictable code with unexpected results. Additionally, some vendors such as Autodesk® will issue a financial penalty/fine for usage of any product that has been cracked/modified.


SofTrack uses default Windows® cryptography interfaces to determine if an application’s digital signature is verified (or not) – this works for any application with a digital certificate regardless of the application vendor. SofTrack does NOT request verification from the application vendor nor does SofTrack report cracked applications to the application’s vendor.

Columns include:

Entity, Workstation, User, Date of Cracked Usage, Cracked EXE, Signature Company, Signature Issued by, EXE Modification Time, EXE file size, EXE Fullpath, EXE Company, EXE Version, EXE Description, EXE Product Name, EXE Application

Application Report: Application Security – CRACKED Applications - Customization

This report includes the ability to be customized (pre-filtering). You may want to schedule a daily report using a date range of the past day to always be aware of new cracked application usages occurring at your user workstations. When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name: Save Cancel

Description:

Custom Report included: VISIO

Send Date:

Send Time:

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (if blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header

Report format: CSV (no header)

Report format: Sortable HTML

Compress CSV/HTML report file before sending via email (.ZIP)

Entity Email Configuration to use for sending emails:

Send Email to those addresses defined for selected Entity

Options to keep copy of report:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

Options to keep copy of report:

Do not save a copy of the report

Do not save a copy of the report


Save only latest version of report to Folder SMA_SavedReports

Save each version of report to Folder SMA_SavedReports

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Application Security – Applications used without digital signature

This report will begin by presenting a date range selector:




The maximum report period is 5000 days.

Columns include:


Entity, Workstation, User, Date of recent usage, Unsigned EXE, EXE Modification Time, EXE file size, EXE Fullpath, EXE Company, EXE Version, EXE Description, EXE Product Name, EXE Application

Application Report: Application Security – Applications used without digital signature - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the ‘EXE Description’ value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an ‘EXE Description’ value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a ‘blank’ value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The screenshot shows a dialog box titled "Schedule Automatic Customized Report Email for VISIO". It contains the following fields and options:

- Automatic Custom Report Email Definition Name:** A text input field.
- Description:** A text input field.
- Custom Report included:** VISIO
- Send Date:** May/25/2024 (dropdown)
- Send Time:** 12:00 AM (dropdown)
- Reset Period (number of days between re-sending email):** A text input field.
- Reset Iterations (number of reset periods, 0=send once):** A text input field.
- EMAIL Subject: (if blank, no email will be sent)** A text input field.
- EMAIL Text:** A text input field.
- Report format:**
 - Report format: CSV + Header
 - Report format: CSV (no header)
 - Report format: Sortable HTML
- Compress CSV/HTML report file before sending via email (.ZIP)
- Entity Email Configuration to use for sending emails:** SOFTTRACK_ENTITY_DEFAULT (dropdown)
- Send Email to those addresses defined for selected Entity
- Options to keep copy of report:** Do not save a copy of the report (dropdown)

The above is creating a schedule for the customized report named “VISIO” (as shown in the

window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.

You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Idle versus Active Summary

This report will begin by presenting a date range selector:

Select Date Range for Idle vs Active Application Summary Usages Re... X

Date range:

Report for Previous Month (Dec 2022)

Report for past days

Report for date range:

OK

Cancel

Customize

The maximum report period is 5000 days.

Note: This report automatically reports for all existing Entities, not only the selected Entity. The resulting report shows 'CONSOLIDATE ALL ENTITIES' for the Entity name column.

Columns include:

Entity, Workstation, Machine GUID, User, Vendor, Application Name, EXE Filename, EXE Version, EXE Description, EXE Product, Total Usages, Active Time (seconds), Idle Time (seconds), Total Time (seconds), Active Time, Idle Time, Total Time

The Entity column will show 'CONSOLIDATE ALL ENTITIES' for this report as all Entities are automatically included.


Notes:

The Application Name column can be blank as not all applications directly provide. The "EXE" columns refer to the data source being directly from the EXE (filename or from its resource header). If the Application Name value has a "pipe" symbol (|) such as "App | 7.3.3.1" this indicates the Application was detected as being installed on that workstation and the value shows the Application Name and its version that was installed. The columns that follow such as EXE Version are more specific as to the version that was being used.


The Idle Time value is collected by the ST_SLAM agent and represents the amount of time the application was in-use but not the focus of the user's desktop.

Application Report: Idle versus Active Summary - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations

- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Idle versus Active Details

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.


Columns include:

Entity, Workstation, Machine GUID, User, Vendor, Application Name, EXE Filename, EXE Version, EXE Description, EXE Product, Start Time, Exit Time, Active Time (seconds), Idle Time (seconds), Total Time (seconds), Active Time, Idle Time, Total Time


The Entity column is only included when reporting from multiple Entities in the same report.

Application Report: Idle versus Active Details - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications

- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name: Save Cancel

Description:

Custom Report included: VISIO

Send Date: May/25/2024

Send Time: 12:00 AM

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (if blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header
 Report format: CSV (no header)
 Report format: Sortable HTML
 Compress CSV/HTML report file before sending via email (.ZIP)


Entity Email Configuration to use for sending emails: SOFTTRACK_ENTITY_DEFAULT

Send Email to those addresses defined for selected Entity

Options to keep copy of report: Do not save a copy of the report

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Short Usages

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.

Columns include:


Entity, Workstation, Machine GUID, User, Vendor, Application Name, EXE Filename, EXE Version, EXE Description, EXE Product, Start Time, Exit Time, Active Time (seconds), Idle Time (seconds), Total Time (seconds)

The Entity column is only included when reporting from multiple Entities in the same report.

This report shows usages less than 60 seconds in length. This may indicate where a usage was blocked or the application crashed.

Application Report: Short Usages - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity

can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Excessive Idle

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.

Columns include:

Entity, Workstation, Machine GUID, User, Vendor, Application Name, EXE Filename, EXE Version, EXE Description, EXE Product, Start Time, Exit Time, Active Time (seconds), Idle Time (seconds), Total Time (seconds), Active Time, Idle Time, Total Time


The Entity column is only included when reporting from multiple Entities in the same report.

This report shows usages with more time being idle than being active. This could indicate users “parking” applications. Note, if the application is “math intensive” the application could be spending


significant time computing values during which the user changes focus to other applications.

Application Report: Excessive Idle - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations

- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Workstation Hourly Idle

This report will begin by presenting a date range selector:




The maximum report period is 5000 days.

Columns include:

Entity, Application Name, Week Number, Day of Week, Time of Day (1 hour period), #Active Workstations, #Idle Workstations

The Entity column is only included when reporting from multiple Entities in the same report.


This report shows time periods (in one hour increments) the number of active workstations and the number of idle workstations for each selected application. There is a selection for ALL APPLICATIONS.



A workstation is considered idle if it has 6 or fewer Page Title changes per any one hour period. The goal of this report is to identify when workstations and/or specific applications are relatively unused and would be a suitable time to apply updates.

Application Report: Workstation Hourly Idle - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



The above image shows two previously created custom profiles.

Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name: Save Cancel

Description:

Custom Report included: VISIO

Send Date: May/25/2024

Send Time: 12:00 AM

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (if blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header
 Report format: CSV (no header)
 Report format: Sortable HTML
 Compress CSV/HTML report file before sending via email (.ZIP)

Entity Email Configuration to use for sending emails: SOFTTRACK_ENTITY_DEFAULT

Send Email to those addresses defined for selected Entity

Options to keep copy of report: Do not save a copy of the report

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

Options to keep copy of report:

Do not save a copy of the report

Do not save a copy of the report


Save only latest version of report to Folder SMA_SavedReports

Save each version of report to Folder SMA_SavedReports

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Workstation Monthly Percent Active

This report will begin by presenting a date range selector:



The maximum report period is 1100 days (3 years).

Columns include:

Entity, Workstation, Month #1 % Active, Month #2 % Active (...) up to 36 months


The Entity column is only included when reporting from multiple Entities in the same report.

Entity	Workstation	Mar 2023	Apr 2023	May 2023	Jun 2023	Jul 2023	Aug 2023
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
SOFTTRACK_ENTITY_COLA	DESKTOP-EBQG6RR	30%	20%	11%	0%	0%	0%


This report shows % active for each selected workstation during each indicated month. The resolution is one second. The non-customized report includes all applications *except* screen saver usage. To select applications use the Customize option.

Application Report: Workstation Monthly Percent Active - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Applications) will be determined by the Entities selected.

When adding applications, there is an option

:ALL APPLICATIONS:

When this option is selected it will include all applications that had active time during the reporting period *except* screen savers. When this entry is added, do not include any other application as it will skew the results.

Important:

When selecting applications, the 'version' is not separately tracked. For example, if 'Google Chrome' is included and the applications added include various versions of Google Chrome, this will skew the results. This is because each application that is included is distilled down to the application filename without regard for version. Thus if 'Google Chrome' is included multiple times it will result in artificially increasing the % active time by redundantly including usage of the same application filename (i.e. 'chrome.exe') because every version of Google Chrome uses the same application filename (i.e. 'chrome.exe').

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Application Camping Review

This report will begin by presenting a date range selector:



The maximum report period is 5000 days.

Columns include:


Entity, Application, User, Workstation, Days in Report, #Days with Activity, %Days with Activity, %Active Time (vs Idle), #Usages Total, #Usages <=5 minute total time, % of Usages <=5 minutes total time, #Usages <=5 Pages viewed, % of Usages <=5 Pages viewed, #Usages with excessive page view

The Entity column is only included when reporting from multiple Entities in the same report.


Notes: “<=5” indicates “less than or equal to 5”; “excessive page view” indicates a single page was continuously viewed for 60 minutes or more, typically this indicates the user is no longer present at the workstation

Application Report: Application Camping Review - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the ‘EXE Description’ value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an ‘EXE Description’ value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a ‘blank’ value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.


To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Screenshot of the "Schedule Automatic Customized Report Email for VISIO" dialog box. The dialog contains the following fields and options:

- Automatic Custom Report Email Definition Name: [Text input field]
- Description: [Text input field]
- Custom Report included: VISIO
- Send Date: May/25/2024
- Send Time: 12:00 AM
- Reset Period (number of days between re-sending email): [Text input field]
- Reset Iterations (number of reset periods, 0=send once): [Text input field]
- EMAIL Subject: (if blank, no email will be sent) [Text input field]
- EMAIL Text: [Text input field]
- Report format:
 - Report format: CSV + Header
 - Report format: CSV (no header)
 - Report format: Sortable HTML
- Compress CSV/HTML report file before sending via email (.ZIP)
- Entity Email Configuration to use for sending emails: SOFTTRACK_ENTITY_DEFAULT
- Send Email to those addresses defined for selected Entity
- Options to keep copy of report: Do not save a copy of the report

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:




Application Report: User Day

This report will begin by presenting a date range selector:



The maximum report period is 400 days.


Next, a selector is presented with a list of computers + users to include in the report. A maximum of 10 computers + users can be included:




Columns include:

- “User, Workstation, Date, Time” (first column)
- Start Type (Initial or Continuing),
- Application,
- Publisher,
- Version,
- EXE Name,
- Start Time,
- Exit Time (Smart Inventory Imported records will show “via smart inventory”),
- Active Time (seconds), Idle Time (seconds), Total Time (seconds), Active Time, Idle Time, Total Time

This report is unique in how it is built, image below is while it is being built:



Once complete (the 'Stop Report Generation' button is changed to read 'Expand all dates'):



To open each item, click on its icon, each icon can be clicked to expand or collapse. If you filter any columns (Start Type being filtered below) it will automatically reveal matching rows:

User Day Report, Date Range: 2020-06-06 until 2020-06-24

User	Workstation	Date	Start	Application	Publisher	Version	EXE	Start Time	Exit Time	Ac...	Idl...	To...	Ac...	Idl...	Tot...
W	MXL1281	Jun 06 2020	07am	Registry ...	Microsoft ...	6.1...	regedit...	2020-0...	2020-0...	2	71...	71...	2 s...	8 d...	8 d...
		Jun 07 2020	04pm	Window...	Microsoft ...	6.1...	cmd.exe	2020-0...	2020-0...	1	60...	60...	1 s...	6 d...	6 d...
		Jun 13 2020	11am	SofTrac...	Integrity S...	9.11...	SofTra...	2020-0...	2020-0...	4	4836	4840	4 s...	1 h...	1 h...
		Jun 16 2020	03pm	SofTrac...	Integrity S...	9.11...	SofTra...	2020-0...	2020-0...	91...	39...	94...	10 ...	10 ...	10 ...

Number of rows: 4,420

Expand all dates Done

The User Day report can be exported to Html:

User Day Report, Date Range: 2020-06-06 until 2020-06-24

- ▶ W
 - ▶ MXL1281
 - ▶ Jun 06 2020
 - ▶ Jun 07 2020
 - ▶ 04pm
 - ▶ 06pm
 - ▶ Jun 13 2020
 - ▶ 11am
 - ▶ 03pm
 - ▶ 11pm

11pm usage

Initial	Windows Command Processor	Microsoft Corporation	6.1.7601.17514 (win7sp1_rtm.101119-1850)	cmd.exe	2020-06-13 23:03	2020-07-09 08:36	1 second	4 days, 9 hours, 21 minutes, 9 seconds	4 days, 9 hours, 21 minutes, 10 seconds
---------	---------------------------	-----------------------	--	---------	------------------	------------------	----------	--	---
 - ▶ Jun 16 2020
 - ▶ 03pm

03pm usage

Initial	SofTrack Console	Integrity Software, Inc.	9.11.23	SofTrack_Console.exe	2020-06-16 15:23	2020-06-27 15:15	10 days, 12 hours, 53 minutes, 15 seconds	10 hours, 58 minutes, 42 seconds	10 days, 23 hours, 51 minutes, 57 seconds
---------	------------------	--------------------------	---------	----------------------	------------------	------------------	---	----------------------------------	---

This report generated from SOFTRACK: www.softwaremetering.com
 Requested By: CN=Administrator,CN=Users,DC=testdomain,DC=local Date: Sat September 19, 2020 07:01PM

In the images above the user name is “W”.

Note: When exporting to Html, only the currently opened rows will be included. To immediately reveal all rows click the button “Expand all dates”.

Application Report: User Day + Page Titles

Following the instructions of the previous section an additional ability to reveal the specific details of user activity by observing the Page Title (Caption Bar) of each application interaction is available:

User Day Report, Date Range: 2021-01-01 until 2021-01-05



User, Workstation, Date, Time	Start Type	Application	Publisher	Version
<all>	<all>	<all>	<all>	<all>
DTMLLUAdminUser				
DESKTOP-EBQG6RR				
Jan 01 2021				
Jan 02 2021				



Number of rows: 320

View Pages for selected items Expand all dates Done

Select any row with an icon, if you select another row or none you see this

SofTrack Console [X]

To view Pages viewed report, please select at least one User, Workstation, Date or Time (any row that includes an icon)

Select each desired item and click the View Pages for selected items button a new window is opened:

Selected Page Titles Report



Entity	User	Computer	Application (EXE file...)	Application	Category	Page Title	Start Page view	End Page view	Active Seco...	Elapsed Time
COLA	DTMLLUAd...	DESKTOP-EB...	msedge.exe	Microsoft Edge	Browser	New tab - Profile 1 - Microsoft? Edge	2021-01-02 18:55:32	2021-01-02 18:55:41	9	9 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	msedge.exe	Microsoft Edge	Browser	loosen - Bing - Profile 1 - Microsoft? Edge	2021-01-02 18:55:41	2021-01-02 18:55:47	6	6 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	msedge.exe	Microsoft Edge	Browser	loosen - Bing video - Profile 1 - Microsoft? Edge	2021-01-02 18:55:47	2021-01-02 18:55:48	1	1 second
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Administrator: Command Prompt - st_slam -debug	2021-01-02 18:56:10	2021-01-02 18:56:27	17	17 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	mmc.exe			Services	2021-01-02 18:56:27	2021-01-02 18:56:29	2	2 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt	2021-01-02 18:56:29	2021-01-02 18:57:05	36	36 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Select Command Prompt	2021-01-02 18:57:05	2021-01-02 18:57:08	3	3 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	mmc.exe			Services	2021-01-02 19:37:13	2021-01-02 19:39:18	125	2 minutes, 5 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	SearchApp.exe			Search	2021-01-02 19:39:18	2021-01-02 19:39:20	2	2 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	New Tab - Google Chrome	2021-01-02 19:39:20	2021-01-02 19:39:30	10	10 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Cloud Storage for Work and Home - Google Drive...	2021-01-02 19:39:30	2021-01-02 19:39:36	6	6 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Google Drive - Sign-in - Google Chrome	2021-01-02 19:39:36	2021-01-02 19:39:55	19	19 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	New Tab - Google Chrome	2021-01-02 19:39:55	2021-01-02 19:39:59	4	4 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Google News - Google Chrome	2021-01-02 19:39:59	2021-01-02 19:41:12	73	1 minute, 13 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Untitled - Google Chrome	2021-01-02 19:41:12	2021-01-02 19:41:12	0	Never
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Texas Longhorns College Football - Texas News, ...	2021-01-02 19:41:34	2021-01-02 19:41:47	13	13 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Fantasy Games - ESPN - Google Chrome	2021-01-02 19:41:47	2021-01-02 19:41:54	7	7 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	New Tab - Google Chrome	2021-01-02 19:41:54	2021-01-02 19:41:59	5	5 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	citrix share file - Google Search - Google Chrome	2021-01-02 19:41:59	2021-01-02 19:42:03	4	4 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Citrix ShareFile: Securely Sync, Store and Share ...	2021-01-02 19:42:03	2021-01-02 19:42:14	11	11 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Secure File Sharing - Send Files Securely - Citrix ...	2021-01-02 19:42:14	2021-01-02 19:42:43	29	29 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	chrome.exe	Google Chrome	Browser	Fantasy Games - ESPN - Google Chrome	2021-01-02 19:42:43	2021-01-02 19:42:45	2	2 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	mmc.exe			Services	2021-01-02 19:42:45	2021-01-02 19:42:49	4	4 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	explorer.exe			(no page title)explorer.exe	2021-01-02 19:42:49	2021-01-02 19:42:50	1	1 second
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt	2021-01-02 19:42:50	2021-01-02 19:43:09	19	19 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt - copy %windir%\system32\win...	2021-01-02 19:43:09	2021-01-02 19:43:11	2	2 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt	2021-01-02 19:43:11	2021-01-02 19:43:16	5	5 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt - dir %windir%\system32\driv...	2021-01-02 19:43:16	2021-01-02 19:43:18	2	2 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt	2021-01-02 19:43:18	2021-01-02 19:43:21	3	3 seconds
COLA	DTMLLUAd...	DESKTOP-EB...	cmd.exe			Command Prompt - copy %windir%\system32\win...	2021-01-02 19:43:21	2021-01-02 19:43:25	4	4 seconds

The report (image above) includes the specific start and exit time for each Page Title:

Page Title	Start Page view ▲	End Page view	Active Seco...	Elapsed Time
<all>	<all>	<all>	<all>	<all>
New tab - Profile 1 - Microsoft? Edge	2021-01-02 18:55:32	2021-01-02 18:55:41	9	9 seconds
loosen - Bing - Profile 1 - Microsoft? Edge	2021-01-02 18:55:41	2021-01-02 18:55:47	6	6 seconds
loosen - Bing video - Profile 1 - Microsoft? Edge	2021-01-02 18:55:47	2021-01-02 18:55:48	1	1 second
Administrator: Command Prompt - st_slam -debug Services	2021-01-02 18:56:10	2021-01-02 18:56:27	17	17 seconds
Command Prompt	2021-01-02 18:56:27	2021-01-02 18:56:29	2	2 seconds
Select Command Prompt	2021-01-02 18:56:29	2021-01-02 18:57:05	36	36 seconds
Services	2021-01-02 18:57:05	2021-01-02 18:57:08	3	3 seconds
Search	2021-01-02 19:37:13	2021-01-02 19:39:18	125	2 minutes, 5 seconds
New Tab - Google Chrome	2021-01-02 19:39:18	2021-01-02 19:39:20	2	2 seconds
Cloud Storage for Work and Home - Google Drive...	2021-01-02 19:39:20	2021-01-02 19:39:30	10	10 seconds
Google Drive: Sign-in - Google Chrome	2021-01-02 19:39:30	2021-01-02 19:39:36	6	6 seconds
Google News - Google Chrome	2021-01-02 19:39:36	2021-01-02 19:39:55	19	19 seconds
Untitled - Google Chrome	2021-01-02 19:39:55	2021-01-02 19:39:59	4	4 seconds
Texas Longhorns College Football - Texas News, ...	2021-01-02 19:39:59	2021-01-02 19:41:12	73	1 minute, 13 seconds
Fantasy Games - ESPN - Google Chrome	2021-01-02 19:41:12	2021-01-02 19:41:12	0	Never
New Tab - Google Chrome	2021-01-02 19:41:34	2021-01-02 19:41:47	13	13 seconds
citrix share file - Google Search - Google Chrome	2021-01-02 19:41:47	2021-01-02 19:41:54	7	7 seconds
Citrix ShareFile: Securely Sync, Store and Share ...	2021-01-02 19:41:54	2021-01-02 19:41:59	5	5 seconds
Secure File Sharing - Send Files Securely - Citrix ...	2021-01-02 19:41:59	2021-01-02 19:42:03	4	4 seconds
Fantasy Games - ESPN - Google Chrome	2021-01-02 19:42:03	2021-01-02 19:42:14	11	11 seconds
Services	2021-01-02 19:42:14	2021-01-02 19:42:43	29	29 seconds
Services	2021-01-02 19:42:43	2021-01-02 19:42:45	2	2 seconds
Services	2021-01-02 19:42:45	2021-01-02 19:42:49	4	4 seconds

This provides a direct understanding of user actions for each second.

The following is an additional example:

User Day Report, Date Range: 2022-06-27 until 2022-06-30

User	Workstation	Date	Time	Start Type	Application	Publisher	Version	EXE Name	Start Time	Exit Time	Active Time	Idle Time	Total Time
call>	call>	call>	call>	call>	call>	call>	call>	call>	call>	call>	call>	call>	call>
11am usage	Continuing	CONNECTION Client 10.0...	Bentley Systems Inc.	10.00.18.22	Bentley.Connect.Cle...	2022-05-13 16:21	2022-07-11 08:24	4 seconds	58 days, 16 h...	58 days, 16 hours, 3 minutes, 18 seconds			
11am usage	Continuing	Windows Command Line	Microsoft Corporation	10.0.19041.1 (Wi...	cmd.exe	2022-05-13 16:21	2022-07-11 08:24	1 second	58 days, 16 h...	58 days, 16 hours, 3 minutes, 38 seconds			
11am usage	Continuing	Settings	Microsoft Corporation	10.0.19041.1620...	SystemSettings.exe	2022-05-13 16:35	2022-07-11 08:24	3 seconds	58 days, 15 h...	58 days, 15 hours, 49 minutes, 42 seconds			
11am usage	Continuing	Windows Command Line	Microsoft Corporation	10.0.19041.1 (Wi...	cmd.exe	2022-05-13 16:41	2022-07-11 08:24	3 seconds	58 days, 15 h...	58 days, 15 hours, 43 minutes, 12 seconds			
11am usage	Continuing	Windows Command Line	Microsoft Corporation	10.0.19041.1 (Wi...	cmd.exe	2022-05-21 20:50	2022-07-11 08:24	2 seconds	50 days, 11 h...	50 days, 11 hours, 29 minutes, 17 seconds			
11am usage	Continuing	Google Chrome 103.0.506...	Google LLC	101.0.4951.67	chrome.exe	2022-05-21 20:52	2022-07-11 08:24	4 seconds	50 days, 11 h...	50 days, 11 hours, 32 minutes, 1 second			
11am usage	Continuing	Search application	Microsoft Corporation	10.0.19041.1682...	SearchApp.exe	2022-05-25 17:22	2022-07-05 19:52	7 seconds	41 days, 2 h...	41 days, 2 hours, 30 minutes, 24 seconds			
11am usage	Continuing	Windows Command Line	Microsoft Corporation	10.0.19041.1 (Wi...	cmd.exe	2022-06-07 13:28	2022-08-06 00:06	2 seconds	59 days, 10 h...	59 days, 10 hours, 37 minutes, 35 seconds			
11am usage	Continuing	Sysinternals TcpView	Sysinternals - www.sysinterna...	4.17	tcpview.exe	2022-06-07 13:29	2022-08-06 00:06	2 seconds	59 days, 10 h...	59 days, 10 hours, 36 minutes, 45 seconds			
11am usage	Continuing	Microsoft Edge 103.0.126...	Microsoft Corporation	102.0.1245.33	msedge.exe	2022-06-07 13:45	2022-06-28 11:14	2 minutes, 30 s...	20 days, 21 h...	20 days, 21 hours, 29 minutes, 13 seconds			
11am usage	Continuing	Task Manager	Microsoft Corporation	10.0.19041.1202...	Taskmgr.exe	2022-06-09 16:39	2022-07-11 08:24	5 seconds	31 days, 15 h...	31 days, 15 hours, 45 minutes, 51 seconds			
11am usage	Continuing	Wireshark 2.0.9 (64-bit) 2...	The Wireshark developer co...	2.0.9	Wireshark.exe	2022-06-11 14:21	2022-06-28 11:14	3 seconds	16 days, 20 h...	16 days, 20 hours, 52 minutes, 29 seconds			
11am usage	Continuing	Paint	Microsoft Corporation	10.0.19041.1 (Wi...	mspaint.exe	2022-06-13 17:39	2022-06-28 11:14	1 second	14 days, 17 h...	14 days, 17 hours, 35 minutes, 5 seconds			
11am usage	Continuing	Autodesk App Manager 3...	Autodesk, Inc.	R24.2.72.0.0	acad.exe	2022-06-26 20:50	2022-06-28 11:15	2 minutes, 23 s...	1 day, 14 hour...	1 day, 14 hours, 24 minutes, 56 seconds			
11am usage	Continuing	Autodesk App Manager 3...	Autodesk, Inc.	R24.1.51.0.0	acad.exe	2022-06-26 20:50	2022-06-27 16:51	31 seconds	19 hours, 59 ...	20 hours, 0 minutes, 20 seconds			
11am usage	Continuing	Autodesk App Manager 3...	Autodesk, Inc.	23.0.1.318	Revit.exe	2022-06-26 20:51	2022-06-28 11:12	26 seconds	1 day, 14 hour...	1 day, 14 hours, 21 minutes, 33 seconds			
11am usage	Continuing	Blank Screen Saver	Microsoft Corporation	10.0.19041.1 (Wi...	scmsave.scr	2022-06-27 11:42	2022-06-27 11:42	13 hours, 36 mi...	9 seconds	13 hours, 36 minutes, 16 seconds			
11am usage	Initial	Windows Basic Tools	Microsoft Corporation	10.0.19041.1 (Wi...	notepad.exe	2022-06-27 11:42	2022-06-27 11:43	11 seconds	13 seconds	24 seconds			
11am usage	Initial	Windows Basic Tools	Microsoft Corporation	10.0.19041.1 (Wi...	notepad.exe	2022-06-27 11:45	2022-06-27 11:46	17 seconds	56 seconds	1 minute, 13 seconds			
11am usage	Initial	Blank Screen Saver	Microsoft Corporation	10.0.19041.1 (Wi...	scmsave.scr	2022-06-27 11:48	2022-06-27 16:50	5 hours, 1 minu...	8 seconds	5 hours, 1 minute, 39 seconds			

Page Titles view below reveals second-by-second activity detail for 11am - noon

Notice: Screen Saver was active until 11:42 and reactivates at 11:48

Selected Page Titles Report

User	Computer	Application (EXE file...)	Application	Category	Page Title	Start Page view	End Page view	Active Seco...	Elapsed Time
DTMLLUAdminUser	DESKTOP-EBQG6RR	scmsave.scr			(screen saver)	2022-06-26 22:06:32	2022-06-27 11:42:39	48967	13 hours, 36 minutes, ...
DTMLLUAdminUser	DESKTOP-EBQG6RR	cmd.exe	Windows Command Line		Command Prompt	2022-06-27 11:42:40	2022-06-27 11:42:45	5	5 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	notepad.exe	Windows Basic Tools		bb - Notepad	2022-06-27 11:42:45	2022-06-27 11:43:02	17	17 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	cmd.exe	Windows Command Line		Command Prompt	2022-06-27 11:43:02	2022-06-27 11:43:05	3	3 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		(no page title)explorer.exe	2022-06-27 11:43:05	2022-06-27 11:43:06	1	1 second
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	IS_UDP - Search and 14 more pages - Personal ...	2022-06-27 11:43:06	2022-06-27 11:43:08	2	2 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	New tab and 15 more pages - Personal - Microsof...	2022-06-27 11:43:08	2022-06-27 11:43:19	11	11 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	Encrypted Message Authentication and 15 more ...	2022-06-27 11:43:19	2022-06-27 11:43:28	9	9 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	Encrypted Message OTP Sign in and 15 more pa...	2022-06-27 11:43:28	2022-06-27 11:44:48	80	1 minute, 20 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	Encrypted Message and 15 more pages - Person...	2022-06-27 11:44:48	2022-06-27 11:45:12	24	24 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	ShellExperienceHost.exe			Jump List for Notepad	2022-06-27 11:45:12	2022-06-27 11:45:14	2	2 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	Encrypted Message and 15 more pages - Person...	2022-06-27 11:45:17	2022-06-27 11:45:32	15	15 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		File Explorer	2022-06-27 11:45:32	2022-06-27 11:45:34	2	2 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		Downloads	2022-06-27 11:45:34	2022-06-27 11:45:40	6	6 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		LAC Order Form	2022-06-27 11:45:40	2022-06-27 11:45:44	4	4 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		Downloads	2022-06-27 11:45:44	2022-06-27 11:45:49	5	5 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		0% complete	2022-06-27 11:45:49	2022-06-27 11:45:55	6	6 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		50% complete	2022-06-27 11:45:55	2022-06-27 11:45:56	1	1 second
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		99% complete	2022-06-27 11:45:56	2022-06-27 11:45:57	1	1 second
DTMLLUAdminUser	DESKTOP-EBQG6RR	explorer.exe	Windows Desktop		Downloads	2022-06-27 11:45:57	2022-06-27 11:46:00	3	3 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	(no page title)msedge.exe	2022-06-27 11:46:00	2022-06-27 11:46:07	7	7 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	Encrypted Message and 15 more pages - Person...	2022-06-27 11:46:07	2022-06-27 11:46:08	1	1 second
DTMLLUAdminUser	DESKTOP-EBQG6RR	msedge.exe	Microsoft Edge	Freeware	IS_UDP - Search and 14 more pages - Personal ...	2022-06-27 11:46:08	2022-06-27 11:46:09	1	1 second
DTMLLUAdminUser	DESKTOP-EBQG6RR	notepad.exe	Windows Basic Tools		*Untitled - Notepad	2022-06-27 11:46:09	2022-06-27 11:46:11	2	2 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	notepad.exe	Windows Basic Tools		Notepad	2022-06-27 11:46:11	2022-06-27 11:46:14	3	3 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	notepad.exe	Windows Basic Tools		*Untitled - Notepad	2022-06-27 11:46:14	2022-06-27 11:46:16	2	2 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	notepad.exe	Windows Basic Tools		Save As	2022-06-27 11:46:16	2022-06-27 11:46:22	6	6 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	notepad.exe	Windows Basic Tools		(no page title)notepad.exe	2022-06-27 11:46:22	2022-06-27 11:46:26	4	4 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	cmd.exe	Windows Command Line		Command Prompt	2022-06-27 11:46:27	2022-06-27 11:48:42	135	2 minutes, 15 seconds
DTMLLUAdminUser	DESKTOP-EBQG6RR	scmsave.scr			(screen saver)	2022-06-27 11:48:42	2022-06-27 16:50:13	18091	5 hours, 1 minute, 31 ...

Application Report: User Daily Summary per Application

This report will begin by presenting a date range selector:

Select Date Range for User Daily Summary per Application Report

Date range:

Report for Previous Month (Oct 2024)

Report for past days

Report for date range:

(all dates)

OK

Cancel

Customize

The maximum report period is 5000 days.

Columns include:


Entity, Workstation, User, Date, EXE Filename, Active Time (seconds), Active Time (minutes), Active Time (hr, min, sec)

The Entity column is only included when reporting from multiple Entities in the same report.

This report shows total active time per EXE Filename on a date within the defined date range.

Application Report: User Daily Summary per Application - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity

can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:




Application Report: Workstation Usage

This report will begin by presenting a date range selector:



The maximum report period is 400 days.

Next, a selector is presented with a list of computers to include in the report. There is no maximum number of computers can be included:




Columns include:

Entity, Workstation, Machine GUID, User, Vendor, Application Name, EXE Filename, EXE Version, EXE Description, EXE Product, Start Time, Exit Time, Active Time (seconds), Idle Time (seconds), Total Time (seconds), Active Time, Idle Time, Total Time

The Entity column is only included when reporting from multiple Entities in the same report.

Application Report: Page Titles (Detail)

This report will begin by presenting a date range selector:




Columns include:

Workstation, User, Page Title, EXE Name, Start Time, Start Hour, Exit Time, Active Time, Active Time (seconds)


The Page Title Detail shown are moment-by-moment details of what the user was viewing. The Start Hour column allows easy filtering and sorting by when the page view was initiated. The Active Time value is the difference between the Start and Exit Times.

Application Report: Page Titles (Detail) - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations

- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Page Titles (Summary)

This report will begin by presenting a date range selector:




Columns include:

Workstation, User, Page Title, EXE Name, Active Time, Active Time (seconds)


The Page Titles shown are unique per workstation, user and EXE Name combination, being shown once. The Active Time value is the cumulative total Active Time for all times that Page Title appeared while using the indicate EXE Name.

Application Report: Page Titles (Summary) - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Users
- Workstations

- Applications
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Users, Workstations, Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.

You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Page Titles (Summary) – Tracking Document Viewing+Editing Activity

With customizations including pre-filtering, the Page Titles report can be configured for an unlimited number of scheduled reports both emails and locally stored. For example, a weekly report of active time for each AutoCAD® documents viewed and edited:

Page Title Summary Report (2022-02-01 until 2022-03-01)

Entity	Workstation	User	Page Title	EXE Name	Active Time	Active Time (seconds)
TEST	L7-2020	hcco	Autodesk AutoCAD Civil 3D 2018 - [CAD_TMP.dwg]	acad.exe	22 hours, 56 minutes, 42 seconds	82602
TEST	C7-2019	paye	Autodesk AutoCAD Civil 3D 2018 - [CAD_GRAD.dwg]	acad.exe	17 hours, 19 minutes, 56 seconds	62396
TEST	L3-2020	mady	Autodesk AutoCAD Civil 3D 2018 - [CAD_GRAD.dwg]	acad.exe	14 hours, 39 minutes, 10 seconds	52750
TEST	C9-2019	lhan	Autodesk Civil 3D 2020 - [CAD_SURFACE.dwg]	acad.exe	14 hours, 9 minutes, 45 seconds	50985
TEST	L1LT06	nw	Autodesk AutoCAD 2018 - [S001-(RES).dwg]	acad.exe	12 hours, 23 minutes, 53 seconds	44633

Or active time viewing and editing Revit® documents:

Page Title Summary Report (2022-02-01 until 2022-03-01)

Entity	Workstation	User	Page Title	EXE Name	Active Time
TEST	R3-2020	scott	Autodesk Revit 2021.1.2 - [STR_Template_2021a(RS1) - Sheet: S006 - Metric - STEEL NOTES]	Revit.exe	12 minutes, 28 seconds
TEST	R3-2020	scott	Autodesk Revit 2020.2 - [STR_Template_2020a(e20) - Sheet: S*006 - Imperial - STEEL NOTES]	Revit.exe	8 minutes, 28 seconds
TEST	R3-2020	scott	Autodesk Revit 2020.2 - [STR_Template_2020a(e20) - Sheet: S006 - Metric - STEEL NOTES]	Revit.exe	7 minutes, 30 seconds
TEST	R3-2020	scott	Autodesk Revit 2021.1.2 - [STR_Template_2021a(RS1) - Sheet: S*006 - Imperial - STEEL NOTES]	Revit.exe	5 minutes, 37 seconds

The Page Title report generation applies to all applications used throughout your enterprise, for example, Microsoft® Word®:

Page Title Summary Report (2022-02-01 until 2022-02-09)



Entity	Workstation	User	Page Title	EXE Name	Active Time	Active Time (seconds)
<all>	<all>	<all>	<all>	word	<all>	<all>
TEST	T04	ady	ECA Section.docx - Word	WINWORD.EXE	4 hours, 54 minutes, 30 seconds	17670
TEST	LLT	bln	58SWM - Word	WINWORD.EXE	3 hours, 52 minutes, 30 seconds	13950
TEST	T01-2	ott	2021.Civil Proposal - Word	WINWORD.EXE	3 hours, 4 minutes, 7 seconds	11047
TEST	T03-20	pre	2021.Commercial Servicing - Word	WINWORD.EXE	2 hours, 14 minutes, 56 seconds	8096

And, Microsoft® Excel®:

Page Title Summary Report (2021-02-01 until 2021-04-29)



Entity	Workstation	User	Page Title	EXE Name	Active Time	Active Time (seconds)
<all>	<all>	<all>	<all>	excel	<all>	<all>
TEST	DLT20	zak	Demand - Excel	EXCEL.EXE	3 hours, 30 minutes, 50 seconds	12650
TEST	T03	scott	Timesheet - Excel	EXCEL.EXE	3 hours, 16 minutes, 43 seconds	11803
TEST	L12	ed	2020.Matrix - Excel	EXCEL.EXE	2 hours, 46 minutes, 54 seconds	10014
TEST	DLT20	zak	5_SWM Design - Excel	EXCEL.EXE	2 hours, 27 minutes, 50 seconds	8870

With the ability to separately schedule each customized report configuration, these and more Page Title reports can be sent to specific teams throughout your enterprise for all types of purposes, ranging from customer billing, to department accounting to monitoring of user activity and more.

Application Report: Autodesk® Named-User Combined User Usage Summary


This report will begin by presenting a date range selector:

Columns include:

Autodesk User ID, Autodesk User Name, Number Products Opened, Number Times Opened, Number of License Pools Used, Total Time In-Use, Total Idle Time, Number of Usages less than 5 minutes, Total Time In-Use(Seconds), Total Time Idle(Seconds)

Application Report: Autodesk® Named-User Combined User Usage Summary - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Autodesk® UserIDs
- Autodesk® Usernames
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Autodesk® UserIDs, Autodesk® Usernames) will be determined by the Entities selected.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within

the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

Schedule Automatic Customized Report Email for VISIO

Automatic Custom Report Email Definition Name: Save Cancel

Description:

Custom Report included: VISIO

Send Date: May/25/2024

Send Time: 12:00 AM

Reset Period (number of days between re-sending email)

Reset Iterations (number of reset periods, 0=send once)

EMAIL Subject: (if blank, no email will be sent)

EMAIL Text:

Report format: CSV + Header

Report format: CSV (no header)

Report format: Sortable HTML

Compress CSV/HTML report file before sending via email (.ZIP)

Entity Email Configuration to use for sending emails: SOFTTRACK_ENTITY_DEFAULT

Send Email to those addresses defined for selected Entity

Options to keep copy of report: Do not save a copy of the report

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

Options to keep copy of report:

Do not save a copy of the report

Do not save a copy of the report


Save only latest version of report to Folder SMA_SavedReports

Save each version of report to Folder SMA_SavedReports

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Autodesk® Named-User License Pool Utilization Summary

This report will begin by presenting a date range selector:



Columns include:


License Pool Expiration Date, Autodesk User ID, Autodesk User Name, Number Products Opened, Number Times Opened, Number of License Pools Used, Total Time In-Use, Number of Usages less than 5 minutes, Total Time In-Use(Seconds)

About Autodesk® Cloud Licenses

In the above report, the “License Pool Expiration Date” columns will present dates such as 2022-06-07, 2022-11-28, etc. These “License Pool” names are directly provided by Autodesk® and indicate the expiration date of the selected “License Pool”. Upon expiration, any unconsumed licenses will no longer be available for use. Please contact Autodesk® for details regarding the number of unconsumed licenses.

Application Report: Autodesk® Named-User License Pool Utilization Summary - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Autodesk® UserIDs
- Autodesk® Usernames
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However,

available items (i.e. Autodesk® UserIDs, Autodesk® Usernames) will be determined by the Entities selected.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


Screenshot of the "Schedule Automatic Customized Report Email for VISIO" dialog box. The dialog contains the following fields and options:

- Automatic Custom Report Email Definition Name: [Text Input]
- Description: [Text Input]
- Custom Report included: VISIO
- Send Date: May/25/2024
- Send Time: 12:00 AM
- Reset Period (number of days between re-sending email): [Text Input]
- Reset Iterations (number of reset periods, 0=send once): [Text Input]
- EMAIL Subject: (If blank, no email will be sent) [Text Input]
- EMAIL Text: [Text Input]
- Report format:
 - Report format: CSV + Header
 - Report format: CSV (no header)
 - Report format: Sortable HTML
- Compress CSV/HTML report file before sending via email (.ZIP)
- Entity Email Configuration to use for sending emails: SOFTTRACK_ENTITY_DEFAULT
- Send Email to those addresses defined for selected Entity
- Options to keep copy of report: Do not save a copy of the report

The above is creating a schedule for the customized report named "VISIO" (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):


Options to keep copy of report:



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Autodesk® Named-User Activity Details

This report will begin by presenting a date range selector:




Columns include:

Autodesk User ID, Autodesk User Name, Computer, Local Username, EXENAME, EXEVersion, License Name, License Year+Feature, License Pool Expiration Date, Serial Number (Network License), Start Time, Exit Time, Idle Time, Days of Usage, Active Time(Seconds), Idle Time(Seconds), Total Time(Seconds)

Application Report: Autodesk® Named-User Activity Details - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Autodesk® UserIDs
- Autodesk® Usernames
- Workstations

- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Autodesk® UserIDs, Autodesk® Usernames, Workstations) will be determined by the Entities selected.


The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):


Options to keep copy of report:



The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Autodesk® Utilization Intelligence

This report will begin by presenting a date range selector:



Columns include:

Autodesk User ID, Autodesk User Name, Local Username, License Name, Licenses Used, Versions Used, Number of Usages, Active Time per usage (average), Idle Time per usage (average), Active Time per usage (average) in seconds, Idle Time per usage (average) in seconds, Active Time Percentage (%), Idle Time Percentage (%), Most recent usage start time

Note: The Percentage values may not add up to be 100% due to rounding.

Sample result (single HTML, simple to share as needed):

Autodesk Utilization Intelligence for COLA (2022-06-01 until 2022-09-12)

Autodesk User ID	Autodesk Username	Local Username	License Name	License(s) Used	Version(s) Used	#Usages	Active Time per Usage (Average)	Idle Time per Usage (Average)	Active Time per Usage (Average) (seconds)	Idle Time per Usage (Average) (seconds)	% Active Time	% Idle Time	Most Recent Start Time
6M3AQPM323LQ	stevetravis	s.travis	Civil 3D	FLEX#2	2022	1	2 minutes, 52 seconds	7 minutes, 8 seconds	172	428	28	71	2022-06-06 19:54:35
6M3AQPM323LR	bobjohnson	bob.johnson	Civil 3D	FLEX#2,FLEX#1	2022	6	2 minutes, 30 seconds	11 hours, 33 minutes, 12 seconds	150	41592	0	99	2022-08-29 15:47:36
6M3AQPM323LR	bobjohnson	bob.johnson	Revit	FLEX#1	2021	1	1 minute, 26 seconds	1 minute, 16 seconds	86	76	53	46	2022-08-29 09:04:36
6M3AQPM323LR	bobjohnson	bob.johnson	AutoCAD	FLEX#2,FLEX#1	2021,2023	7	1 minute, 33 seconds	13 hours, 32 minutes, 46 seconds	93	48766	0	99	2022-08-31 16:08:46
6M3AQPM323LR	bobjohnson	bob.johnson	Revit LT	TRL#2	2023	1	2 seconds	2 hours, 13 minutes, 15 seconds	2	7995	0	99	2022-06-06 17:19:29
6M3AQPM323LR	bobjohnson	bob.johnson	AutoCAD LT	RTL#2,TRL#2	2019,2021,2023	9	59 seconds	19 minutes, 58 seconds	59	1198	4	95	2022-09-07 17:38:40

First Prev Showing 1 - 6 / 6 filtered records | 6 records total Next Last // Page: 1

25 rows

Reset All Filters

You may use the following operators to filter results:

- != not equal
- !== not equal value or not equal type
- > greater than
- < less than
- >= greater than or equal to
- <= less than or equal to

About Autodesk® Cloud Licenses

In the above image, the “Licenses Used” column includes values such as “FLEX#2”, “RTL#2”, “TRL#2”, “RTL#2”. These indicated the specific license type utilized. There is another value not shown, it has a value in the format “”, “456-9900214”,”. “FLEX” indicates Flex licenses (licenses that are typically pre-purchased and consumed per-day at a rate based upon the exact Autodesk® product utilized. “456-9900214” indicates an Autodesk® Network (Multi-User) License. The actual value will indicate the Autodesk® serial number utilized. “EDU” indicates an educational license. “TRL” indicates an Autodesk® Free Trial license. “RTL” indicates an Autodesk® Single-User Subscription license.

Application Report: Autodesk® Utilization Intelligence – User Counts per product (filtering example)

When viewing the Autodesk® Utilization Intelligence report, use filtering to isolate specific Autodesk® applications to quickly reveal the number of unique users:

Autodesk Utilization Intelligence for COLA (2022-06-01 until 2022-09-12)

Autodesk User ID	Autodesk Username	Local Username	License Name	License(s) Used	Version(s) Used	#Usages	Active Time per Usage (Average)	Idle Time per Usage (Average)	Active Time per Usage (Average) (seconds)	Idle Time per Usage (Average) (seconds)	% Active Time	% Idle Time	Most Recent Start Time
			civil 3d										
6M3AQPM323LQ	stevetravis	s.travis	Civil 3D	FLEX#2	2022	1	2 minutes, 52 seconds	7 minutes, 8 seconds	172	428	28	71	2022-06-06 19:54:35
6M3AQPM323LR	bobjohnson	bob.johnson	Civil 3D	FLEX#2,FLEX#1	2022	6	2 minutes, 30 seconds	11 hours, 33 minutes, 12 seconds	150	41592	0	99	2022-08-29 15:47:36

First Prev Showing 1 - 2 / 2 filtered records | 6 records total Next Last // Page: 1

25 rows



Use the Filter Bar to isolate specific Autodesk applications of interest
Filtering will reveal the unique number of users during the reporting period

Reset All Filters

You may use the following operators to filter results:

- != not equal
- != value not equal value or not equal type
- > greater than
- < less than
- >= greater than or equal to
- <= less than or equal to
- and and
- to range

This report generated from SOFTRACK: www.softwaremetering.com


The example above filters the results by “civil 3d” to quickly reveal all users of Civil 3D during the reporting period. The results can be used to determine each user’s level of product engagement via active time vs idle time, average usage time and most recent start date/time.

The resulting report can help identify occasional users of any Autodesk® product.

The results shown above are contained within a single HTML file, enabling sharing as needed.

Application Report: Autodesk® Utilization Intelligence - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Autodesk® UserIDs
- Autodesk® Usernames
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Autodesk® UserIDs, Autodesk® Usernames) will be determined by the Entities selected.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Autodesk® Plugin Utilization

This report will begin by presenting a date range selector:




Columns include:

Computer, Local Username, EXE Name, EXE Version, Usage Start Time, Plugin Filename, Plugin Description, Plugin Version, Plugin Company, Plugin Installation Date, Plugin Path Size


SofTrack tracks all AutoCAD Plugins, .arx, .dll (.net) and LISP based plugins (.fas, .vlx, .mnl, .lsp, etc.).

Application Report: Autodesk® Plugin Utilization - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:



Customizations (pre-filtering) include:

- Entities
- Local Usernames (i.e. Logon name at each workstation)
- Workstations
- Autodesk® Plugins/Addins
- Date Range

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Local Usernames, Workstations, Autodesk® Plugins/Addins) will be determined by the Entities selected.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:

The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.


Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity

can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: TCP/IP Data Transfers Summary and Details

This report will begin by presenting a date range selector:



The initial report is a summary:

TCP/IP User Data Transfer Summary for COLA (2022-05-30 until 2022-07-05)

Username	Workstation	Bytes Downloaded	Bytes Uploaded
<all>	<all>	<all>	<all>
DTMLLUAdminUser	DESKTOP-EBQG6RR	53244 MB	512 MB

Number of rows: 1

View TCP/IP Transfer Details Done

Select one or more rows and click the “View TCP/IP Transfer Details” button:

TCP/IP Selected-User Data Transfer Details for COLA (2022-05-30 until 2022-07-05)

User	Workstation	EXENAME	Seconds Connected	Connection Opened	Connection Opened Hour:Min
<all>	<all>	<all>	<all>	<all>	<all>
DTMLLUAdminUser	DESKTOP-EBQG6RR	chrome.exe	129	2022-06-23 16:30:13	16:30:13
DTMLLUAdminUser	DESKTOP-EBQG6RR	chrome.exe	2949	2022-06-23 16:42:52	16:42:52
DTMLLUAdminUser	DESKTOP-EBQG6RR	chrome.exe	8256	2022-06-26 20:50:05	20:50:05

Connection Closed	Remote Address	Remote Host	Remote Port	Downloaded Bytes	Uploaded Bytes
<all>	<all>	radio	<all>	<all>	<all>
2022-06-23 16:32:22	198.58.98.83	us4.internet-radio.com	443	16062 MB	1 MB
2022-06-23 17:32:01	198.58.98.83	us4.internet-radio.com	443	16117 MB	1 MB
2022-06-26 23:07:41	198.58.98.83	us4.internet-radio.com	443	20422 MB	1 MB

IMPORTANT NOTE:

This report only includes TCP/IP activity when more than 100,000 bytes were uploaded or downloaded.

Columns include:

User, Workstation, EXENAME, Seconds Connected, Connection Opened Time, Connection Opened Hour:Minute:Second, Connection Closed, Remote Address, Remote Host, Remote Port, Downloaded Bytes, Uploaded Bytes, Page Titles Occurring near event

The Connection Opened Time Hour:Minute:Second column is useful when sorting or filtering, it allows time-of-day sorting to find activity occurring during specific times such as after hours.

The final column is special, because the process responsible for the TCP/IP activity does not usually have its own window. All modern browsers use a centralized process to handle all TCP/IP activity. Thus, the final column, Page Titles Occurring near event was created. The EXENAME in the sample above (chrome.exe) is used to help identify what the user may have been doing at the time of the TCP/IP activity.

For example:

TCP/IP Selected-User Data Transfer Details for COLA (2022-07-16 until 2022-08-14)



User	Workstation	EXENAME	Seconds Connected	Connection Opened
<all>	<all>	<all>	<all>	<all>
DTMLLUAdminUser	DESKTOP-EBQG6RR	chrome.exe	195	2022-08-11 19:40:01


Connect...	Connection Closed	Remote Address	Remote Host	Remote Port
<all>	<all>	<all>	<all>	<all>
19:40:01	2022-08-11 19:43:16	5.9.136.216	static.216.136.9.5.clients.your-server.de	443

Downloaded Bytes	Uploaded Bytes	Page Titles occurring near event
<all>	175	ufile
1 MB	175 MB	Ufile.io - Upload files for free & share them without registration -

Notice, one of the Page Titles occurring at the same time as the 175MB upload was UFILE.IO, a free file sharing website.

Application Report: Installation and Latest Usage Report

This report does not use a date range selector. This report, when selected, will first present a Customize prompt:



If **Yes** is clicked, the Customize window appears, otherwise, the report is immediately run.

Report columns include:

Entity, Workstation, MachineGUID, Recent User, Vendor, Application, Version, Installation Date, Latest Usage (if known), Latest Version Used (if known)

The Entity column is only included when reporting from multiple Entities in the same report.

Sample report:

Application Installation and Last Used Report



Entity	Workstation	Machine GUID	Recent User	Vendor	Application	Version	Installation Date	Latest Usage	Latest Version Used
COLA	MXL1281	8eb76c2a-da5...	MXL1281\W	CADzation	AcroPlot	19.07.23.0000	20200303	2021-07-30 21:58	19.06.0024
COLA	MXL1281	8eb76c2a-da5...	MXL1281\W	Autodesk	Autodesk Revit 2015	15.0.207.0	8-1-2015	2021-09-22 20:40	16.0.428.0
COLA	MXL1281	8eb76c2a-da5...	MXL1281\W	Autodesk	Autodesk Revit 2016	16.0.428.0	7-31-2015	2021-09-22 20:40	16.0.428.0

This report was modified in December 2023 to detect any version of each installed application that has been used, previously this report was strictly based on the version shown but that was too restrictive as some applications are frequently updated and can have multiple versions used resulting in an incomplete view of activity. The main goal is to show if the installed application has had usage regardless of version.


The Latest Version Used column is based on the date of the most recent usage. It does not include the actual “latest” version that could have been used (i.e. might show version 16 when version 17 is installed, but, based on the date of most recent usage, it was version 16 that was being used).

In the above image, Autodesk Revit 2015 and Autodesk Revit 2016 are both installed, the latest usage is based on “Autodesk Revit” usage regardless of the “version”. The [Idle versus Active Report](#) (detail or summary) will review the specific version(s) being used.

This report combines a query of workstation inventory and application usage to provide a more complete review than simple inventory results. This combination provides an additional benefit of presenting applications that are not installed to be identified and latest usage detailed.

Application Report: Installation and Latest Usage Report - Customization

This report includes the ability to be customized (pre-filtering). When **Yes** is clicked in response to the Customize prompt the following appears:



Continue by clicking the Create ribbon button and the following appears:

Create Customized Report Profile ×

Customized Report Name: Save

Included Entities (requires one or more Entities): Cancel

Entities included for this Custom Report	

Add
Remove

Included Workstations (if none included, will default to all):

Workstations included for this Custom Report	

Add
Remove

Included Applications (if none included, will default to all):

Applications included for this Custom Report	Rule	

OR
AND
NOT
Add
Remove

Customizations (pre-filtering) include:

- Entities
- Workstations
- Applications + Software Categories
- OR, AND, NOT rules for each included Application

One or more Entities must be selected, the other pre-filtering items are optional. However, available items (i.e. Workstations and Applications) will be determined by the Entities selected.

Special note regarding Included Applications:

When adding Application(s) to be included in the report, the list of Applications provided to select from contains both the Application name determined by workstation inventory review of Installed Applications and the 'EXE Description' value contained within each EXE file that has been launched. It is possible that a specific EXE usage is not associated with an installed Application, however, most every EXE will have an 'EXE Description' value. Therefore to provide the most complete review, during the process of creating the report, the Applications selected does include matching on both the Application Name and EXE Description. The resulting report may include a 'blank' value for the Application Name, for those rows, the EXE Description column will have the matching value.


The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

Application Report: Installation and Latest Usage Report – Customization Rules

This report provides further customization via rules. When an application is added it will default to the OR rule type - meaning this application (or Software Category) will be included if present given the other conditions of Entities and Workstations specified.


To change the rule for an application or set of selected applications, click the OR, AND or NOT button.

The AND rule type means the specific application/category **MUST** be present for a specific workstation to be included or potentially included in the in the resulting report. There is a maximum of 128 application/category rows that can be set to the AND rule type. If more than 128 are defined, when the custom report is saved, a popup will occur:



The NOT rule type means the specific application/category **MUST NOT** be present for a specific workstation to be included or potentially included in the resulting report.

If all included applications/categories are set to the NOT rule type no results will occur. When the custom report is defined that only specifies the NOT rule type a popup will occur:



The following are sample variations of rule definitions:

Included Applications (if none included, will default to all):

Applications included for this Custom Report	Rule	
:SOFTWARE CATEGORY:BROWSERS-CHROME	OR	OR
Adobe InDesign 2019 14.0.3	OR	AND
Bluebeam Revu CAD x64 20 20.0.30	OR	NOT
		Add
		Remove

Included Applications (if none included, will default to all):

Applications included for this Custom Report	Rule	
:SOFTWARE CATEGORY:BROWSERS-CHROME	OR	OR
Adobe InDesign 2019 14.0.3	AND	AND
Bluebeam Revu CAD x64 20 20.0.30	NOT	NOT
		Add
		Remove

Once saved, the custom report can be scheduled to be automatically run by the SofTrack Server Agent. To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.


You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:




Application Report: Specific EXE Usage

This report will begin by presenting a date range selector:



Once the date range is selected, click OK and the next prompt will request the specific EXE file(s) to include in the report:



Once one or more EXE file(s) are selected, click OK and the report will be produced.
Sample:

Specific EXE per User+Workstation Report for COLA (2023-01-12 until 2024-02-16)

Workstation	User	EXE filename	EXE most recent exit time	EXE Fullpath	EXE Company	EXE Version	EXE Description	EXE Product Name
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
1234567890ABCDE	DTMLLUAdminUser	mspaint.exe	2024-01-04 22:08	C:\Windows\System32...	Microsoft Corporation	10.0.19041.1 (WinBuild.160101.0800)	Paint	Microsoft® Windows
DESKTOP-EBQG6RR	DTMLLUAdminUser	mspaint.exe	2023-05-20 17:42	C:\Windows\System32...	Microsoft Corporation	10.0.19041.1 (WinBuild.160101.0800)	Paint	Microsoft® Windows
MXL1281	W	mspaint.exe	No Usage Detected					
MXL128122	W	mspaint.exe	No Usage Detected					


Columns include:

Workstation, User, EXE filename, EXE most recent exit time, EXE Fullpath, EXE Company, EXE Version, EXE Description, EXE Product Name

The report is organized to identify each unique combination of Workstation + User that used the specified EXE. The exit time of the most recent usage indicates the latest time the EXE was being used. The EXE file details (Fullpath, Company, Version, Description, Product) are based on the most recent usage. It is possible that other usages of the specified EXE occurred using different file details, however, this report only reveals the most recent usage and EXE details from that usage.

Application Report: Specific EXE Usage - Customization

This report includes the ability to be customized (pre-filtering). When Customize button is clicked the following appears:



Continue by clicking the Create ribbon button and the following appears:

Customizations (pre-filtering) include:

- Entities
- Users
- Workstations
- EXE Files
- Date Range

One or more Entities must be selected and one or more EXE file(s) must be selected. The other pre-filtering items are optional. However, available items (i.e. Users, Workstations) will be determined by the Entities selected.

The customized report is saved with a unique name (that you specify) and can be scheduled to automatically run and email results and, if desired, save the latest version or each version of the report (by including the report run date in the filename) to the SMA_SavedReports folder within the STLOG path.

To Schedule, select a saved customized report and click the ribbon button and the following will appear:


The above is creating a schedule for the customized report named “VISIO” (as shown in the window caption bar). When you specify the *Automatic Custom Report Email Definition Name* realize that name will be used as the basis for the filename of the resulting report. The Report format can be CSV+Column Header, CSV without header or Sortable HTML. Additionally, the output file can optionally be compressed to .ZIP format to reduce the email attachment size.

Additionally, the report can be configured to save a permanent file in the STLOG\SMA_SavedReports folder (located at the SofTrack Server Agent Host):

The default is to not save a copy. However, if an option to save is selected, the scheduled activity can be configured to only save to the STLOG\SMA_SavedReports folder and to not send an email. To set this ability, completely erase the Email Subject.

You can create multiple schedules with different selections including different email addresses and output types.

Once a Schedule is created, it can be viewed and edited in the Managed section within the Reminders(ALL) selection:



Application Report: Versions Report

This report does not use a date range selector.

Columns include:

Entity, Vendor, Application, Version, Inventory Scan Discovery, Active Usage Discovery

The Entity column is only included when reporting from multiple Entities in the same report.

Sample report:

Vendor	Application	Version	Inventory Scan Discovery	Active Usage Discovery
<all>	<all>	<all>	<all>	<all>
Autodesk, Inc.	Autodesk Design Review 2013	13.0.0.82	TRUE	
Autodesk, Inc.	Autodesk Design Review 2013	13.1.0.82	TRUE	
Autodesk, Inc.	Autodesk Download Manager	4.0.14.0	TRUE	TRUE
Autodesk, Inc.	Autodesk Revit 2015 15.0.207.0	20140606_1530(x64)		TRUE
Axialis Software	Axialis IconWorkshop 6.91	6.91	TRUE	

Application Report: Installation Keys

This report does not use a date range selector.

Columns include:

Entity, Workstation, Machine GUID, Recent User, Vendor, Application, Version, Installation Key

The Entity column is only included when reporting from multiple Entities in the same report.

This report will provide details of each Windows® Operating System installation key, any

applications where the Installation Key has been detected and all Microsoft® installation keys (for example, Office applications).

Sample report:

Work...	Machine...	Rec...	Vendor	Application	Version	Installation Key
ENG-...	NO_MG...	ENS...	Xerox Corporation	AccXES	14.1.1.2	f8440ab-1ec1...
ENG-...	NO_MG...	ENS...	Xerox Corporation	AccXES	14.1.1.2	f8440ab-1ec1...
ENG-...	NO_MG...	ENS...	Xerox Corporation	AccXES	14.1.1.2	f8440ab-1ec1...
ENG-...	NO_MG...	ENS...	Microsoft	Microsoft Office Professional 2013	2013	Microsoft Offic...
ENG-...	NO_MG...	ENS...	Microsoft Corporation	Microsoft Office Professional Plus 2013	15.0.4569.1506	00216-40000-...
ENG-...	NO_MG...	ENS...	Microsoft Corporation	Microsoft Office Professional Plus 2013	15.0.4569.1506	00216-40000-...
ENG-...	NO_MG...	ENS...	Microsoft	Microsoft Office Professional Plus 2013	15.0.4569.1506	Microsoft Offic...
ENG-...	NO_MG...	ENS...	Microsoft	Microsoft Office Professional Plus 2013	15.0.4569.1506	Microsoft Offic...
ENG-...	NO_MG...	ENS...	Microsoft Corporation	Microsoft Office SharePoint Designer 2010	14.0.7015.1000	82503-001-00...
ENG-...	NO_MG...	ENS...	Microsoft Corporation	Microsoft Platform SDK (3790.1830)	5.2.3790.1830	12345-111-11...
ENG-...	NO_MG...	ENS...	Microsoft Corporation	Microsoft SharePoint Designer 2010	14.0.7015.1000	82503-001-00...
ENG-...	NO_MG...	ENS...	Microsoft	Windows x64 7 Professional	Service Pack 1 [76...	74T2M-DKDB...


Application Report: All Application Usage + Set Category

This report will begin by presenting a date range selector:

Columns include:


Entity, Vendor, Application, Version, Software Category

The Entity column is only included when reporting from multiple Entities in the same report.



To set the Software Category, select applications to set and click the button Set Software Category for selected items. A new window will appear to select or define a new Software Category and to apply to the selected applications.

This report enables setting of Software Category for any application used, not only those that show as being installed. For instance, Microsoft “Paint” does not show as being installed but is an application that can be used.



Application Report: Vendors

This report does not use a date range selector.

Columns include:

Entity, Vendor, Inventory Scan Discover, Active Usage Discovery

The Entity column is only included when reporting from multiple Entities in the same report.

This report provides a list of all Application Vendors discovered.

Sample report:

Vendor	Inventory Scan Discovery	Active Usage
<all>	<all>	<all>
28Hands	TRUE	
Adobe Systems Incorporated	TRUE	TRUE
Adobe Systems, Inc.		TRUE
Advanced Micro Devices, Inc.		TRUE
Autodesk	TRUE	TRUE
Autodesk, Inc.	TRUE	TRUE
Axialis Software	TRUE	

Application Report: Summary+Detail Unique Users per SQL Instance

For any workstation or server using the SofTrack STSLAM Agent that includes at least one active SQL Server Instance will automatically receive SQL Server Reports.

This report uses a date range selector:

Select Date Range for SQL Server Instances User Count Report

Date range:

Report for Previous Month (Oct 2020)

Report for past 30 days

Report for date range: (all dates)

OK

Cancel

Columns include:

Entity, SQL Host (Computer), Machine GUID, SQL Instance, Count of Unique Users

The report has one row per SQL Instance with any usage during the reporting period:

Entity	Workstation (SQL Ho...	Machine GUID	SQL Instance	Unique Users Count
<all>	<all>	<all>	<all>	<all>
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	2

Number of rows: 1

View User Activity Done

Click the ‘View User Activity’ button to reveal the list of unique users for selected rows:

Unique Users for selected SQL Instances Report (2020-10-29 until 2020-11-28)

Entity	Workstation (SQ...	Machine GUID	SQL Instance	User	Domain\User	LDAP
<all>	<all>	<all>	<all>	<all>	<all>	<all>
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	TESTDOMAIN\Adminis...	TESTDOMAIN\Admini...	CN=Administr...
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	TESTDOMAIN\Admin	TESTDOMAIN\Admin...	CN=Admin...

Number of rows: 2

Done

The report includes Logon name used (User column), Domain\User, and, if available, LDAP name.

Application Report: Summary+Detail Unique Users per SQL Database

For any workstation or server using the SofTrack STSLAM Agent that includes at least one active SQL Server Instance will automatically receive SQL Server Reports.

This report uses a date range selector:

Select Date Range for SQL Server Databases User Count Report

Date range:

Report for Previous Month (Dec 2020)
 Report for past days
 Report for date range:

OK

Cancel

Columns include:

Entity, SQL Host (Computer), Machine GUID, SQL Instance, SQL Database, Count of Unique Users

The report has one row per SQL Instance+Database with any usage during the reporting period:

Count of Unique Users for each SQL Database per SQL Instance Report (2020-12-07 until 2021-01-06)

Entity	Workstation (SQL Ho...	Machine GUID	SQL Instance	SQL Database	Unique Users Count
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	master	2
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	CPTRAX_for_Windows	1
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	model	1
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	msdb	1
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	SOFTTRACK_ENTITY_ARCHIVE	1
DEFAULT	DC1	9a6cdf81-a950-4...	SQLEXPRESS	SOFTTRACK_ENTITY_TEST_SI	1

Number of rows: 18

View User Activity Done

Click the 'View User Activity' button to reveal the list of unique users for selected rows:

The report includes Logon name used (User column), Domain\User, and, if available, LDAP name.

Application Report: Summary+Detail Unique Applications per SQL Database

For any workstation or server using the SofTrack STSLAM Agent that includes at least one active SQL Server Instance will automatically receive SQL Server Reports.

This report uses a date range selector:

Select Date Range for SQL Server Applications Count Report

Date range:

Report for Previous Month (Oct 2020)

Report for past days

Report for date range:

OK Cancel

Columns include:

Entity, SQL Host (Computer), Machine GUID, SQL Instance, SQL Database Application, Count of Unique Users

The report has one row per SQL Instance+Database+Application with any usage during the reporting period:

Count of Unique Applications for each SQL Database per SQL Instance Report (2020-10-08 until 2021-01-06)

Entity	Work...	Machine GUID	SQL Instance	SQL Database	Application	Unique User...
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	master	Microsoft SQL Server Management Studio	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	master	Microsoft SQL Server Management Studio - Query	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	master	SofTrack Managed Assets Agent	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	msdb	Microsoft SQL Server Management Studio	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	SOFTTRACK_ENTITY_ARCHIVE	SofTrack Administrator Console	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	SOFTTRACK_ENTITY_COLA	Microsoft SQL Server Management Studio	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	SOFTTRACK_ENTITY_COLA	SofTrack Administrator Console	2
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	SOFTTRACK_ENTITY_STAND	SofTrack Administrator Console	1

Number of rows: 24

View User Activity Done

Click the ‘View User Activity’ button to reveal the list of unique users for selected rows:

Unique Users for selected Applications per SQL Databases + SQL Instances Report (2020-10-08 until 2021-01-06)

Entity	Workst...	Machine GUID	SQL Instance	SQL Database	Application	User	Domain\User	LDAP
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	SOFTTRACK_ENTITY_DEFAULT	Microsoft SQL Server Management Studio - Query	TESTDO...	TESTDOMAIN...	CN=Ad...
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	SOFTTRACK_ENTITY_DEFAULT	SofTrack Administrator Console	TESTDO...	TESTDOMAIN...	CN=Ad...
DEFAULT	DC1	9a6cdf81-a95...	SQLEXPRESS	CPTRAX_for_Windows	Microsoft SQL Server Management Studio	TESTDO...	TESTDOMAIN...	CN=Ad...

Number of rows: 3

Done

The report includes Logon name used (User column), Domain\User, and, if available, LDAP name.

Device Report: Workstation Status

This report does not use a date range selector.

Columns include:

Entity, Workstation, Machine GUID, Last Reboot, Wake Up Type, Last Inventory Update, Recent User, Terminal Server Licenses, Manufacturer, Model, BIOS, Serial Number, Windows OS, Service Pack, Release, Installation Key, is Genuine, Experience Score, IPV4, MAC, MAC, MAC

The Entity column is only included when reporting from multiple Entities in the same report.

The (3) MAC columns show the first 3 MAC Addresses for the workstation (MAC=Media Access Control, unique 6 byte address).

Device Report: Workstation CPU

This report does not use a date range selector.

Columns include:

Entity, Workstation, Machine GUID, Terminal Server Licenses, Manufacturer, Model, BIOS, Serial Number, Number of CPUs, CPU 0 Vendor, CPU 0 Type, CPU 0 Speed,<...> CPU 15 Vendor, CPU 15 Type, CPU 15 Speed

The Entity column is only included when reporting from multiple Entities in the same report.

This report will show the first 16 CPUs detected per workstation.

Device Report: Workstation Disk Space

This report does not use a date range selector.

Columns include:

Entity, Workstation, Machine GUID, Recent User, C: Drive Size, C: Drive Free, Volume 1 Letter, Volume 1 Name, Volume 1 Format, Volume 1 Size, Volume 1 Free, <...>, Volume 5 Letter, Volume 5 Name, Volume 5 Format, Volume 5 Size, Volume 5 Free

The Entity column is only included when reporting from multiple Entities in the same report.

This report will show the first 5 Volumes detected per workstation.

Device Report: Workstation Operating Systems

This report does not use a date range selector.

Columns include:

Entity, Workstation, Machine GUID, Terminal Server Licenses, Windows OS+Build, Service Pack, Build, Release, Installation Key, is Genuine, Experience Score

The Entity column is only included when reporting from multiple Entities in the same report.

Device Report: Workstation Windows Updates + Installation Status

This report does not use a date range selector. Only updates that occurred in the past 6 months are maintained.

Columns include:

Entity, Workstation, Date installed (local time at the workstation), KB (knowledge base article number), Operation, Status, Description

The Entity column is only included when reporting from multiple Entities in the same report.

Device Report: Workstation Microsoft Cloud Joined

This report does not use a date range selector.

Columns include:

Entity, TenantID, DeviceID, UserEmail

The Entity column is only included when reporting from multiple Entities in the same report.

Device Report: Workstation Microsoft Cloud Joined + User Details

This report does not use a date range selector.

Columns include:

Entity, TenantID, DeviceID, UserPrincipalName, When Created, Usage Location, Physical Delivery Ofc, Street Address, City, State, Postal Code, Country, EmployeeID, Department, Telephone, Mobile

Notes:

All values after DeviceID are obtained by an interactive query of your Azure (EntraID) Tenant.


Column *When Created* = When the user object was created

Column *Mobile* = Cell Phone


The Entity column is only included when reporting from multiple Entities in the same report.

When selected this report will begin an interactive query of your Azure (EntraID) Tenant.

When the report is started a prompt will appear:



If Yes is clicked the following Login Prompt is presented (login details are only sent to Azure(EntraID), the details are not obtained or used by SofTrack)





Once the details are entered, SofTrack automatically runs a PowerShell script to obtain the user details for the Tenant that was logged into. These details are stored for reporting in the [STLOG path](#) at the SofTrack Server Host, in a file with a filename matching the format:

```
CLOUD_TENANT_65977bcb- * {tenant id}.CSV
```

If your organization has multiple Azure(EntraID) Tenants, run this report multiple times using a logon for each and the user details for each Tenant will be saved to the STLOG path and the report will automatically use the results from all Tenants provided.

You do not need to re-fetch all Tenant User details (via PowerShell) each time the report is accessed, only if there have been changes such as new user account or changes in details. The CLOUD_TENANT_*.CSV files will be referenced whenever PowerShell details are not re-fetched.

If there are issues with PowerShell or Azure PowerShell Module installation the following errors can occur and prevent the gathering of user details for this report:




Resolution for the above errors are provided in the following 2 sections:

Device Report: Setting PowerShell Execution Policy

To ensure the Workstation Microsoft Cloud Joined + User Details Report can gather user details, it is important to set the PowerShell Execution Policy to RemoteSigned or Unrestricted or Bypass. The default PowerShell Execution Policy on Windows® servers is RemoteSigned.

To verify and change the Policy, open a PowerShell session As Administrator on the workstation where SofTrack Console will be utilized and enter the command:

```
Get-ExecutionPolicy -List
```




Command Prompt - powershell

```
C:\temp>powershell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
PS C:\temp> Get-ExecutionPolicy -List

Scope ExecutionPolicy
-----
MachinePolicy          Undefined
    UserPolicy          Undefined
    Process              Undefined
    CurrentUser         Undefined
    LocalMachine        Unrestricted
```

To SET the policy for any user on the workstation use the PowerShell command:

```
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned
```



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Windows\system32> Set-ExecutionPolicy -ExecutionPolicy RemoteSigned

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose you to the security risks described in the about_Execution_Policies help topic at https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): Y
```


And to ensure a local user policy is not conflicting use the PowerShell command:

```
Set-ExecutionPolicy -ExecutionPolicy Undefined -Scope CurrentUser
```

To SET the policy for the current user on the workstation use the PowerShell command:

```
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser
```

If the PowerShell Execution Policy is not configured as indicated the following message will appear when attempting to gather user details:



Device Report: Installation of PowerShell Module: AzureAd

To begin, open a PowerShell session As Administrator on the workstation where SofTrack Console will be utilized and enter the command At the PowerShell prompt enter the command

```
Install-Module AzureAD
```

Sample:

```
Administrator: Command Prompt - powershell
Microsoft Windows [Version 10.0.19043.1165]
(c) Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>powershell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\WINDOWS\system32> Install-Module AzureAD

NuGet provider is required to continue
PowerShellGet requires NuGet provider version '2.8.5.201' or newer to interact with NuGet-based repositories. The NuGet
provider must be available in 'C:\Program Files\PackageManagement\ProviderAssemblies' or
'C:\Users\DTMLLUAdminUser\AppData\Local\PackageManagement\ProviderAssemblies'. You can also install the NuGet provider
by running 'Install-PackageProvider -Name NuGet -MinimumVersion 2.8.5.201 -Force'. Do you want PowerShellGet to install
and import the NuGet provider now?
[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"):
```

If any prompts regarding “Do you want to install...”, answer Yes:

The installation continues:

There are (6) Logon Reports available:

- Basic Details (of each logon period)
- Full Details (of each logon period)
- Daily User Summary
- Daily User Summary + Intraday
- Weekly User Summary
- Workstation Utilization

Once the report type is selected, choose the report date range.

To further refine the resulting report up to 5 different IP addresses can be entered to filter upon. Enter the full (i.e. “198.2.1.32”) IPv4 address or a partial (i.e. “10.10.”) address to match upon. This is useful for several reports that do not include the IPv4 address as a filterable report column.

The final section allows selection of the specific users to include in the selected report.

Initially, there will be a single row for each selected Entity. If selected it will include “*All Workstations” and “*All Users”. To further refine the selection click the “Retrieve all users and workstations for selected Entities” button. That initial row for “*All Users” and “*All Workstations” will be removed and the list will be populated with all users and workstations from that entity. And, all values shown in the list will automatically be selected.

The list of user and workstations is based upon the actual data contained within the ALL_LOGON_ACTIVITY table for the selected entity. This list includes all DISTINCT variations, thus it is possible a user and/or workstation can appear multiple times in the list in different combinations.

To include all rows click the “triangle” at the upper left corner of the grid, that will “select all” in the list. To make other selections use “shift+click” on each desired row and/or use the “filter box” at the top of each column to filter the list and then select as required.

Once all desired selections are made click the “Run Report for selected users” button and the report will be created.

Note: You can create several reports without closing the “User Logon Activity Report Selector” screen. When complete, click the [X] at the upper right corner of the selector screen.

The following sections further detail each Logon Report.

Logon Report: Basic Details (of each logon period)

The Basic Details report provides the following columns:

Entity, User, User(LDAP), Logon Time, Logout Time, Total Logon Time, Total Locked Time, Total Active Time, Total Logon Time (seconds), Total Locked Time (seconds), Total Active Time (seconds):

Entity	User	User (LDAP)	Logon Time	Logout Time	Total Logon Time	Total Locked Time	Total Active Time	Total Logon Time (seconds)
DEFAULT	admin	CN=Domain Admin,C...	2020-12-04 03:14:00	2020-12-04 03:26:00	12 minutes, 1 second	Never	12 minutes, 1 second	721
DEFAULT	admin	CN=Domain Admin,C...	2020-12-03 10:57:00	2020-12-04 03:17:00	16 hours, 19 minutes, 39 se...	4 minutes, 21 seconds	16 hours, 15 minutes, 18 se...	58779

The last 3 columns are duplicated to provide output in “seconds only” format when exporting to CSV to ease use of mathematical formulas, for instance, if the CSV file is opened in Excel or other spreadsheet application.

At the upper left corner of the report there are two icons, the first exports to HTML the other exports to CSV.

Sample HTML export:

Logon Report: Basic Logon Details (2020-10-13 until 2021-01-20)

Entity	User	User (LDAP)	Logon Time	Logout Time	Total Logon Time	Total Locked Time	Total Active Time	Total Logon Time (seconds)	Total Locked Time (seconds)	Total Active Time (seconds)
DEFAULT	admin	CN=Domain Admin,CN=Users,DC=kttest,DC=local	2020-12-04 03:14:00	2020-12-04 03:26:00	12 minutes, 1 second	Never	12 minutes, 1 second	721	0	721
DEFAULT	admin	CN=Domain Admin,CN=Users,DC=kttest,DC=local	2020-12-03 10:57:00	2020-12-04 03:17:00	16 hours, 19 minutes, 39 seconds	4 minutes, 21 seconds	16 hours, 15 minutes, 18 seconds	58779	261	58518

First Prev Showing 1 - 2 / 2 filtered records | 2 records total Next Last // Page: 1

25 rows

Reset All Filters

You may use the following operators to filter results:

- != not equal
- !== not equal value or not equal type
- > greater than
- < less than
- >= greater than or equal to
- <= less than or equal to
- and and
- to range

This report generated from SOFTRACK: www.softwaremetering.com


Requested By: CN=Administrator,CN=Users,DC=testdomain,DC=local Date: Wed January 20, 2021

Logon Report: Full Details (of each logon period)

The Full Details report provides the following columns:

Entity, User, User(LDAP), Workstation, Machine GUID, IP Address, WTS Session Name, Logon Time, Day of Week, Logout Time, Day of Week, Total Logon Time, Total Locked Time, Total Active Time, Total Logon Time (seconds), Total Locked Time (seconds), Total Active Time (seconds). The sample image has been split to provide an enlarged view:

Logon Report: Full Logon Details (2020-10-13 until 2021-01-20)



Entity	User	User (LDAP)	Workstation	Machine GUID	IP Address	WTS Session Name
DEFAULT	admin	CN=Domain Admin,C...	ISWTESTKT16	d04fda41-c7c...	192.168.103.250 (via ...	RDP-Tcp#1
DEFAULT	admin	CN=Domain Admin,C...	ISWTESTKT16	d04fda41-c7c...	192.168.103.250 (via ...	RDP-Tcp#0

Number of rows: 2

Logon Time	Day of Week	Logout Time	Day...	Total Logon Ti...	Total Locked Time	Total Active
<all>	<all>	<all>	<...>	<all>	<all>	<all>
2020-12-04 03:14...	Fri	2020-12-04 03:26:...	Fri	12 minutes, 1 s...	Never	12 minutes, 1
2020-12-03 10:57...	Thu	2020-12-04 03:17:...	Fri	16 hours, 19 mi...	4 minutes, 21 seco...	16 hours, 15

Done

The last 3 columns are duplicated to provide output in “seconds only” format when exporting to CSV to ease use of mathematical formulas, for instance, if the CSV file is opened in Excel or other spreadsheet application.

At the upper left corner of the report there are two icons, the first exports to HTML the other exports to CSV.

Sample HTML export:

Logon Report: Full Logon Details (2020-10-13 until 2021-01-20)

Entity	User	User (LDAP)	Workstation	Machine GUID	IP Address	WTS Session Name	Logon Time	Day of Week	Logout Time	Day of Week	Total Logon Time	Total Locked Time	Total Active Time	Total Logon Time (seconds)	Total Locked Time (seconds)	Total Active Time (seconds)
DEFAULT	admin	CN=Domain Admin,CN=Users,DC=kttest,DC=local	ISWTESTKT16	d04fda41-c7c6-4dc2-9e1d-0151fceb7f61	192.168.103.250 (via Terminal Services)	RDP-Tcp#1	2020-12-04 03:14:00	Fri	2020-12-04 03:26:00	Fri	12 minutes, 1 second	Never	12 minutes, 1 second	721	0	721
DEFAULT	admin	CN=Domain Admin,CN=Users,DC=kttest,DC=local	ISWTESTKT16	d04fda41-c7c6-4dc2-9e1d-0151fceb7f61	192.168.103.250 (via Terminal Services)	RDP-Tcp#0	2020-12-03 10:57:00	Thu	2020-12-04 03:17:00	Fri	16 hours, 19 minutes, 39 seconds	4 minutes, 21 seconds	16 hours, 15 minutes, 18 seconds	58779	261	58518

First Prev Showing 1 - 2 / 2 filtered records | 2 records total Next Last // Page: 1

Logon Report: Daily User Summary

The Daily User Summary report provides the following columns:

Entity, User, User(LDAP), Day, Total Logons, Total Logons via Terminal Services, Total Logon Time, Total Locked Time, Total Active Time, Total Logon Time (seconds), Total Locked Time (seconds), Total Active Time (seconds). The sample image has been split to provide an enlarged view:

Logon Report: Daily User Summary (2020-11-05 until 2021-01-21)

Entity	User	User (LDAP)	Day	Total Logons	Total Logons via Terminal ...
DEFAULT	admin	CN=Domain Admin,C...	Thu Dec 03, 2020	1	1
DEFAULT	admin	CN=Domain Admin,C...	Fri Dec 04, 2020	2	2

Number of rows: 2

Total Logon Time	Total Locked Time	Total Active Time	Total Logon Time (seconds)	Total Locked Time (seconds)
13 hours, 3 minutes, 0 seco...	Never	13 hours, 3 minutes, 0 seco...	46980	0
3 hours, 29 minutes, 0 seco...	4 minutes, 21 seco...	3 hours, 24 minutes, 39 sec...	12540	261

Done

The “Total Logons via Terminal Services” indicates logons that occurred within a terminal server session (including Citrix sessions). Virtual Desktop logons will not be tracked via Terminal Services, instead Virtual Desktop logons are tallied in the “Total Logons” column. The “Total Logons” column indicates the number of separate logons that occurred during the day including when the logon started on a previous date but continued into another day.

The “Total Locked Time” column indicates the total amount of time the user desktop was locked. However, if a Logon session spans multiple days, the Total Locked Time is only attributed to the final date of the logon. This can cause the final day of a logon even to have a negative active time if the locked time exceeds the time logged on that final day of a logon session that spans multiple days. This occurs because the total locked time is a single value per logon session. The “Daily User Summary + Intraday” (next report detailed) provides a different perspective that details each locked period per day.

The last 3 columns are duplicated to provide output in “seconds only” format when exporting to CSV to ease use of mathematical formulas, for instance, if the CSV file is opened in Excel or other spreadsheet application.

At the upper left corner of the report there are two icons, the first exports to HTML the other exports to CSV.

Sample HTML export:

:

Logon Report: Daily User Summary (2020-11-05 until 2021-01-21)

Entity	User	User (LDAP)	Day	Total Logons	Total Logons via Terminal Services	Total Logon Time	Total Locked Time	Total Active Time	Total Logon Time (seconds)	Total Locked Time (seconds)	Total Active Time (seconds)
DEFAULT	admin	CN=Domain Admin,CN=Users,DC=kttest,DC=local	Thu Dec 03, 2020	1	1	13 hours, 3 minutes, 0 seconds	Never	13 hours, 3 minutes, 0 seconds	46980	0	46980
DEFAULT	admin	CN=Domain Admin,CN=Users,DC=kttest,DC=local	Fri Dec 04, 2020	2	2	3 hours, 29 minutes, 0 seconds	4 minutes, 21 seconds	3 hours, 24 minutes, 39 seconds	12540	261	12279

First Prev Showing 1 - 2 / 2 filtered records | 2 records total Next Last // Page: 1

Logon Report: Daily User Summary + Intraday

The Daily User Summary + Intraday report provides the following columns:

Entity, User, User(LDAP), Workstation, Day, Total Logons, Total Logons via Terminal Services, Total Logon Time, Total Locked Time, Total Active Time, Total Logon Time (seconds), Total Locked Time (seconds), Total Active Time (seconds).

And when a row is selected, there is a second view that details the logon, logout, lock and unlock activity that occurred.

Logon Report: Daily User Summary + Intraday Details (2020-11-05 until 2021-01-21)

Entity	User	User (LDAP)	Workstation	Day	Total Logons	Total Logons via ...	Total Logon Time	Total Locked Time	Total Active Time
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
COLA	kanga	CN=kanga,OU=Rivet...	VCS1DC1	Thu Nov 19, 2020	1	0	3 minutes	1 minute, 2 seconds	1 minute, 58 seconds
COLA	kanga	CN=kanga,OU=Rivet...	VCS1DC1	Sat Jan 16, 2021	4	0	12 minutes, 47 seconds	1 minute, 59 seconds	10 minutes, 48 seconds

Event Type	Event Time	IP Address
Logon	2021-01-16 11:54:40	198.206.217.87
Logout	2021-01-16 11:58:21	198.206.217.87
Logon	2021-01-16 18:36:05	198.206.217.87
Logout	2021-01-16 18:38:15	198.206.217.87
Logon	2021-01-16 20:22:03	198.206.217.87
Lock	2021-01-16 20:22:37	198.206.217.87
Unlock	2021-01-16 20:24:36	198.206.217.87
Logon	2021-01-16 20:25:40	198.206.217.87

Number of rows: 2

Done

The “Total Logons via Terminal Services” indicates logons that occurred within a terminal server session (including Citrix sessions). Virtual Desktop logons will not be tracked via Terminal Services, instead Virtual Desktop logons are tallied in the “Total Logons” column. The “Total Logons” column indicates the number of separate logons that occurred during the day including when the logon started on a previous date but continued into another day.

The “Total Locked Time” column indicates the total amount of time the user desktop was locked. However, if a Logon session spans multiple days, the Total Locked Time is only attributed to the final date of the logon. This can cause the final day of a logon even to have a negative active time if the locked time exceeds the time logged on that final day of a logon session that spans multiple days. This occurs because the total locked time is a single value per logon session. Click on a row to view the specific logon, logout, lock and unlock for that user’s actions on the date represented by that row.

The last 3 columns are duplicated to provide output in “seconds only” format when exporting to CSV to ease use of mathematical formulas, for instance, if the CSV file is opened in Excel or other spreadsheet application.

At the upper left corner of the report there are two icons, the first exports to HTML the other exports to CSV. The HTML report will **only include selected rows** from the main report grid. If no rows are selected there will be no report.

Sample HTML export:

SofTrack Logon Summary and Daily Details Report

User: kanga	Activity																														
Date: Sat Jan 16, 2021	<table border="1"> <thead> <tr> <th>Event Type</th> <th>Event Time</th> <th>IP Address</th> </tr> </thead> <tbody> <tr> <td>Logon</td> <td>2021-01-16 11:54:40</td> <td>198.206.217.87</td> </tr> <tr> <td>Logoff</td> <td>2021-01-16 11:58:21</td> <td>198.206.217.87</td> </tr> <tr> <td>Logon</td> <td>2021-01-16 18:36:05</td> <td>198.206.217.87</td> </tr> <tr> <td>Logoff</td> <td>2021-01-16 18:38:15</td> <td>198.206.217.87</td> </tr> <tr> <td>Logon</td> <td>2021-01-16 20:22:03</td> <td>198.206.217.87</td> </tr> <tr> <td>Lock</td> <td>2021-01-16 20:22:37</td> <td>198.206.217.87</td> </tr> <tr> <td>Unlock</td> <td>2021-01-16 20:24:36</td> <td>198.206.217.87</td> </tr> <tr> <td>Logon</td> <td>2021-01-16 20:25:40</td> <td>198.206.217.87</td> </tr> <tr> <td>Logoff</td> <td>2021-01-16 20:25:42</td> <td>198.206.217.87</td> </tr> </tbody> </table>	Event Type	Event Time	IP Address	Logon	2021-01-16 11:54:40	198.206.217.87	Logoff	2021-01-16 11:58:21	198.206.217.87	Logon	2021-01-16 18:36:05	198.206.217.87	Logoff	2021-01-16 18:38:15	198.206.217.87	Logon	2021-01-16 20:22:03	198.206.217.87	Lock	2021-01-16 20:22:37	198.206.217.87	Unlock	2021-01-16 20:24:36	198.206.217.87	Logon	2021-01-16 20:25:40	198.206.217.87	Logoff	2021-01-16 20:25:42	198.206.217.87
Event Type	Event Time	IP Address																													
Logon	2021-01-16 11:54:40	198.206.217.87																													
Logoff	2021-01-16 11:58:21	198.206.217.87																													
Logon	2021-01-16 18:36:05	198.206.217.87																													
Logoff	2021-01-16 18:38:15	198.206.217.87																													
Logon	2021-01-16 20:22:03	198.206.217.87																													
Lock	2021-01-16 20:22:37	198.206.217.87																													
Unlock	2021-01-16 20:24:36	198.206.217.87																													
Logon	2021-01-16 20:25:40	198.206.217.87																													
Logoff	2021-01-16 20:25:42	198.206.217.87																													
Workstation: VCS1DC1																															
Total Active Time: 10 minutes, 48 seconds																															

Logon Report: Weekly User Summary

The Weekly User Summary report provides the following columns:

Entity, User, User(LDAP), Weekly Time Period, Total Logons, Total Logons via Terminal Services, Total Logon Time, Total Locked Time, Total Active Time, Total Logon Time (seconds), Total Locked Time (seconds), Total Active Time (seconds).

Entity	User	User (LDAP)	Weekly Time Period	Total Logons	Total Logons via ...	Total Logon Time	Total Locked Time	Total Active Time
COLA	DTMLLUAdminUser		(Sun Dec 13, 2020 - Sat Dec 19, 2020)	1	0	7 days	Never	7 days
COLA	DTMLLUAdminUser		(Sun Dec 20, 2020 - Sat Dec 26, 2020)	1	0	7 days	Never	7 days
COLA	DTMLLUAdminUser		(Sun Dec 27, 2020 - Sat Jan 02, 2021)	1	0	5 days, 16 hours, 49 minute...	Never	5 days, 16 hours, 49 minute...
COLA	DTMLLUAdminUser		(Sun Nov 15, 2020 - Sat Nov 21, 2020)	1	0	3 days, 21 hours, 54 minute...	Never	3 days, 21 hours, 54 minute...
COLA	DTMLLUAdminUser		(Sun Nov 22, 2020 - Sat Nov 28, 2020)	1	0	7 days	Never	7 days
COLA	DTMLLUAdminUser		(Sun Nov 29, 2020 - Sat Dec 05, 2020)	1	0	7 days	Never	7 days
COLA	DTMLLUAdminUser		(Sun Dec 06, 2020 - Sat Dec 12, 2020)	2	0	6 days, 23 hours, 57 minute...	Never	6 days, 23 hours, 57 minute...

This report does not include Workstation because it is a summary of all logons for the selected user for a specific week regardless of Workstation.

The “Total Logons via Terminal Services” indicates logons that occurred within a terminal server session (including Citrix sessions). Virtual Desktop logons will not be tracked via Terminal Services, instead Virtual Desktop logons are tallied in the “Total Logons” column. The “Total Logons” column indicates the number of separate logons that occurred during the week including when the logon started during a previous week but continued into the next week.

The “Total Locked Time” column indicates the total amount of time the user desktop was locked. However, if a Logon session spans multiple weeks, the Total Locked Time is only attributed to the final week of the logon. This can cause the final week of a logon even to have a negative active time if the locked time exceeds the time logged on during the final week of a logon session that spans multiple weeks. This occurs because the total locked time is a single value per logon session. The “Daily User Summary + Intraday” (previous report detailed) provides a different

perspective that details each locked period per day.

The last 3 columns are duplicated to provide output in “seconds only” format when exporting to CSV to ease use of mathematical formulas, for instance, if the CSV file is opened in Excel or other spreadsheet application.

At the upper left corner of the report there are two icons, the first exports to HTML the other exports to CSV.

Sample HTML export:

Logon Report: Weekly User Summary (2020-11-12 until 2021-01-21)

Entity	User	User (LDAP)	Weekly Time Period	Total Logons	Total Logons via Terminal Services	Total Logon Time	Total Locked Time	Total Active Time	Total Logon Time (seconds)	Total Locked Time (seconds)	Total Active Time (seconds)
COLA	DTMLLUAdminUser		(Sun Dec 13, 2020 - Sat Dec 19, 2020)	1	0	7 days	Never	7 days	604800	0	604800
COLA	DTMLLUAdminUser		(Sun Dec 20, 2020 - Sat Dec 26, 2020)	1	0	7 days	Never	7 days	604800	0	604800
COLA	DTMLLUAdminUser		(Sun Dec 27, 2020 - Sat Jan 02, 2021)	1	0	5 days, 16 hours, 49 minutes, 44 seconds	Never	5 days, 16 hours, 49 minutes, 44 seconds	492584	0	492584
COLA	DTMLLUAdminUser		(Sun Nov 15, 2020 - Sat Nov 21, 2020)	1	0	3 days, 21 hours, 54 minutes, 22 seconds	Never	3 days, 21 hours, 54 minutes, 22 seconds	338062	0	338062
COLA	DTMLLUAdminUser		(Sun Nov 22, 2020 - Sat Nov 28, 2020)	1	0	7 days	Never	7 days	604800	0	604800
COLA	DTMLLUAdminUser		(Sun Nov 29, 2020 - Sat Dec 05, 2020)	1	0	7 days	Never	7 days	604800	0	604800
COLA	DTMLLUAdminUser		(Sun Dec 06, 2020 - Sat Dec 12, 2020)	2	0	6 days, 23 hours, 57 minutes, 32 seconds	Never	6 days, 23 hours, 57 minutes, 32 seconds	604652	0	604652

First Prev Showing 1 - 7 / 7 filtered records | 7 records total Next Last // Page: 1

Logon Report: Workstation Utilization

The Workstation Utilization report provides the following columns:

Entity, Workstation, Machine GUID, Total Logons, Total Logons via Terminal Services, Total Logon Time, Total Locked Time, Total Active Time, Average active time per logon, Total Logon Time (seconds), Total Locked Time (seconds), Total Active Time (seconds) and Average active

time per logon (seconds). The sample image has been split to provide an enlarged view:

Logon Report: Workstation Utilization (2020-11-12 until 2021-01-21)

Entity	Workstation (all users)	Machine GUID	Total Logons	Total ...	Total Logon Time
<all>	<all>	<all>	<all>	<all>	<all>
COLA	VCS1DC1	378abca1-4f43-...	10	0	31 minutes, 48 seconds
COLA	DESKTOP-EBQG6RR	95e63525-93d8-...	2	0	44 days, 14 hours, 41 minut...
DEFAULT	MININT-DU82FM4	e730b2c3-7172-...	3	0	2 days, 14 hours, 24 minute...
DEFAULT	ISWTESTKT16	d04fda41-c7c6-...	2	2	16 hours, 31 minutes, 40 se...

Number of rows: 4

Total Locked Time	Total Active Time	Average active time per logon	Total Logon Time
<all>	<all>	<all>	<all>
6 minutes, 2 seconds	25 minutes, 46 seconds	2 minutes, 34 seconds	1908
Never	44 days, 14 hours, 41 minut...	22 days, 7 hours, 20 minutes, ...	3854498
1 minute, 28 seconds	2 days, 14 hours, 23 minute...	20 hours, 47 minutes, 47 seco...	224689
4 minutes, 21 seconds	16 hours, 27 minutes, 19 se...	8 hours, 13 minutes, 39 secon...	59500

Done

The “Total Logons via Terminal Services” indicates logons that occurred within a terminal server session (including Citrix sessions). Virtual Desktop logons will not be tracked via Terminal Services, instead Virtual Desktop logons are tallied in the “Total Logons” column. The “Total Logons” column indicates the number of separate logons that occurred during the reporting period including when the logon started at a previous time but continued through part of all of the reporting time period.

The last 4 columns are duplicated to provide output in “seconds only” format when exporting to CSV to ease use of mathematical formulas, for instance, if the CSV file is opened in Excel or other spreadsheet application.

At the upper left corner of the report there are two icons, the first exports to HTML the other exports to CSV.

Sample HTML export:

Logon Report: Workstation Utilization (2020-11-12 until 2021-01-21)

Entity	Workstation (all users)	Machine GUID	Total Logons	Total Logons via Terminal Services	Total Logon Time	Total Locked Time	Total Active Time	Average active time per logon	Total Logon Time (seconds)	Total Locked Time (seconds)	Total Active Time (seconds)	Average Active Time (seconds)
COLA	VCS1DC1	378abca1-4f43-43ea-a1e7-a40d416ab7f1	10	0	31 minutes, 48 seconds	6 minutes, 2 seconds	25 minutes, 46 seconds	2 minutes, 34 seconds	1908	362	1546	154
COLA	DESKTOP-EBQG6RR	95e63525-93d8-414f-83a1-f7002b291812	2	0	44 days, 14 hours, 41 minutes, 38 seconds	Never	44 days, 14 hours, 41 minutes, 38 seconds	22 days, 7 hours, 20 minutes, 49 seconds	3854498	0	3854498	1927249
DEFAULT	MININT-DU82FM4	e730b2c3-7172-4bfb-840a-a225a1a47063	3	0	2 days, 14 hours, 24 minutes, 49 seconds	1 minute, 28 seconds	2 days, 14 hours, 23 minutes, 21 seconds	20 hours, 47 minutes, 47 seconds	224689	88	224601	74867
DEFAULT	ISWTESTKT16	d04fda41-c7c6-4dc2-9e1d-0151fceb7f61	2	2	16 hours, 31 minutes, 40 seconds	4 minutes, 21 seconds	16 hours, 27 minutes, 19 seconds	8 hours, 13 minutes, 39 seconds	59500	261	59239	29619

First Prev Showing 1 - 4 / 4 filtered records | 4 records total Next Last // Page: 1

Logon Report: Workstation Overview Summary

The Workstation Overview Summary report provides the following columns:

Entity, Workstation, Machine GUID, Installation Date, First Activity Date (during the reporting range), Latest Activity Date (of activity occurring during the reporting range), Today's Date (date report was run), Days in Report, Total Days that had Usage (Active Days), Percent Active Days


Entity	Workstation	Mach...	Installation Date	First Activity Date	Latest Activity Date (started...	Today's Date	Days in Report	Total Days that had Usage	Percent Active Days
COLA	DESKTOP-EBQG6RR	95e63...	Aug 8, 2022	2022-08-08 15:44:56	2023-05-16 15:31:06	Jul 6, 2023	450	44	9

Device Report: Summary+Detail Unique Users [LDAP Logon Names only]

For any workstation or server using the SofTrack STSLAM Agent, Logon Activity will be gathered.

The SPLA (Service Provider License Agreement) User Logon Reports provide Subscriber Access License (SAL) reports to assist Managed Service Providers with user logon reports.


This report uses a date range selector:




Columns include:

Entity, Workstation/Server, Machine GUID, Count of Unique Users

The report has one row per Workstation/Server with any usage during the reporting period:



Click the ‘View User Activity’ button to reveal the list of unique users (only those with an LDAP logon value) for selected rows:




Device Report: Summary+Detail Unique Users [Domain Logon Names only]

For any workstation or server using the SofTrack STSLAM Agent, Logon Activity will be gathered.

The SPLA (Service Provider License Agreement) User Logon Reports provide Subscriber Access License (SAL) reports to assist Managed Service Providers with user logon reports.

This report uses a date range selector:



Columns include:

Entity, Workstation/Server, Machine GUID, Count of Unique Users

The report has one row per Workstation/Server with any usage during the reporting period:

Entity	Workstation (Server)	Machine GUID	Unique Users Logon (Domain\User) Count
<all>	<all>	<all>	<all>
COLA	VCS1DC1	378abca1-4f43-43ea-a1e7-...	1

Click the ‘View User Activity’ button to reveal the list of unique users (only those with a Domain\Username logon value) for selected rows:


Entity	Workstation (Server)	Machine GUID	User Logon Domain	User Logon Name
<all>	<all>	<all>	<all>	<all>
COLA	VCS1DC1	378abca1-4f43-43ea-a1e7-...	TESTDOMAIN	kanga

Device Report: Summary+Detail Unique Users [All Logon types]

For any workstation or server using the SofTrack STSLAM Agent, Logon Activity will be gathered.

The SPLA (Service Provider License Agreement) User Logon Reports provide Subscriber Access License (SAL) reports to assist Managed Service Providers with user logon reports.


This report uses a date range selector:




Columns include:

Entity, Workstation/Server, Machine GUID, Count of Unique Users

The report has one row per Workstation/Server with any usage during the reporting period:



Click the ‘View User Activity’ button to reveal the list of unique users (all logon types) for selected rows:



Device Report: Summary+Detail Unique Users per Domain

For any workstation or server using the SofTrack STSLAM Agent, Logon Activity will be gathered.

The SPLA (Service Provider License Agreement) User Logon Reports provide Subscriber Access License (SAL) reports to assist Managed Service Providers with user logon reports.

This report uses a date range selector:

Columns include:

Entity, Domain Count of Unique Users

The report has one row per Workstation/Server with any usage during the reporting period:

Entity	Domain	Unique Users Logon Count
COLA	TESTDOMAIN	1
DEFAULT	MININT-DU82FM4	3

Click the ‘View User Activity’ button to reveal the list of unique for selected rows:

Entity	Workstation (...)	Machine G...	Domain	User Logon Name	User Logon (LDAP)
COLA	VCS1DC1	378abca1-4f...	TESTDOMAIN	kanga	CN=kanga,OU=Rivets,DC=testdomain,DC=local
DEFAULT	MININT-DU8...	e730b2c3-7...	MININT-DU82FM4	DTMLLUAdminUser	
DEFAULT	MININT-DU8...	e730b2c3-7...	MININT-DU82FM4	user	
DEFAULT	MININT-DU8...	e730b2c3-7...	MININT-DU82FM4	bxUser	

Note: A workstation/server with no defined Domain will use that machine’s Computer name as the Domain name.

Chapter 8 Managed Views

Managed Views: Overview

SofTrack Managed Assets Managed Views provides the ability to create customized views of Applications and Devices including the ability to manually add Applications and Devices. Additionally, any detail (such as who installed, when will retire, etc.) and any and all records can be centrally stored for any Application and Device.


All Managed Views are stored in separate SQL Databases. There are 2 prefixes for Managed View Databases:

SOFTRACK_MANAGED_APPS_

SOFTRACK_MANAGED_DEVICES_

Managed Views

The Managed section of the SofTrack Console provides the ability to create customized views of Application and Device data including manually added Applications and Devices including non-workstation devices.



The screenshot shows the SofTrack Console interface for the 'Managed' section. The title bar indicates the server is 'Server VCSLOCALDC01: Managed Assets - SofTrack Console'. The navigation menu includes Home, Agents, Profiles, Settings, Reports, and Managed. The 'Managed' section is active, displaying a toolbar with 'Refresh', 'Export Statistics', 'Create App View', 'Create Device View', 'Clone selected View', and 'Delete View'. Below the toolbar, there is a 'Managed Assets Summary for all Entities' table.

SofTrack Managed View...	Date Cr...	Database Size	Number ...
<all>	<all>	<all>	<all>
SOFTRACK_MANAGED_A...	2021-03-...	4.00 MB	23
SOFTRACK_MANAGED_A...	2021-04-...	4.00 MB	2

The idea of Managed Views (customized views) allows direct control over how Applications and Devices are viewed and managed.

Managed Views allows combining of Applications and Devices from multiple Entities.


Managed Views allow unlimited notations per Application or Device.

Managed Views separately allows relevant data to be defined and stored, lists of serial numbers, vendor details, purchase records (any file type, images, pdf, documents, xls, etc), renewal dates and more.


Additionally, Reminders can be directly set within any Managed View.

Edit/Delete Reminders

The first section within the Managed section is Reminders(ALL). This built-in section provides the ability to edit/delete all Reminders created for any Entity or Managed View.



If Delete is selected, a confirming prompt will be presented:



If Edit is selected, the following will be presented:

Edit Device Reminder for Entity TEST ✕

Reminder Name:

Reminder Description:

Number of Devices included: 4

Reminder Date:

Reminder Time:

Reset Period (number of days between re-sending reminder)

Reset Iterations (number of reset periods, 0=send once)

Reminder EMAIL Subject:

Reminder EMAIL Text:

Include list of devices at end of email body text

Include list of devices as attachment

Send Email to those addresses defined for Entity


Reminder Additional Email Addresses to send to

All items of the Reminder can be changed except for the list of Devices or Applications included.


Managed View: Applications

This section will further describe the Application Managed View. To start, click on the Managed section and then click the Create App View ribbon button:

Creating an Application Managed View



The following prompt will be presented:



Enter a name for the new Application View. This name will be pre-pended (as shown in the image above) with the text “SOFTRACK_MANAGED_APPS_”. When ready, click the “Click here to create...” button and a new database will be created in SQL including 2 tables, one named APPLICATIONS and one named DATA. The following response will be shown:


SofTrack creating SQL Entity database ABACUS_GROUP

Step Count: Server	Action	Result
00001: VCSLOCALDC01\SQLEXP...	Connecting to SQL Server	...
00002: VCSLOCALDC01\SQLEXP...	Creating SOFTRACK_MANAGED_APPS_ABACUS_GR...	...
00003: VCSLOCALDC01\SQLEXP...	Successfully created SOFTRACK_MANAGED_APPS_A...	OK
00004: VCSLOCALDC01\SQLEXP...	Add Login for local [NT AUTHORITY\SYSTEM]	...
00005: VCSLOCALDC01\SQLEXP...	Already Exists: Login for [NT AUTHORITY\SYSTEM]	OK
00006: VCSLOCALDC01\SQLEXP...	Add ROLE sysadmin for local [NT AUTHORITY\SYSTEM]	...
00007: VCSLOCALDC01\SQLEXP...	Successfully added ROLE sysadmin for local [NT AUTHORITY\SYSTEM]	OK
00008: VCSLOCALDC01\SQLEXP...	Add Login for Remote Name of SOFTRACK Server Agent [VCSEXCHANGE\VCSLOCALDC01\$]	...
00009: VCSLOCALDC01\SQLEXP...	Already Exists: Login for [VCSEXCHANGE\VCSLOCALDC01\$]	...
00010: VCSLOCALDC01\SQLEXP...	Add ROLE sysadmin for [VCSEXCHANGE\VCSLOCALDC01\$]	...
00011: VCSLOCALDC01\SQLEXP...	Successfully added ROLE sysadmin for [VCSEXCHANGE\VCSLOCALDC01\$]	OK
00012: VCSLOCALDC01\SQLEXP...	Creating Table APPLICATIONS	...
00013: VCSLOCALDC01\SQLEXP...	Successfully Created Table APPLICATIONS	OK
00014: VCSLOCALDC01\SQLEXP...	Creating Table DATA	...
00015: VCSLOCALDC01\SQLEXP...	Successfully Created Table DATA	OK

Save Results Done


Notice, the “Save Results” button, if clicked, a prompt to enter a filename will be presented and the results of the window will be saved to the selected file.

After clicking Done, the new Application View will be added to the list:




Editing an Application Managed View



To edit, click on the new item, in this example: View(ABACUS_GROUP):



Initially, the Application View is blank. To begin, click on the Add Application button:



There are 2 selections, the first, Add Applications from an existing Entity will present a list of Entities and then the list of Applications stored in that Entity’s SQL database.




Notice in the image above, the list of applications can be quickly filtered for each column by typing in any matching text. In the image above “abac” is typed into the filter for the first column.

Next, select the desired applications, if all are to be selected, click the top left button (at the column header level), this will select all shown filtered results.



Then, click the Add selected button and the selected Applications will immediately be added. When finished, click the “X” at the top right of the window:






To remove any application(s), select each and then click the Remove Application button. This button will be grayed/disabled unless one or more applications are selected.

Notice the columns, Entity Name, Application Name, Application Version and Application Publisher. The values shown are directly from the Entity database for each select application. Once Applications are added to this Managed View, they will remain, as there is no further connection to the Entity's current applications. Thus, if the Applications shown are removed from the source Entity (including if that Entity is removed), each will remain in the Managed Application view until directly removed.

Note:

The same Applications can be included in multiple Managed Views, there is no limitation regarding how often each are included.



The second option, Manually Add Application, will present a prompt for details of the application to add. When manually adding an application, it is only added to the Managed View, it is not associated with any Entity.

Manually Add Application(s) to Managed View ABACUS_GROUP ✕

Application Name: Add

Application Version: Done

Application Publisher:


Sample result:

Entity	Application	Version	Publisher
<all>	<all>	<all>	<all>
#MANUAL#	Problem Solver	1.45	In-House

Notice, the Entity name is “#MANUAL#”, this value is always used for all Manual entries.

Adding custom columns to an Application Managed View

Next, the Add Column button enables definition of new columns that will be added to the SQL table (named APPLICATIONS). There are several data types available:



Once clicked, the following will appear:

The Column Name can be up to 32 characters. Allowed characters include A-Z, a-z, 0-9, and the symbols @ # \$ _ . All other characters will be converted to an underscore “_”.

The Column Data Type has several selections:

For the text.varchar column type, the maximum character length is from 4 to 512 (only applicable to text column type).

The “file.varchar+varbinary” will actually create 2 columns, one for the original filename (including path) and the other for that file’s actual content. The maximum file size is currently set to 5MB, if you require a larger file size, please contact support@softwaremetering.com and indicate the required file size and we will provide an update.


When Add Column is clicked the column is added to the SQL Table (APPLICATIONS) and will allow NULL values meaning each row is not required to have a value defined for the new column.

The prompt dialog will remain until the “Done” button is clicked. This enables defining several columns without having to re-open the Add Columns dialog for each.

Important note:


As will be described in a later section, the customized SQL Table columns created [can be cloned](#), this eases the re-use of your customizations for multiple Managed Views

After adding columns, click the Refresh button to rebuild the list:



The following are some sample columns created. There are no restrictions on the number of columns that can be created.


Notice, each column name is prepended with an underscore “_”, this is intentional and is used to indicate custom columns. The prepended underscore is automatic.



The column order will be as created.

Editing custom columns in an Application Managed View

Next, to add values to each custom column defined, select one or more rows and click the Edit Columns button:



And the following window will appear:

Edit Custom Column values

Available Custom Columns	Data Type	Existing Value (first selected row)	New Value
_Department	varchar(80)		
_Accounting Group	varchar(80)		
_How_used	varchar(500)		

Edit Text

Edit Number

Edit Accounting

Edit Date

Add/Revise File

Save updated/new values to each selected row

This window allows editing of all custom values for each select row. To begin, select a custom column and its data type will be enabled for data entry:

Edit Custom Column values

Available Custom Columns	Data Type	Existing Value (first selected row)	New Value
_Department	varchar(80)		Material Groups
_Accounting Group	varchar(80)		
_How_used	varchar(500)		Determination of existing platforms for new efforts

Edit Text

Edit Number

Edit Accounting

Edit Date

Add/Revise File

Save updated/new values to each selected row

Click the Apply button to update the New Value (as shown above).

When finished, click the “Save upated/new values to each selected row” button. The SQL Table will be updated and new values shown:


Manage Application View(ABACUS_GROUP)

Entity	Application	Version	Publisher	_Department	_Accounting Group	_How_used
<all>	<all>	<all>	<all>	<all>	<all>	<all>
#MANUAL#	Problem Solver	1.45	In-House	Material Groups		from here to there
TEST	Abacus Billing Popup	4.4.2.0	American Reprographics Co...	Material Groups		from here to there

Adding Data rows in an Application Managed View

Each Managed View has 2 lists (also called ‘grids’). The first is the list of included Applications and any custom columns. The second list is of data associated with those Applications. The data items can include any variety of information including Vendor details, Vendor invoices, Renewal Dates, Third party support details, and any other details.

To add a data row, click the Add Data Value button:



Add Data Row(s) to Managed View ABACUS_GROUP

Define new Data row

Item Data Type:

Item Name:

Item Description:

Enter value to add (for List data type, enter first value, then use Edit)

Apr /24/2021

There are several data types available:

Define new Data row

Item Data Type:

- text.varchar
- text.varchar
- integer.int
- date+time.datetime
- accounting.decimal
- list.varchar
- file.varchar+varbinary

Each item must include an Item Name. The Item Name can be up to 126 characters and is free form. The item Description is optional and can be up to 254 characters.

The combination of Item Data Type + Item Name must be unique for the selected Managed View.

The value of the Item can be up to 512 characters.

When using the list.varchar data type, only the first value (of the list) can be entered on this screen. Once the initial data row is created use the Edit Data Value button to manage the list values.

Example:


When ready, click the Add Data Value button. When complete, close the window by clicking on the [X] at the upper right corner of the dialog window.

As each value is added it is immediately saved to the SQL Table and will also be shown in the Data section:

Item Type	Item Name	Item Description	Item Value
<all>	<all>	<all>	<all>
List	Serial Numbers	List of serial numbers from vendor	SN77992-993-1

Editing Data rows in an Application Managed View

To edit a Data row (only a single data row can be edited at a time), select the desired data row and click the Edit Data Value button:



And the following window will appear (for List data type):

Please note, the Item Data Type cannot be edited. For list items, use the Remove selected list item(s) and Add buttons (entering new values in the edit field to the left of the Add button).

When ready, there are two options, Update Existing Data Row (full in-place replacement of the row in the Data SQL Table), or, Add as new Data Row (only possible if the Item name has been changed as Item Data Type + Item Name must be unique in the Data SQL Table for the selected Managed View.

Example:



Item Type	Item Name	Item Description	Item Value
<all>	<all>	<all>	<all>
List	Serial Numbers	List of serial numbers from vendor	
			SN77992-993-1
			SN77992-994-1
			SN77992-994-31
			SN77991-992-2

Note: For List items, the list can be closed and opened by clicking on the value “List” in the Item Type column; this will toggle the list to be closed/open, below shows the same list (as above), closed:


Item Type	Item Name	Item Description	Item Value
<all>	<all>	<all>	<all>
List	Serial Numbers	List of serial numbers from vendor	

When editing other data types (other than List) the following (or similar) window will appear:

To remove one or more data rows, select the rows and then click the Delete Data Row button:



And a confirming prompt will appear:



If OK is clicked, the selected rows are immediately deleted from the DATA SQL Table for the selected Managed View. Caution: there is no “undo delete” function.

Editing, Viewing and Extracting FileType Data rows in an Application Managed View

Building on the previous section, if the file.varchar+varbinary data type is selected, then a file can be added to the Data SQL table. The maximum file size allowed is 5MB. Please contact support@softwremetering.com if you require the ability to store a larger file.

Use the File Assistance (highlighted above) button to open an Explorer window to locate the file. The entire file path will be stored in the data row and the file’s actual contents will also be stored in a separate column within the SQL Table.

The maximum file name length is 512 characters.

The following is a sample result:

	Item Type	Item Name	Item Description	Item Value
	<all>	<all>	<all>	<all>
	Text	Vendor	Vendor Name and contact	ARC, 555-800-1212
	Date	License Expires	Expiration Date for 2021 purchases	2021-11-01 00:00:00
	List	Serial Numbers	List of serial numbers from vendor	
				SN77992-993-1
				SN77992-994-1
				SN77992-994-31
				SN77991-992-2
	File	Invoices-0001	Vendor Invoice	C:\temp\small_other_file.bt

Notice, the file’s data is not shown in the row.

To retrieve the file, select the data row and click the Edit Data Value button and the following window will appear:

Notice there are 2 additional buttons (versus the Add Data Value prompt).

View Existing File and Extract Existing File.

If the file has an association within Windows, the View Existing File will auto-open that file in its native viewer.

However, if the file type is .exe, .lnk, .msi, .com or .dll; then the file will not be opened as it would attempt to start the executable.

If the file type is .bat, .ps, ps1; then the selected file will be opened in NOTEPAD.EXE instead of being run.

When the Extract Existing File is clicked, a Windows Explorer view will appear to assist in locating the path to extract the file to. Notice, the entire file path is stored in the data row, however, when extracting only the filename will be used and will be saved to the selected path.

Setting an Email Reminder in an Application Managed View

An email reminder can be configured for one or more applications contained within an Application Managed View. To start, select one or more application rows and click the Set Reminder button:

The screenshot shows the 'Assistance' menu with options: Remove Application, Add Column, Edit Columns, Add Data Value, Edit Data Value, Delete Data Value, and Set Reminder. A tooltip for 'Set Reminder' is visible, stating 'Set Application Reminder' and 'Set Reminder Email for selected Applications'. Below the menu is a table with the following data:

Entity	Application			
<all>	<all>			
#MANUAL#	Problem Solver	1.45		In-House
TEST	Abacus Billing Popup	4.4.2.0		American Reprographics Co.

the following will appear:

The dialog box 'Set Application Reminder for Entity DEFAULT' contains the following fields and options:

- Reminder Name: [Text Input]
- Reminder Description: [Text Input]
- Number of Applications included: 2
- Reminder Date: Apr /25/2021
- Reminder Time: 12:00 AM
- Reset Period (number of days between re-sending reminder): [Text Input]
- Reset Iterations (number of reset periods, 0=send once): [Text Input]
- Reminder EMAIL Subject: [Text Input]
- Reminder EMAIL Text: [Text Input]
- Include list of applications at end of email body text:
- Include list of applications as attachment:
- Send Email to those addresses defined for Entity:
- Reminder Additional Email Addresses to send to: [Text Input]

Notice in the window caption, it indicates an Entity name (DEFAULT as shown above). The Entity of the first selected row is used. This is important because that [Entity's email configuration](#) is what will be used to send the Email Reminder.


If the Entity for the first selected row is “#MANUAL#” then the “DEFAULT” Entity will be used for the configuration.

If there are multiple Entities selected the Reminder will only use the email configuration of the first selected row.

The Reminder configuration is further detailed in a previous section, [click here for details](#).

Exporting values from an Application Managed View

To create an HTML report or Export CSV of an Application Managed View, click the Export Statistics button:




When creating an HTML report, two files will be created, one for the rows of Applications and one for the Data grid. The file for the Data grid will have the same name as the Applications grid except with “_data” appended to the filename.

The export does not include the data of any File stored within either list, only its original filename. To retrieve the File, please use the Edit Column or Edit Data Value button.

Managed View: Devices

This section will further describe the Devices Managed View. To start, click on the Managed section and then click the Create Device View ribbon button:

Creating a Device Managed View



The following prompt will be presented:

SQL Managed View Database Creation server VCSLOCALDC01 ×

Create new SofTrack Managed Device View Database

Name of SQL Server Host:
VCSLOCALDC01\SQLEXPRESS2014

Enter name of new SOFTRACK Managed View Database:

Name can contain A-Z, 0-9 and symbols '\$' '#' '@' '_'
Maximum name length is 32 characters
Named entered will automatically be pre-pended with 'SOFTRACK_MANAGED_DEVICES_'

Enter a name for the new Device View. This name will be pre-pended (as shown in the image above) with the text “SOFTRACK_MANAGED_DEVICES_”. When ready, click the “Click here to create...” button and a new database will be created in SQL including 2 tables, one named DEVICES and one named DATA. The following response will be shown:


SofTrack creating SQL Entity database RICHFIELD_OFFICE

Step Count: Server	Action	Result
00001: VCSLOCALDC01\SQLEXP...	Connecting to SQL Server	...
00002: VCSLOCALDC01\SQLEXP...	Creating SOFTRACK_MANAGED_DEVICES_RICHFIEL...	...
00003: VCSLOCALDC01\SQLEXP...	Successfully created SOFTRACK_MANAGED_DEVICE...	OK
00004: VCSLOCALDC01\SQLEXP...	Add Login for local [NT AUTHORITY\SYSTEM]	...
00005: VCSLOCALDC01\SQLEXP...	Already Exists: Login for [NT AUTHORITY\SYSTEM]	OK
00006: VCSLOCALDC01\SQLEXP...	Add ROLE sysadmin for local [NT AUTHORITY\SYSTEM]	...
00007: VCSLOCALDC01\SQLEXP...	Successfully added ROLE sysadmin for local [NT AUTHORITY\SYSTEM]	OK
00008: VCSLOCALDC01\SQLEXP...	Add Login for Remote Name of SOFTRACK Server Agent [VCSEXCHANGE\VCSLOCALDC01\$]	...
00009: VCSLOCALDC01\SQLEXP...	Already Exists: Login for [VCSEXCHANGE\VCSLOCALDC01\$]	...
00010: VCSLOCALDC01\SQLEXP...	Add ROLE sysadmin for [VCSEXCHANGE\VCSLOCALDC01\$]	...
00011: VCSLOCALDC01\SQLEXP...	Successfully added ROLE sysadmin for [VCSEXCHANGE\VCSLOCALDC01\$]	OK
00012: VCSLOCALDC01\SQLEXP...	Creating Table DEVICES	...
00013: VCSLOCALDC01\SQLEXP...	Successfully Created Table DEVICES	OK
00014: VCSLOCALDC01\SQLEXP...	Creating Table DATA	...
00015: VCSLOCALDC01\SQLEXP...	Successfully Created Table DATA	OK

Save Results Done


Notice, the “Save Results” button, if clicked, a prompt to enter a filename will be presented and the results of the window will be saved to the selected file.

After clicking Done the new Device View will be added to the list:




Editing a Device Managed View



To edit, click on the new item, in this example: View(RICHFIELD_OFFICE):



Initially, the Device View is blank. To begin, click on the Add Device button:



There are 2 selections, the first, Add Devices from an existing Entity will present a list of Entities and then the list of Devices stored in that Entity’s SQL database.




Notice in the image above, the list of devices can be quickly filtered for each column by typing in any matching text.

Next, select the desired devices, if all are to be selected, click the top left button (at the column header level), this will select all shown filtered results.



Then, click the Add selected button and the selected Applications will immediately be added. When finished, click the “X” at the top right of the window:




To remove any device(s), select each and then click the Remove Device button. This button will be grayed/disabled unless one or more devices are selected. A confirming prompt will be present prior to deletion.

Notice the columns, Entity Name, DeviceTypeName, Device Name, MachineGUID, SerialNumber, Make and Model. The values shown are directly from the Entity database for each selected device. Once Devices are added to the current Managed View, they will remain, as there is no further connection to the Entity's current devices. Thus, if the Devices shown are removed from the source Entity (including if that Entity is removed), each will remain in the Managed Device view until directly removed.

Note:

The same Devices can be included in multiple Managed Views, there is no limitation regarding how often each are included.



The second option, Manually Add Device, will present a prompt for details of the device to add.

When manually adding a device, it is only added to the current Managed View, it is not associated with any Entity.

A screenshot of a dialog box titled 'Manually Add Device(s) to Managed View RICHFIELD_OFFICE'. The dialog has a close button (X) in the top right corner. It contains the following fields and controls:

- 'Device Type' section with a radio button for 'Computer' (selected) and a radio button for 'Other (fill in type below)' with an empty text input field below it.
- 'Add' button and 'Done' button.
- 'Computer/Device Name:' label with an empty text input field.
- 'Device Serial Number:' label with an empty text input field.
- 'Device Make/Manufacturer:' label with an empty text input field.
- 'Device Model:' label with an empty text input field.

The Device Type defaults to Computer, but any device type can be defined. This can be useful for tracking details of non-computer devices, including printers, switches, phones, even furniture, anything at all.

When ready, click the Add button. The prompt will remain, easing entry of multiple devices. When complete, click the Done button.

Sample result:

Server VCSLOCALDC01: Managed Assets Entity - SofTrack Console

Home Agents Profiles Settings Reports **Managed** Style ?

Refresh Export Statistics Assistance

Add Device Remove Device Add Column Edit Columns Re-Sync Columns Add Data Value Edit Data Value Delete Data Value Set Reminder

Managed

- Home
- Agents
- Applications
- Devices
- Managed
 - Reminders(ALL)
 - View(RICHFIELD_OFFICE)

Manage Device View(RICHFIELD_OFFICE)

Entity	DeviceTypeName	Device Name	MachineGUID	SerialNumber	Make	Model
<all>	<all>	<all>	<all>	<all>	<all>	<all>
#MANUAL#	Switch	Cisco switch		CS880011	Cisco	Cisco-80150
COLA	Computer	DESKTOP-EBQG6RR	95e63525-93d8-...	To be filled by O...	Gigabyte...	To be filled by O.E
TEST	Computer	WINDOWS-10-TEST	F38469dd-3f4b-4...	VMware-21 59 b...	VMware:...	VMware Virtual Pla

Notice, the Entity name is “#MANUAL#”, this value is always used for all Manual entries.

Adding custom columns to a Device Managed View

Next, the Add Column button enables definition of new columns that will be added to the SQL table (named DEVICES).

Add Column Edit Columns Re-Sync Columns Add Data Value Edit Vi

Assistance

Add SQL Column
Add existing (import) or add custom column to SQL Table of current Managed View

Once clicked, the following will appear:

Add/Import Column(s) to Managed View COMPUSHOP [X]

Import Columns from Inventory Table [Done]

Define new column for manual entry

Column Name:

Column Data Type:
text.varchar

Maximum character length (only for text.varchar)

Add Column

The Import Columns from Inventory Table button provides the ability to include additional columns (in addition to the default columns included from the source Entity, specifically Entity Name, DeviceTypeName, Device Name, MachineGUID, SerialNumber, Make and Model).

When clicked the following will appear:

Select Column(s) to Import to Managed View RICHFIELD_OFFICE [X]

Select Column(s) to Import:

Available Columns ▲

- BIOSdateVersion
- CPUCount
- Description
- InternetExplorerVersion
- IPv4Address
- IsGenuine
- MachineDomainWGroup
- MachineLogonServer
- MachineTimeZone
- PhysicalRAM
- PrimaryUserWindows
- PrimaryVideoAdapterDriverDate
- PrimaryVideoAdapterDriverVersion
- PrimaryVideoAdapterName
- SystemLastRebootTimeValue
- SystemUpTimeInSeconds
- TotalFreeCdrive
- TotalSizeCdrive
- WindowsBuild
- WindowsExperienceScore
- WindowsInstallationKey
- WindowsRelease
- WindowsServicePack
- WindowsType

Add [Done]

The list above is from the INVENTORY table definition included by each Entity.

The list shown are the columns that are available, if one more more columns have been previously imported each will not be included in the list of available columns.


When added, the data for these columns will be copied from the selected device's Entity. Additionally, the [Re-Sync Columns](#) button can be used to re-fetch those values and update what is stored in the Device Managed View. The Re-Sync Columns button will be further detailed in a following section.

When a column is imported, its name, data type and maximum text length are provided by the INVENTORY table definition and require no further configuration.

When adding a new column, the following applies:

The Column Name can be up to 32 characters. Allowed characters include A-Z, a-z, 0-9, and the symbols @ # \$ _ . All other characters will be converted to an underscore “_”.

The Column Data Type has several selections:



For the text.varchar column type, the maximum character length is from 4 to 512 (only applicable to text column type).

The “file.varchar+varbinary” will actually create 2 columns, one for the original filename (including path) and the other for that file's actual content. The maximum file size is currently set to 5MB, if you require a larger file size, please contact support@softwaremetering.com and indicate the required file size and we will provide an update.


When Add Column is clicked the column is added to the SQL Table (DEVICES) and will allow NULL values meaning each row is not required to have a value defined for the new column.

The prompt dialog will remain until the “Done” button is clicked. This enables defining several columns without having to re-open the Add Columns dialog for each.

Important note:

As will be described in a later section, the customized SQL Table columns created [can be cloned](#), this eases the re-use of your customizations for multiple Managed Views

After adding columns, click the Refresh button to rebuild the list:



The following are some sample columns that are both imported and created. There are no restrictions on the number of columns that can be created.

Notice, each custom column name is prepended with an underscore “_”, this is intentional and is used to indicate custom columns. Imported column names remain as originally defined in the INVENTORY table.

Server VCSLOCALDC01: Managed Assets Entity - SofTrack Console

Home Agents Profiles Settings Reports **Managed**

Refresh Export Statistics Assistance Add Device Remove Device Add Column Edit Columns Re-Sync Columns Add Data Value Edit Data Value Delete Data Value Set Reminder

Managed

- Home
- Agents
- Applications
- Devices
- Managed
 - Reminders(ALL)
 - View(RICHFIELD_OFFICE)

Manage Device View(RICHFIELD_OFFICE)

Entity	DeviceTypeName	Device Name	Mac...	SerialNumber	Make	Model	CPUCount	PhysicalRAM	TotalFreeCdrive	_Installed_by	_Cost_center
<all>	<all>	<all>	<...>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
#MANUAL#	Switch	Cisco switch		CS880011	Cisco	Cisco-80150					
COLA	Computer	DESKTOP-EBQG6RR	95e6...	To be filled by O.E...	Gigabyte ...	To be fille...	4	16349 MB	386 GB		
TEST	Computer	WINDOWS-10-TEST	F384...	VMware-21 59 b9 ...	VMware; I...	VMware V...					

The column order will be as created/imported.

Re-Sync imported columns in a Device Managed View

When imported columns exist in a Device Managed View the Re-Sync Columns button will be active.

Re-Sync Columns Add Data Value Edit Data Value Delete Data Value Assistance


Re-Synchronize Imported Columns

Re-synchronize imported columns for all rows (does not require selection) -- Will only be enabled if imported columns exist in current view

When clicked, all rows (selected or not) that are from an Entity (not manually added) will be updated from the source Entity with its current values. The Re-Sync Columns only occurs when the button is clicked. There is not a linkage between SQL Database Tables to always synchronize the values. This enables control over when the data is updated.


When clicked, there is no status screen presented, the mouse cursor will change to a waiting indication (typically an hourglass but depends on the settings of the local Windows operating system the Console is

running upon) while in-process and then revert when complete, and the values shown will be updated after clicking the Refresh button at the upper left.



Editing custom columns in a Device Managed View

To add / edit values to each custom column defined, select one or more rows and click the Edit Columns button:



And the following window will appear:

Edit Custom Column values ✕

Available Custom Columns	Data Type	Existing Value (first selected row)	New Value
_Installed_by	varchar(120)		
_Cost_center	varchar(120)		

Edit Text

Apply

Edit Number

Apply

Edit Accounting

Apply

Edit Date

Apply

Add/Revise File

Apply

File Assistance

View Existing File

Apply

Extract Existing File

Save updated/new values to each selected row

This window allows editing of all custom values for each selected row. To begin, select a custom column and its data type will be enabled for data entry:

Edit Custom Column values

Available Custom Columns	Data Type	Existing Value (first selected row)	New Value
_Installed_by	varchar(120)		3rd Party Resources, Inc.
_Cost_center	varchar(120)		Research & Development

Edit Text

Apply

Edit Number

Apply

Edit Accounting

Apply

Edit Date

Apply

Add/Revise File

Apply

Save updated/new values to each selected row

Click the Apply button to update the New Value (as shown above).

When finished, click the “Save updated/new values to each selected row” button. The SQL Table will be updated and new values shown:



Manage Device View(RICHFIELD_OFFICE)

Entity	Device TypeName	Device Name	Mac...	SerialNumber	Make	Model	CPUCount	PhysicalRAM	TotalFreeCdrive	_Installed_by	_Cost_center
<all>	<all>	<all>	<...>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
#MANUAL#	Switch	Cisco switch		CS880011	Cisco	Cisco-80150				3rd Party R...	Research & D...
COLA	Computer	DESKTOP-EBQG6RR	95e6...	To be filled by O.E...	Gigabyte ...	To be fille...	4	16349 MB	386 GB	3rd Party R...	Research & D...
TEST	Computer	WINDOWS-10-TEST	F384...	VMware-21 59 b9 ...	VMware; I...	VMware V...					

Adding Data rows in a Device Managed View

Each Managed View has 2 lists also called ‘grids’. The first is the list of included Devices and any imported + custom columns. The second list is of data associated with those Devices. The data items can include any variety of information including Vendor details, Vendor invoices, Renewal Dates, Third party support details, and any other details.

To add a data row, click the Add Data Value button:



There are several data types available:

Each item must include an Item Name. The Item Name can be up to 126 characters and is free form. The item Description is optional and can be up to 254 characters.

The combination of Item Data Type + Item Name must be unique for the selected Managed View.

The value of the Item can be up to 512 characters.

When using the list.varchar data type, only the first value (of the list) can be entered on this screen. Once the initial data row is created use the Edit Data Value button to manage the list values.

Example:


When ready, click the Add Data Row button. When complete, close the window by clicking on the [X] at the upper right corner of the dialog window.

As each value is added it is immediately written to the SQL Table and will also be shown in the Data grid:

Item Type	Item Name	Item Description	Item Value
<all>	<all>	<all>	<all>
List	Purchase Approvals	List of those persons who can provide purchase approvals	E.Derek @ x554

Editing Data rows in a Device Managed View

To edit a Data row (only a single data row can be edited at a time), select the desired data row and click the Edit Data Value button:



And the following window will appear (for List data type):

Please note, the Item Data Type cannot be edited. For list items, use the Remove selected list item(s) and Add buttons (entering new values in the edit field to the left of the Add button).

When ready there are two options, Update Existing Data Row (full in-place replacement of the row in the Data SQL Table), or, Add as new Data Row (only possible if the Item name has been changed as Item Data Type + Item Name must be unique in the Data SQL Table for the selected Managed View.

Example:

Item Type	Item Name	Item Description	Item Value
<all>	<all>	<all>	<all>
List	Purchase Approvals	List of those persons who can provide purchase approvals	
			D.George @ x414
			M.Klaus @ x77
			E.Derek @ x554

For List items, the list can be closed and opened by clicking on the value “List” in the Item Type column; this will toggle the list to be closed/open, below shows the same list (as above), closed:

Item Type	Item Name	Item Description	Item Value
<all>	<all>	<all>	<all>
List	Purchase Approvals	List of those persons who can provide purchase approvals	

When editing other data types (other than List) the following (or similar) window will appear:

Edit selected Data Row from Managed View RICHFIELD_OFFICE

Edit Data row

Item Data Type:
Text

Edit Item Name:
Installed by



Edit Item Description:
The provider for device installation

Edit Item value
A.Ready Source LTD


Update Existing Data Row

Add as new Data Row

To remove one or more data rows, select the rows and then click the Delete Data Row button:



And a confirming prompt will appear:



If OK is clicked, the selected rows are immediately deleted from the DATA SQL Table for the selected Managed View. Caution, there is no “undo delete” function.

Editing, Viewing and Extracting FileType Data rows in a Device Managed View

Building on the previous section, if the file.varchar+varbinary data type is selected, then a file can be added to the SQL table. The maximum file size allowed is 5MB. Please contact support@softwremetering.com if you require the ability to store a larger file.

Use the File Assistance (highlighted above) button to open an Explorer window to locate the file. The entire file path will be stored in the data row and the file’s actual contents will also be stored in a separate column within the SQL Table.

The maximum file name length is 512 characters.

The following is a sample result:

Item Type	Item Name	Item Description	Item Value
List	Purchase Approvals	List of those persons who can provide purchase approvals	D.George @ x414 M.Klaus @ x77
File	PurchaseRecords4-...	All purchase records, April 2021	C:\temp\PurchaseRecords_April2021.pdf
Text	Installed by	The provider for device installation	A.Ready Source LTD E.Derek @ x554

Notice, the file’s data is not shown in the row.

To retrieve the file, select the data row and click the Edit Data Value button and the following window will appear:

Edit selected Data Row from Managed View RICHFIELD_OFFICE

Edit Data row

Item Data Type:
File

Edit Item Name:
PurchaseRecords4-21

Edit Item Description:
All purchase records, April 2021

Edit Item value
C:\temp\PurchaseRecords_April2021.pdf

File Assistance View Existing File Extract Existing File

Update Existing Data Row

Add as new Data Row

Notice there are 2 additional buttons (versus the Add Data Value prompt).

View Existing File and Extract Existing File.

If the file has an association within Windows, the View Existing File will auto-open that file in its native viewer.

However, if the file type is .exe, .lnk, .msi, .com or .dll; then the file will not be opened as it would attempt to start the executable.

If the file type is .bat, .ps, ps1; then the selected file will be opened in NOTEPAD.EXE instead of being run.

When the Extract Existing File is clicked, a Windows Explorer view will appear to assist in locating the path to extract the file to. Notice, the entire file path is stored in the data row, however, when extracting only the filename will be used and will be saved to the selected path.

Setting an Email Reminder in a Device Managed View

An email reminder can be configured for one or more devices contained within a Device Managed View. To start, select one or more device rows and click the Set Reminder button:

The screenshot shows the 'Assistance' toolbar with icons for 'Add Column', 'Edit Columns', 'Re-Sync Columns', 'Add Data Value', 'Edit Data Value', 'Delete Data Value', and 'Set Reminder'. Below the toolbar is a table with columns: Entity, DeviceTypeName, Device Name, and several other columns. The 'COLA' row is selected. A 'Set Device Reminder' dialog box is overlaid on the table, containing the text 'Set Device Reminder' and 'Set Reminder Email for selected Devices'.

Entity	DeviceTypeName	Device Name					
<all>	<all>	<all>					
#MANUAL#	Switch	Cisco switch		CS880011	Cisco	Cis	
COLA	Computer	DESKTOP-EBQG6RR	95e6...	To be filled by O.E...	Gigabyte ...	To	
TEST	Computer	WINDOWS-10-TEST	F384...	VMware-21 59 b9 ...	VMware; I...	VM	

the following will appear:

The dialog box is titled 'Set Device Reminder for Entity COLA'. It contains the following fields and options:

- Reminder Name: [Text Input] [Save] [Cancel]
- Reminder Description: [Text Input]
- Number of Devices included: 2
- Reminder Date: Apr/24/2021 [Dropdown]
- Reminder Time: 12:00 AM [Dropdown]
- Reset Period (number of days between re-sending reminder): [Text Input]
- Reset Iterations (number of reset periods, 0=send once): [Text Input]
- Reminder EMAIL Subject: [Text Input]
- Reminder EMAIL Text: [Text Input]
- Include list of devices at end of email body text
- Include list of devices as attachment
- Send Email to those addresses defined for Entity
- Reminder Additional Email Addresses to send to: [Text Input]

Notice in the window caption, it indicates an Entity name (COLA as shown above). The Entity of the first selected row is used. This is important because that [Entity's email configuration](#) is what will be used to send the Email Reminder.


If the Entity for the first selected row is “#MANUAL#” then the “DEFAULT” Entity will be used for the configuration.

If there are multiple Entities selected the Reminder will only use the email configuration of the first selected row.

The Reminder configuration is [further detailed in a previous section](#).

Exporting values from a Device Managed View


To create an HTML report or Export CSV of a Device Managed View, click the Export Statistics button:



When creating an HTML report, two files will be created, one for the rows of Devices and one for the Data grid. The file for the Data grid will have the same name as the Devices grid except with “_data” appended to the filename.


The export does not include the data of any File stored within either list, only its original filename. To retrieve the File, please use the Edit Column or Edit Row button.

Cloning Managed View Database + Tables




The structure of Managed Views can be very customized (Application or Device grid) with unique column definitions.

To enable easy replication of the column structure of the SQL Database+Tables of a Managed View, select Managed section, and then select the Managed View to clone:



Click the Clone selected View button and the following will be presented:



Enter name for new Managed View and click the “Click here to create..” button and the following will be presented, notice only the “APPLICATIONS” (or “DEVICES”) table is cloned, the Data table is not cloned because it has no custom SQL column definitions.


SofTrack creating SQL Entity database AUTODESK_17

Step Count: Server	Action	Result
00001: VCSLOCALDC01\SQLEXP...	Connecting to SQL Server	...
00002: VCSLOCALDC01\SQLEXP...	Creating SOFTRACK_MANAGED_APPS_AUTODESK_17 Database	...
00003: VCSLOCALDC01\SQLEXP...	Successfully created SOFTRACK_MANAGED_APPS_AUTODESK_17 Database	OK
00004: VCSLOCALDC01\SQLEXP...	Add Login for local [NT AUTHORITY\SYSTEM]	...
00005: VCSLOCALDC01\SQLEXP...	Already Exists: Login for [NT AUTHORITY\SYSTEM]	OK
00006: VCSLOCALDC01\SQLEXP...	Add ROLE sysadmin for local [NT AUTHORITY\SYSTEM]	...
00007: VCSLOCALDC01\SQLEXP...	Successfully added ROLE sysadmin for local [NT AUTHORITY\SYSTEM]	OK
00008: VCSLOCALDC01\SQLEXP...	Add Login for Remote Name of SOFTRACK Server Agent [VCSEXCHANGE\VCSLOCALDC01\$]	...
00009: VCSLOCALDC01\SQLEXP...	Already Exists: Login for [VCSEXCHANGE\VCSLOCALDC01\$]	...
00010: VCSLOCALDC01\SQLEXP...	Add ROLE sysadmin for [VCSEXCHANGE\VCSLOCALDC01\$]	...
00011: VCSLOCALDC01\SQLEXP...	Successfully added ROLE sysadmin for [VCSEXCHANGE\VCSLOCALDC01\$]	OK
00012: VCSLOCALDC01\SQLEXP...	Cloning Structure	SOFTRACK_MANAGED_APPS_ABACUS_GROUP.APPLICATIONS
00013: VCSLOCALDC01\SQLEXP...	Adding Keys	SOFTRACK_MANAGED_APPS_ABACUS_GROUP.APPLICATIONS
00014: VCSLOCALDC01\SQLEXP...	Adding GUID Constraint	SOFTRACK_MANAGED_APPS_ABACUS_GROUP.APPLICATIONS
00015: VCSLOCALDC01\SQLEXP...	Cloning Structure Successfully Completed	SOFTRACK_MANAGED_APPS_ABACUS_GROUP.APPLICATIONS
00016: VCSLOCALDC01\SQLEXP...	Creating Table DATA	...
00017: VCSLOCALDC01\SQLEXP...	Successfully Created Table DATA	OK

Save Results Done

Once complete, click the Save Results button to save the text shown on the results screen.

The new Managed View will now be included:




And will have the same SQL column definitions as the donor Managed View.


Note: The contents of the donor Managed View are NOT COPIED, only its SQL Column Structure is copied.

Deleting a Managed View


When a Managed View is to be deleted, select the Managed section and then select the Managed View to complete remove / delete from SQL:




Two confirming deletion prompts will be presented per selected Managed View:



and



Caution: Once deleted there is no undo function. This function only “drops” the SQL Database for the selected Managed View, it does not make any other changes. For instance, if Reminders have been created for the now deleted Managed View, they will remain and [must be separately deleted](#).



Chapter 9 SQL Tables

SQL Reference

For each Managed Assets Entity a SQL database is created that includes multiple tables. This section is a technical reference of each Table and its definitions.

All Tables are connectable via the combination of the ComputerName and MachineGUID columns.

Table: INVENTORY

The INVENTORY table defines for single enumeration items. For inventory items with multiple possible values (enumerations) an additional table exists. This table and all INVENTORY_* tables (each defined in this section) maintain the most recent values for each ComputerName + MachineGUID combination. When a new inventory is received (from the ST_SLAM agent) it overwrites all previous entries including removal of entries no longer found.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**DeviceType**] [int] NULL
Defined value: (1 = PC/workstation)

[**DateTimeGathered**] [datetime] NOT NULL
Value indicates time recorded inserted into this Table

[**ComputerName**] [varchar](64) NOT NULL

[**MachineGUID**] [varchar](128) NOT NULL
Value is from the Windows® registry of the named Computer, it is generated by Microsoft, if value is replicated on multiple Computers it indicates each share a common image for the Windows® operating system

[**SerialNumber**] [varchar](64) NULL
Value is from the BIOS of the Computer, typically assigned by its manufacturer

[**Make**] [varchar](64) NULL

[**Model**] [varchar](64) NULL

[**BIOSdateVersion**] [varchar](64) NULL

[**WindowsType**] [varchar] (64) NULL

[**WindowsServicePack**] [varchar] (64) NULL

[**WindowsBuild**] [varchar] (24) NULL

[**WindowsRelease**] [varchar] (6) NULL

[**TSEcals**] [int] NULL

Value will be 0 except when Computer is a Windows® terminal server and has RDS/CALs installed

Note: If this inventory record provided by [Importing of Smart Inventory](#) records will always be zero; only when inventory record is provided by the ST_SLAM agent will non-zero value be provided

[**BaseMachine**] [varchar] (64) NULL

[**PhysicalRAM**] [varchar] (64) NULL

[**CPUCount**] [int] NULL

[**TotalSizeCdrive**] [varchar] (20) NULL

[**TotalFreeCdrive**] [varchar] (20) NULL

[**IPv4Address**] [varchar] (16) NULL

Note: Only the first IPv4 address of the workstation is recorded

[**WindowsExperienceScore**] [varchar] (16) NULL

[**InternetExplorerVersion**] [varchar] (64) NULL

[**WindowsInstallationKey**] [varchar] (128) NULL

[**IsGenuine**] [varchar] (4) NULL

Value is "... " (3 dots) if unknown, version of Windows® operating system is too old, otherwise value is YES or NO

[**Description**] [varchar] (128) NULL

[**PrimaryUserWindows**] [varchar] (512) NULL

Note: this value is typically the most recent user to logon to Computer

[**SystemLastBootTime**] [varchar] (64) NULL

[**SystemUptimeInSeconds**] [int] NULL

[**SystemLastRebootTimeDWORD**] [bigint] NULL

[**SystemLastRebootTimeValue**] [datetime] NULL

[**MachineDomainWGroup**] [varchar] (32) NULL

Note: WGroup = Worksgroup, value could be Domain name or Workgroup name

[**MachineLogonServer**] [varchar] (32) NULL

[**MachineTimeZone**] [varchar] (128) NULL

[**PrimaryVideoAdapterName**] [varchar] (128) NULL

[**PrimaryVideoAdapterDriverDate**] [varchar] (64) NULL

[**PrimaryVideoAdapterDriverDate**] [varchar] (64) NULL

[**WakeUpType**] [int] NULL

This column added December 2023, possible values:

1	Other Event
2	Not used
3	APM timer
4	Modem Ring
5	LAN Remote
6	Power Switch
7	PCI PME# signal
8	AC Power Restored

Primary Key definition:

```
CONSTRAINT [COMPUTERNAME_MACHINEGUID_GUID] PRIMARY KEY CLUSTERED ([ComputerName]
ASC,[MachineGUID] ASC)
```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY (ComputerName, MachineGUID)
```

Table: INVENTORY_RAM

The INVENTORY_RAM table provides the list of RAM modules installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar] (64) NOT NULL

[**MachineGUID**] [varchar] (128) NOT NULL

[**RAMBankNumber**] [int] NULL

Value is number 1 through 16

[**RAMBankDescription**] [varchar] (512) NULL

Primary Key definition:

```
CONSTRAINT [RAM_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_RAM (ComputerName, MachineGUID)
```

Table: INVENTORY_CPU

The INVENTORY_CPU table provides the list of CPUs installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar](64) NOT NULL
```

```
[MachineGUID] [varchar](128) NOT NULL
```

```
[CPUNumber] [int] NULL
```

Value is number 1 through 16

```
[CPUVendor] [varchar](64) NULL
```

```
[CPUType] [varchar](64) NULL
```

```
[CPUSpeed] [varchar](64) NULL
```

Primary Key definition:

```
CONSTRAINT [CPU_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_CPU (ComputerName, MachineGUID)
```

Table: INVENTORY_VIDEO

The INVENTORY_VIDEO table provides the list of Video Adapters installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar](64) NOT NULL
```

```
[MachineGUID] [varchar](128) NOT NULL
```

```
[VideoAdapterNumber] [int] NULL
```

Value is number 1 through 4

```
[VideoAdapterName] [varchar](128) NULL
```

```
[VideoAdapterVer] [varchar] (64) NULL
```

```
[VideoAdapterDate] [varchar] (64) NULL
```

Primary Key definition:

```
CONSTRAINT [VIDEO_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_VIDEO (ComputerName, MachineGUID)
```

Table: INVENTORY_MONITOR

The INVENTORY_MONITOR table provides the list of Video Monitors installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar] (64) NOT NULL
```

```
[MachineGUID] [varchar] (128) NOT NULL
```

```
[MonitorNumber] [int] NULL  
Value is number 1 through 8
```

```
[MonitorResolution] [varchar] (128) NULL
```

Primary Key definition:

```
CONSTRAINT [MONITOR_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_MONITOR (ComputerName, MachineGUID)
```

Table: INVENTORY_VOLUME

The INVENTORY_VOLUME table provides the list of Disk Drive Volumes (those with a drive letter assigned) installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[ComputerName] [varchar](64) NOT NULL

[MachineGUID] [varchar](128) NOT NULL

[DriveLetter] [varchar](10) NULL

Sample value : "C:\"

[VolumeName] [varchar](32) NULL

[VolumeFormat] [varchar](32) NULL

[VolumeSizeBytes] [varchar](64) NULL

Primary Key definition:

CONSTRAINT [VOLUME_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

CREATE INDEX I_CMG ON INVENTORY_VOLUME (ComputerName, MachineGUID)

Table: INVENTORY_HDD

The INVENTORY_HDD table provides the list of Physical Disk Devices installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[ComputerName] [varchar](64) NOT NULL

[MachineGUID] [varchar](128) NOT NULL

[Manufacturer] [varchar](32) NULL

[Model] [varchar](32) NULL

[SerialNumber] [varchar](32) NULL

[SizeBytes] [bigint] NULL

Note: overall size in bytes, does not indicate space in use

Primary Key definition:

CONSTRAINT [HDD_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_HDD (ComputerName, MachineGUID)
```

Table: INVENTORY_NETWORK

The INVENTORY_NETWORK table provides the list of Physical Network Adapters installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar](64) NOT NULL
```

```
[MachineGUID] [varchar](128) NOT NULL
```

```
[AdapterName] [varchar](80) NULL
```

```
[AdapterMACAddress] [varchar](32) NULL
```

Primary Key definition:

```
CONSTRAINT [NETWORK_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_NETWORK (ComputerName, MachineGUID)
```

Table: INVENTORY_PRINTER

The INVENTORY_PRINTER table provides the list of Printers installed for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar](64) NOT NULL
```

```
[MachineGUID] [varchar](128) NOT NULL
```

```
[PrinterName] [varchar](32) NULL
```

```
[DriverName] [varchar](32) NULL
```

```
[DriverVersion] [varchar](32) NULL
```

```
[IPAddressAndPort] [varchar](32) NULL
```

Primary Key definition:

```
CONSTRAINT [PRINTER_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_PRINTER (ComputerName, MachineGUID)
```

Table: INVENTORY_MSKEYS

The INVENTORY_MSKEYS table provides the list of Microsoft® Installation Keys detected for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar](64) NOT NULL
```

```
[MachineGUID] [varchar](128) NOT NULL
```

```
[ApplicationName] [varchar](128) NOT NULL
```

```
[ApplicationVersion] [varchar](128) NULL
```

```
[InstallationKey] [varchar](128) NULL
```

Primary Key definition:

```
CONSTRAINT [MSKEYS_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```
CREATE INDEX I_CMG ON INVENTORY_MSKEYS (ComputerName, MachineGUID)
```

Table: INVENTORY_APP

The INVENTORY_APP table provides the list of installed Applications detected for the identified Computer + MachineGUID.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```

[ComputerName] [varchar] (64) NOT NULL
[MachineGUID] [varchar] (128) NOT NULL
[ApplicationName] [varchar] (80) NOT NULL
[Version] [varchar] (20) NULL
[Publisher] [varchar] (80) NULL
[InstallDate] [varchar] (20) NULL
[InstallMethod] [varchar] (32) NULL
Values: MSI, EXE, InstallShield
[SerialNumber] [varchar] (80) NULL
[EstimatedSize] [varchar] (32) NULL
[EXECount] [int] NULL

```

Primary Key definition:

```

CONSTRAINT [APPNAME_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC, [ApplicationName] ASC,
[ComputerName] ASC, [MachineGUID] ASC)

```

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

```

CREATE INDEX I_CMG ON INVENTORY_APP (ComputerName, MachineGUID)
CREATE INDEX I_PUBLISHER ON INVENTORY_APP (Publisher)

```

Table: INVENTORY_APP_TAGS

The INVENTORY_APP_TAGS table is **ONLY** created in the SOFTRACK_ENTITY_DEFAULT Database. Values in this table are customer defined, indicating the Applications with an identified [Software Category](#).

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```

[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
[ApplicationName] [varchar] (200) NOT NULL
Duplicates not allowed, each ApplicationName value will exist once
[Entity] [varchar] (80) NOT NULL
Value is not currently used for matching Application to Entity, always set to:
[ALL ENTITIES]
[SoftwareCategory] [varchar] (80) NOT NULL
Note: Each ApplicationName can only have one SoftwareCategory

```

Primary Key definition:

```
CONSTRAINT [APPTAG_GUID] PRIMARY KEY CLUSTERED ([ApplicationName] ASC, [Entity]
ASC)
```

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

Table: INVENTORY_WCU

The INVENTORY_WCU table provides the list of Windows Component Updates (hotfixes) installed for the identified Computer + MachineGUID. This table was added in December 2023 and requires ST_SLAM v7.03g or later to be populated.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

```
[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
```

```
[ComputerName] [varchar](64) NOT NULL
```

```
[MachineGUID] [varchar](128) NOT NULL
```

```
[KB] [varchar](16) NULL
```

```
[Description] [varchar](192) NULL
```

```
[InstallLocalTime] [datetime] NOT NULL
```

```
[Operation] [int] NOT NULL
```

Values:

```
1      Installation
2      Uninstallation
```

```
[Status] [int] NOT NULL
```

Values:

```
1      In Progress
2      Succeeded
3      Succeeded with Errors
4      Failed
5      Aborted
```

Primary Key definition:

```
CONSTRAINT [WCU_GUID] PRIMARY KEY CLUSTERED ([GUID] ASC)
```

```
CREATE INDEX I_CMG ON INVENTORY_WCU (ComputerName, MachineGUID)
```

Table: INVENTORY_CLOUD_JOIN

The INVENTORY_CLOUD_JOIN table provides the of Azure (EntraID) Tenants joined for the identified Computer + MachineGUID. This table was added in December 2023 and requires ST_SLAM v7.03g or later to be populated.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar](64) NOT NULL

[**MachineGUID**] [varchar](128) NOT NULL

[**DeviceDisplayName**] [varchar](64) NOT NULL

Note: This value is typically identical to the ComputerName column

[**TenantID**] [varchar](64) NOT NULL

[**UserEmail**] [varchar](256) NOT NULL

Note: This value is the UserPrincipalName as identified in Azure (EntraID)

Primary Key definition:

CONSTRAINT [CLOUD_JOIN_GUID] PRIMARY KEY CLUSTERED ([TenantID] ASC, [DeviceDisplayName] ASC, [UserEmail] ASC)

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

CREATE INDEX I_CMG ON INVENTORY_CLOUD_JOIN (ComputerName, MachineGUID)

Table: ALL_SOFTWARE_USAGE

The ALL_SOFTWARE_USE table includes all imported or usage detected by the ST_SLAM agent.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar](64) NOT NULL

[**MachineGUID**] [varchar](128) NOT NULL

[**PID**] [int] NOT NULL

Note: PID=ProcessID, this value is internal to Windows® and is used to uniquely identify usage; if this record was [Imported](#), the value will be zero

[**RecordType**] [int] NULL

Value 48=ST_SLAM Record; 80=Smart Inventory Import Record

Note: Record Type = 80 will only have the following columns: ComputerName, MachineGUID with value of NO_MGUID, Username, EXEStartTime, EXEAppName, EXEVersion, EXECompany and EXEName)

[**Username**] [varchar](64) NULL

[**EXEName**] [varchar] (270) NOT NULL

[**EXEFullPath**] [varchar] (2700) NULL

[**EXECompany**] [varchar] (64) NULL

[**EXEVersion**] [varchar] (64) NULL

[**EXEDescription**] [varchar] (64) NULL

[**EXEProductName**] [varchar] (64) NULL

[**EXEAppName**] [varchar] (512) NULL

[**EXEStartTime**] [datetime] NOT NULL

[**EXEExitTime**] [datetime] NULL

[**ActiveSeconds**] [int] NULL

[**IdleSeconds**] [int] NULL

[**TotalSeconds**] [int] NULL

[**TimeZoneBiasSeconds**] [int] NULL
Value is negative or positive number of seconds bias from UTC

[**EXEStartTimeUTC**] [datetime] NULL

[**EXEExitTimeUTC**] [datetime] NULL

[**TSSession**] [int] NULL
Note: This value is not currently used, it is planned for the future

Primary Key definition:

CONSTRAINT [ALL_SOFTWARE_USAGE_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [PID] ASC, [EXEName] ASC, [EXEStartTime] ASC)

During record inseration, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

Table: ALL_PAGE_TITLE_ACTIVITY

The ALL_PAGE_TITLE_ACTIVITY table provides record of all Page Titles a user viewed during their entire logon session.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar] (64) NOT NULL

[**MachineGUID**] [varchar] (128) NOT NULL

[**RecordType**] [int] NOT NULL
Value 81=ST_SLAM Record

[**TSSession**] [int] NOT NULL
Session Id for the specific usage, this value is internal to Windows®

[**PID**] [int] NOT NULL
Note: PID=ProcessID, this value is internal to Windows® and is used to uniquely identify usage

[**Username**] [varchar](64) NOT NULL

[**PageTitle**] [varchar](260) NOT NULL
Value is the title of the application window that is the current focus

[**EXENAME**] [varchar](260) NOT NULL

[**EXEStartTime**] [datetime] NOT NULL

[**PageViewStartTime**] [datetime] NOT NULL

[**PageViewExitTime**] [datetime] NOT NULL

[**ActiveSeconds**] [int] NOT NULL

Primary Key definition:

CONSTRAINT [ALL_PAGE_TITLE_ACTIVITY_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [PID] ASC, [EXENAME] ASC, [EXEStartTime] ASC, [PageViewStartTime] ASC)

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

Table: DIGITAL_CERTIFICATE_EXCEPTIONS

The DIGITAL_CERTIFICATE_EXCEPTIONS table includes all application usage detected by the ST_SLAM agent with an invalid/cracked Digital Certificate Signature or has never been signed (no Digital Certificate Signature).

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar](64) NOT NULL

[**MachineGUID**] [varchar](128) NOT NULL

[**DCertExceptionCode**] [int] NOT NULL

[**DCertCompany**] [varchar](192) NULL

[**DCertIssuer**] [varchar](192) NULL

[**Username**] [varchar] (64) NULL

[**EXEName**] [varchar] (270) NOT NULL

[**EXEFullPath**] [varchar] (2700) NULL

[**EXECompany**] [varchar] (64) NULL

[**EXEVersion**] [varchar] (64) NULL

[**EXEDescription**] [varchar] (64) NULL

[**EXEProductName**] [varchar] (64) NULL

[**EXEAppName**] [varchar] (512) NULL

[**EXELastModifyTime**] [datetime] NOT NULL

[**EXEFileSize**] [int] NOT NULL

[**TimeZoneBiasSeconds**] [int] NULL
Value is negative or positive number of seconds bias from UTC

[**EXELastUsageTime**] [datetime] NULL

Primary Key definition:

CONSTRAINT [DIGITAL_CERTIFICATE_EXCEPTIONS_GUID] PRIMARY KEY CLUSTERED
([ComputerName] ASC, [MachineGUID] ASC, [DCertExceptionCode] ASC, [EXEName] ASC,
[EXEFullPath] ASC, [EXELastModifyTime] ASC, [EXEFileSize] ASC)
(IGNORE_DUP_KEY = ON)

During record insertion, if any duplicates are presented only the column [**EXELastUsageTime**], will be updated (thus, only a single row for this entry always maintained with the latest/most recent usage time).

Table: WERFAULT_HISTORY

The WERFAULT_HISTORY table includes all crashed application usage handled by Windows® WERFAULT detected by the ST_SLAM.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar] (64) NOT NULL

[**MachineGUID**] [varchar] (128) NOT NULL

[**PIDThatCrashed**] [int] NOT NULL

[**WerfaultPath**] [varchar] (270) NULL
This is the path WERFAULT.EXE was launched from.

[**Username**] [varchar] (64) NULL

[**EXEName**] [varchar] (270) NOT NULL

[**EXEFullPath**] [varchar] (2700) NULL

[**EXECompany**] [varchar] (64) NULL

[**EXEVersion**] [varchar] (64) NULL

[**EXEDescription**] [varchar] (64) NULL

[**EXEProductName**] [varchar] (64) NULL

[**EXEAppName**] [varchar] (512) NULL

[**EXEStartTime**] [datetime] NOT NULL

[**EXECrashTime**] [datetime] NOT NULL

[**TimeZoneBiasSeconds**] [int] NULL
Value is negative or positive number of seconds bias from UTC

[**EXEStartTimeUTC**] [datetime] NULL

[**EXEExitTimeUTC**] [datetime] NULL

[**TSSession**] [int] NULL
Note: This value is not currently used, it is planned for the future

Primary Key definition:

CONSTRAINT [WERFAULT_HISTORY_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [PIDThatCrashed] ASC, [EXEName] ASC, [EXEStartTime] ASC, [EXECrashTime] ASC)
(IGNORE_DUP_KEY = ON)

Table: BSOD_HISTORY

The BSOD_HISTORY table includes details of the MEMORY.DMP file that occurs when a workstation crashes (also known as a BSOD) detected by the ST_SLAM.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar] (64) NOT NULL

[**MachineGUID**] [varchar] (128) NOT NULL

[**DateOfDumpFile**] [datetime] NOT NULL

[**DumpFileSize**] [bigint] NOT NULL

[**BugCheckCode**] [int] NOT NULL

[**Param1**] [bigint] NOT NULL

Param columns are from the crash dump, each are included for completeness.

[Param2] [bigint] NOT NULL

[Param3] [bigint] NOT NULL

[Param4] [bigint] NOT NULL

[OtherData] [varchar] (2700) NULL

Note: This value is not currently used, it is planned for the future

Primary Key definition:

CONSTRAINT [CONSTRAINT [BSOD_HISTORY_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [DateOfDumpFile] ASC, [BugCheckCode] ASC) (IGNORE_DUP_KEY = ON)

Table: SQL_SERVER_ACTIVITY

The SQL_SERVER_ACTIVITY table provides detail of user SQL sessions. If a SQL Session includes multiple dates, the SQLLoginDate column will reveal the initial session start and the SQLActiveOnDate will present subsequent dates. For instance, if a session extended for 7 days, there will be 7 records (rows) and the only difference for each record will be the SQLActiveOnDate value.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[ComputerName] [varchar] (64) NOT NULL

[MachineGUID] [varchar] (128) NOT NULL

[RecordType] [int] NOT NULL
Value 68=SQL Session Record;

[SQLInstance] [varchar] (128) NOT NULL
Value is only SQL Instance name such as "SQLEXPRESS", maximum name length per SQL Server is 16 characters

[SQLLoginDate] [date] NOT NULL
Example: 2020-11-15 is November 15, 2020

[SQLActiveOnDate] [date] NOT NULL

[SQLLoginName] [varchar] (128) NOT NULL
Example: DOMAIN\USER

[NTUserName] [varchar] (128) NULL

[NTDomainName] [varchar] (128) NULL

[LDAPUserName] [varchar] (512) NULL
If available, the LDAP name will be included

[**ConnectionMethod**] [varchar](128) NULL

Example: ODBC, .Net SqlClient Data Provider, etc.

[**ApplicationName**] [varchar](128) NULL

If known, will be the application requesting the SQL session

[**DatabaseConnected**] [varchar](128) NOT NULL

Name of the SQL Table accessed by the session

Primary Key definition:

CONSTRAINT [SQL_SERVER_ACTIVITY_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [SQLInstance] ASC, [SQLLoginDate] ASC, [SQLActiveOnDate] ASC, [SQLLoginName] ASC, [DatabaseConnected] ASC, [RecordType] ASC)

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

Table: ALL_LOGON_ACTIVITY

The ALL_LOGON_ACTIVITY table provides detail of each user Logon Session.

The following are the columns defined, in the order of creation including specifics of each definition. After all columns definitions are detailed, the primary key and other configurations are provided.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar](64) NOT NULL

[**MachineGUID**] [varchar](128) NOT NULL

[**RecordType**] [int] NOT NULL

Value 193: Logon Session; 200: Lock/Unlock Activity

[**TSSession**] [int] NULL

[**PID**] [int] NOT NULL

[**Username**] [varchar](64) NOT NULL

[**Domain**] [varchar](64) NULL

[**LDAPUserName**] [varchar](512) NULL

[**RemoteAddress**] [varchar](64) NULL

[**SessionStation**] [varchar](64) NOT NULL

[**LoginTime**] [datetime] NOT NULL

[**LogoffTime**] [datetime] NULL

Note: Will be NULL for Lock/Unlock record type

[**LockTime**] [datetime] NULL

[**UnlockTime**] [datetime] NULL

[**TotalLockedSeconds**] [int] NULL

[**TotalLoginSeconds**] [int] NULL

[**TimeZoneBiasSeconds**] [int] NULL

[**SyncTime**] [datetime] NOT NULL

Primary Key definition:

CONSTRAINT [ALL_LOGON_LOCK_ACTIVITY_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [PID] ASC, [LoginTime] ASC, [RecordType] ASC, [SyncTime] ASC)

During record insertion, if any duplicates are presented, each will be ignored and the insertion of non-redundant records will be allowed to continue (IGNORE_DUP_KEY = ON)

Table: ADESK_USAGE

The ADESK_USAGE table stores details of each Autodesk® Application Usage per workstation.

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar](64) NOT NULL

[**MachineGUID**] [varchar](128) NOT NULL

[**PID**] [int] NOT NULL

[**RecordType**] [int] NOT NULL
Value 173: Autodesk® Activity

[**Username**] [varchar](64) NULL

[**EXEName**] [varchar](270) NOT NULL

[**EXEFullPath**] [varchar](2700) NULL

[**EXECompany**] [varchar](64) NULL

[**EXEVersion**] [varchar](64) NULL

[**EXEDescription**] [varchar](64) NULL

[**EXEProductName**] [varchar](64) NULL

[**EXEAppName**] [varchar](512) NULL

[**EXEStartTime**] [datetime] NOT NULL

[**EXEExitTime**] [datetime] NULL

[**ActiveSeconds**] [int] NULL

[**IdleSeconds**] [int] NULL

[**TotalSeconds**] [int] NULL

[**TimeZoneBiasSeconds**] [int] NULL
Value is negative or positive number of seconds bias from UTC

[**EXEStartTimeUTC**] [datetime] NULL

[**EXEExitTimeUTC**] [datetime] NULL

[**TSSession**] [int] NULL
Note: This value is not currently used, it is planned for the future

[**AD_LicenseInfoAuthorized**] [tinyint] NULL
Value is boolean, true or false

[**AD_LicenseInfoMethod**] [smallint] NULL

[**AD_LicenseInfoSerialNumber**] [varchar](16) NULL

[**AD_LicenseInfoLicenseModel**] [smallint] NULL

```

[AD_LicenseInfoLicenseSubModel] [varchar] (24) NULL
[AD_LicenseInfoLicenseBehavior] [smallint] NULL
[AD_LicenseInfoUsage] [smallint] NULL
[AD_LicenseInfoExpState] [smallint] NULL
[AD_LicenseInfoExpDate] [date] NULL
[AD_LicenseInfoType] [smallint] NULL
[AD_LicenseInfoState] [smallint] NULL
[AD_LicenseInfoFeatureName] [varchar] (32) NULL
[AD_LicenseInfoLicenseName] [varchar] (48) NULL
[AD_LicenseInfoFeatureID] [varchar] (16) NULL
[AD_LicenseInfoFeatureVer] [varchar] (16) NULL
[AD_LicenseInfoUserID] [varchar] (16) NULL
[AD_LicenseInfoUsername] [varchar] (64) NULL
[AD_DaysActive] [smallint] NULL
Value 0: less than 1 day; otherwise [TotalSeconds] / 86400

```

Primary Key definition:

```

CONSTRAINT [ADESK_USAGE_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC,
[MachineGUID] ASC, [PID] ASC, [EXEName] ASC, [EXEStartTime] ASC)

```

Table: ADESK_PLUGINS

The ADESK_PLUGINS table stores details of each Autodesk® Plugin that was Loaded into Any AutoCAD Application.

```

[GUID] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()
[ComputerName] [varchar] (64) NOT NULL
[MachineGUID] [varchar] (128) NOT NULL
[PID] [int] NOT NULL
[RecordType] [int] NOT NULL
Value 116: Autodesk® Plugin Usage
[Username] [varchar] (64) NULL
[EXEName] [varchar] (270) NOT NULL
[EXEFullPath] [varchar] (2700) NULL
[EXECompany] [varchar] (64) NULL

```

[**EXEVersion**] [varchar] (64) NULL

[**EXEDescription**] [varchar] (64) NULL

[**EXEProductName**] [varchar] (64) NULL

[**EXEAppName**] [varchar] (512) NULL

[**EXEStartTime**] [datetime] NOT NULL

[**EXEExitTime**] [datetime] NULL

[**ActiveSeconds**] [int] NULL

[**IdleSeconds**] [int] NULL

[**TotalSeconds**] [int] NULL

[**TimeZoneBiasSeconds**] [int] NULL
Value is negative or positive number of seconds bias from UTC

[**EXEStartTimeUTC**] [datetime] NULL

[**EXEExitTimeUTC**] [datetime] NULL

[**TSSession**] [int] NULL
Note: This value is not currently used, it is planned for the future

[**AD_PluginFilename**] [varchar] (260) NOT NULL

[**AD_PluginDescription**] [varchar] (260) NULL

[**AD_PluginVersion**] [varchar] (32) NULL

[**AD_PluginCompany**] [varchar] (128) NULL

[**AD_PluginPathSize**] [bigint] NULL

[**AD_PluginInstallationDate**] [datetime] NULL

Primary Key definition:
CONSTRAINT [ADESK_PLUGINS_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC,
[MachineGUID] ASC, [PID] ASC, [EXEName] ASC, [EXEStartTime] ASC,
[AD_PluginFilename] ASC)

Table: TCPUDP_STATS

The TCPUDP_STATS table stores details of all upload and/or download activity where the number of bytes uploaded or downloaded

[**GUID**] [uniqueIdentifier] NOT NULL DEFAULT NEWSEQUENTIALID()

[**ComputerName**] [varchar] (64) NOT NULL

[**MachineGUID**] [varchar] (128) NOT NULL

[**PID**] [int] NOT NULL

[RecordType] [int] NOT NULL

Value 65: TCP/UDP Upload/Download Statistics

[Username] [varchar] (64) NULL

[EXENAME] [varchar] (270) NOT NULL

[TSSession] [int] NULL

Note: This value is not currently used, it is planned for the future

[TotalSecondsConnected] [int] NOT NULL

Value is total number of seconds connected to specified Port

[ConnectionStartTime] [datetime] NOT NULL

[ConnectionExitTime] [datetime] NOT NULL

[IsUDPPort] [tinyint] NULL

Value is boolean, true or false

[RemoteIPv4Address] [varchar] (16) NOT NULL

If IPv6 address is found, value set to last 4 bytes of IPv6 address

[RemoteIPv6Address] [varchar] (40) NULL

[RemoteHostName] [varchar] (258) NULL

If resolvable, otherwise will be same as RemoteIPv4Address

[RemotePort] [int] NOT NULL

[DownloadedSizeBytes] [bigint] NULL

[UploadedSizeBytes] [bigint] NULL

Primary Key definition:

CONSTRAINT [TCPUDP_USAGE_GUID] PRIMARY KEY CLUSTERED ([ComputerName] ASC, [MachineGUID] ASC, [PID] ASC, [EXENAME] ASC, [ConnectionStartTime] ASC, [RemoteIPv4Address] ASC, [RemotePort] ASC)

Table: SOFTRACK_DB_Dates

This table is currently unused; it is included for possible future reporting options.

Stored Procedures

Four Stored Procedures are created in the SOFTRACK_ENTITY_DEFAULT table.

ADESK_R30

ADESK_R30S

TCPUDP_T30

TCPUDP_T33



Glossary

Audit

To gather information about an application for tracking, trend analysis, and usage enforcement.

Interactive Reports

Reports produced from the `SOFTRACK_CONSOLE.EXE` interface.

SOFTRACK_CONSOLE.EXE

The administrator and reporting interface for SofTrack.

SSA

See SofTrack Server Agent.

Token

An activation file for the SofTrack program. A time-limited evaluation token is supplied with the evaluation version of SofTrack. It may be replaced at any time with a purchased token. Without a token, SofTrack will not function except to provide reporting of previously gathered activity.